

7. Electrical Parts List

7-1 CW28C73NS8XXEC

| Level | Loc. No. | Code No. | Description ; Specification | Remark | Level | Loc. No. | Code No. | Description ; Specification | Remark |
|---------------------------|----------|-------------|---|--------|-------|----------|-------------|---|--------|
| ASSY PCB MAIN(OPT) | | | | | | | | | |
| 1 | | AA94-05609B | ASSY PCB MAIN(OPT);CW28C3-C7-C9N,KS3A/H, | | 3 | | AA62-30197D | HEAT-SINK,ES;DP,-,-,AA62-30181H,-,-,- | |
| △ 2 | V999S | 3704-001105 | SOCKET-CRT;11P20PI,26.5PI,NL,- | | 3 | | 6003-000333 | SCREW-TAPTITE,RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 2 | CN501A | AA39-00241A | LEAD CONNECTOR ASSY;,6P,YBNH250-06,S,500 | | 3 | | HA68-02189A | LABEL-WARNING;,33MM,18MM,WHITE | |
| 2 | CN502A | AA39-20053B | LEAD CONNECTOR-ASSY;,5PYBNH025-05,S,500 | | 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | TOP | AA39-20010B | LEAD CONNECTOR-ASSY;,1PYFH800-01,S,500, | | 2 | IC903 | 1203-001944 | IC-POSIFIXED REG.;78RM33,TO-220,3P,-,PL | |
| 2 | IC501 | HA96-00276B | ASSY H/S,-,VIDEO AMPAA62-00052A,STV510 | | 2 | C407 | 2301-001338 | C-FILM,MPEF;PPF;0.68nF;5%,1.6kV,TP;28x7x1 | |
| 3 | | 1201-001687 | IC-VIDEO AMP;STV5109,ZIP;15P,-,SINGLE,50 | | △ 2 | D801S | 0402-001399 | DIODE-BRIDGE;GSI8B660,600V,6A,SIP-4,BK | |
| 3 | | AA62-00052A | HEAT SINK-PS;-,-,-,SILVER,HOLE 18.5mm, 2 | | 2 | Q402 | 0502-001007 | TR-POWER;KSC2073-H2,NPN,25W,TO-220,ST,6 | |
| 3 | | 6003-000334 | SCREW-TAPTITE,RH,+,2S,M3,L6,ZPC(YEL),SWR | | △ 2 | PC801S | 0604-001038 | PHOTO-COUPLER;TR,130-260%,200mW,DIP-4,ST | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | | △ 2 | NT802S | 1404-001045 | THERMISTOR-NTC;4.7ohm,15%,2900K,35.0mW,T | |
| △ 2 | T801S | AA26-00046B | TRANS SWITCHING;CODE-NO,CW6844N8X/XEF,- | | 2 | C815 | 2401-003026 | C-AL;330uF;20%,200V,GP;ST,22x35,10 | |
| △ 2 | IC201S | 1204-001634 | IC-VIDEO PROCESS;VDP3120B-C3,DIP64P,-,P | | △ 2 | CY802S | 2201-002002 | C-CERAMIC,DISC;4.7nF;20%,400V,Y5U,TP;16x | |
| 2 | HC401 | HA96-00275A | ASSY-H/S,-,COMPLEX,AA62-00051A,KSD5703, | | 2 | JA701 | 3722-000195 | JACK-SCART;42P,-,SN,BLK,NO | |
| 3 | | AA62-00051A | HEAT SINK-PS;-,-,-,SILVER,HOLE 31mm,ALL, | | 2 | C820 | 2401-003076 | C-AL;330uF;20%,50V,WBPBK,18x35.5mm | |
| △ 3 | D414 | 0402-001296 | DIODE-RECTIFIER;FMP;3FU,1.5KV,5A,TO-3PF, | | 2 | R807 | 2006-001083 | R-CEMENT;120ohm,5%,5W,CJ,TP;14x10x27mm | |
| 3 | Q401 | 0502-001136 | TR-POWER;KSD5703,NPN,70W,TO-3PF,ST,8- | | 2 | L808 | AA27-10002L | COIL-CHOKE;-,24uH,K,-,2A,-,24UH-K,10x10m | |
| 3 | | 6003-000333 | SCREW-TAPTITE,RH,+,2S,M3,L10,ZPC(YEL),SW | | △ 2 | IC401 | 1202-000103 | IC-VOLTAGE COMP;393,DIP8P;300MIL,DUAL, | |
| 3 | | AA60-30001A | WASHER-PLATE;M3,ID3.5,15X8.5,T1.0,-,SBHG | | 2 | Q404 | 0505-000156 | FET-SILICON;RF620,N,200V,5A,0.8ohm,50W, | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | | 2 | | AA98-00245A | ASSY SUB PART;SS1A,PCB MAIN(OPT) | |
| △ 2 | T401 | AA26-50001L | TRANS-HORIZ.DRIVE;-,-,29mH,-,-,133uH,- | | 3 | | 0202-000008 | SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb, | |
| △ 2 | TU01S | AA40-00079A | TUNER;TCPW3001PD16A(S),PAL,181CH,38. | | 3 | | 0202-000187 | SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb | |
| 2 | IC602 | HA96-50369B | ASSY-H/S,-,-,AA62-30181F,TDA7297,- | | 3 | | 0204-001024 | FLUX;DF-98TVS,-,20%,- | |
| 3 | | 1201-001064 | IC-POWER AMP;7297,ZIP;15P,-,DUAL,32dB,PL | | 3 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| 3 | | AA62-30181F | HEAT-SINK,ES;-,AL8063 EXTR.,2,WHT,50MM,- | | 2 | C105 | 2301-000383 | C-FILM,PEF;10nF;5%,50V,TP;6x7x3.2mm,5mm | |
| 3 | | 6003-000333 | SCREW-TAPTITE,RH,+,2S,M3,L10,ZPC(YEL),SW | | 2 | C101 | 2301-000383 | C-FILM,PEF;10nF;5%,50V,TP;6x7x3.2mm,5mm | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | | 2 | C103 | 2301-000383 | C-FILM,PEF;10nF;5%,50V,TP;6x7x3.2mm,5mm | |
| 2 | IC601 | 1204-001775 | IC-SOUND PROCESSOR;MSP3410D-C5 9458 ,SDI | | 2 | C228 | 2301-000356 | C-FILM,PEF;47nF;5%,50V,TP;7.5x4.0x6.5,5m | |
| △ 2 | T444S | AA26-30005V | TRANS-FLYBACK;-,FUH-29A004,29',155V | | 2 | C230 | 2301-000356 | C-FILM,PEF;47nF;5%,50V,TP;7.5x4.0x6.5,5m | |
| △ 2 | PT801S | 1404-001156 | THERMISTOR-PTC;90HM,+30%/-20%,220VRMS,27 | | 2 | C809 | 2301-000356 | C-FILM,PEF;47nF;5%,50V,TP;7.5x4.0x6.5,5m | |
| 2 | C806 | 2401-001137 | C-AL;330uF;20%,400V,GPBK,30x45mm,1 | | 2 | C810 | 2301-000356 | C-FILM,PEF;47nF;5%,50V,TP;7.5x4.0x6.5,5m | |
| 2 | C405 | 2306-000237 | C-FILM,MPPF;6.3nF;5%,1.6KV,TP;28.5x18x11 | | 2 | C811 | 2301-000356 | C-FILM,PEF;47nF;5%,50V,TP;7.5x4.0x6.5,5m | |
| 2 | C406 | 2306-000253 | C-FILM,MPPF;7.2nF;5%,1.6KV,TP;28.5x18.5x | | 2 | C202 | 2401-002235 | C-AL;10uF;20%,16V,GP;TP5x11mm,5mm | |
| 2 | C426 | 2306-000204 | C-FILM,MPPF;430nF;5%,400V,TP;26x20.5x12. | | 2 | C205 | 2401-002235 | C-AL;10uF;20%,16V,GP;TP5x11mm,5mm | |
| 2 | L411 | AA27-30001F | COIL-LINEARLTY;-,22uH,DR1011,P10.45,25. | | 2 | C920 | 2401-002235 | C-AL;10uF;20%,16V,GP;TP5x11mm,5mm | |
| 2 | L408 | AA27-00103A | COIL-CHOKE;600UH,-,600UH,+10%,600UH,0.5 | | 2 | C231 | 2401-002235 | C-AL;10uF;20%,16V,GP;TP5x11mm,5mm | |
| 2 | L405 | AA27-00057A | COIL HORIZ. WIDTH;-,10mH,YL-9N 15x27.5 C | | 2 | C215 | 2401-002235 | C-AL;10uF;20%,16V,GP;TP5x11mm,5mm | |
| △ 2 | C423 | 2306-001017 | C-FILM,MPPF;680nF;5%,400V,TP;26x14.5x24m | | 2 | C630 | 2401-002235 | C-AL;10uF;20%,16V,GP;TP5x11mm,5mm | |
| △ 2 | CX801S | 2306-000318 | C-FILM,MPPF;220nF;20%,250V,TP,-,22.5mm | | 2 | C631 | 2401-002235 | C-AL;10uF;20%,16V,GP;TP5x11mm,5mm | |
| 2 | UX801S | AA29-00015A | FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+ | | 2 | C645 | 2401-002235 | C-AL;10uF;20%,16V,GP;TP5x11mm,5mm | |
| 2 | IC301 | HA96-50406A | ASSY-H/S;ASSY-H/S;AA62-30180K,LA7845,- | | 2 | C652 | 2401-002235 | C-AL;10uF;20%,16V,GP;TP5x11mm,5mm | |
| 3 | | 1204-000517 | IC-VERTICAL DEF;LA7845,SIP;7P,-,PLASTIC | | 2 | C603 | 2401-002235 | C-AL;10uF;20%,16V,GP;TP5x11mm,5mm | |
| 3 | | AA62-30180K | HEAT-SINK,ES;-,A8063 EXTR.,-WHT,50/13,- | | 2 | C708 | 2401-002235 | C-AL;10uF;20%,16V,GP;TP5x11mm,5mm | |
| 3 | | 6003-000333 | SCREW-TAPTITE,RH,+,2S,M3,L10,ZPC(YEL),SW | | 2 | C214 | 2305-000665 | C-FILM,MPEF;100nF;5%,63V,TP;7.5x4.0x5.0m | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | | 2 | C216 | 2305-000665 | C-FILM,MPEF;100nF;5%,63V,TP;7.5x4.0x5.0m | |
| 2 | HC801 | HA96-00274A | ASSY-H/S;-,COMPLEX,AA62-00053A,FMLG12S | | 2 | C605 | 2305-000665 | C-FILM,MPEF;100nF;5%,63V,TP;7.5x4.0x5.0m | |
| 3 | | 6003-000334 | SCREW-TAPTITE,RH,+,2S,M3,L6,ZPC(YEL),SWR | | 2 | C620 | 2305-000665 | C-FILM,MPEF;100nF;5%,63V,TP;7.5x4.0x5.0m | |
| 3 | | AA62-00053A | HEAT SINK-PS;-,-,-,SILVER,HOLE 22mm,ALL, | | 2 | C635 | 2305-000665 | C-FILM,MPEF;100nF;5%,63V,TP;7.5x4.0x5.0m | |
| △ 3 | D802 | 0402-001230 | DIODE-RECTIFIER;FMG-G2CS,1000V,3A,TO-220 | | 2 | C646 | 2305-000665 | C-FILM,MPEF;100nF;5%,63V,TP;7.5x4.0x5.0m | |
| △ 3 | D805 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- | | 2 | C829 | 2305-000665 | C-FILM,MPEF;100nF;5%,63V,TP;7.5x4.0x5.0m | |
| △ 3 | D806 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- | | 2 | C837 | 2305-000665 | C-FILM,MPEF;100nF;5%,63V,TP;7.5x4.0x5.0m | |
| △ 3 | D807 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- | | 2 | C839 | 2305-000665 | C-FILM,MPEF;100nF;5%,63V,TP;7.5x4.0x5.0m | |
| △ 3 | IC802 | 1203-001006 | IC-VOLTAGE REGULATOR;78R05,TO-220F,4P,- | | 2 | C916 | 2305-000665 | C-FILM,MPEF;100nF;5%,63V,TP;7.5x4.0x5.0m | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | | 2 | C308 | 2305-000665 | C-FILM,MPEF;100nF;5%,63V,TP;7.5x4.0x5.0m | |
| △ 2 | IC803 | 1203-001697 | IC-VOLTAGE REGULATOR;78R08,TO-220,4P,-,P | | 2 | C914 | 2305-000665 | C-FILM,MPEF;100nF;5%,63V,TP;7.5x4.0x5.0m | |
| △ 2 | IC804 | HA96-00243C | ASSY-H/S;-,REGULATOR,AA62-00045A,KA7806 | | 2 | C831 | 2305-000665 | C-FILM,MPEF;100nF;5%,63V,TP;7.5x4.0x5.0m | |
| 3 | | 1203-000284 | IC-POSIFIXED REG.;7806,TO-220,3P,-,PLAS | | 2 | C825 | 2305-000665 | C-FILM,MPEF;100nF;5%,63V,TP;7.5x4.0x5.0m | |
| 3 | | 6003-000333 | SCREW-TAPTITE,RH,+,2S,M3,L10,ZPC(YEL),SW | | 2 | C208 | 2401-001026 | C-AL;3.3UF;20%,50V,GP;TP5x11.5 | |
| 3 | | AA62-00065A | HEAT SINK-PS;DP,-,-,AA62-00045A,-,-,- | | 2 | C217 | 2401-001026 | C-AL;3.3UF;20%,50V,GP;TP5x11.5 | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | | 2 | C636 | 2401-001026 | C-AL;3.3UF;20%,50V,GP;TP5x11.5 | |
| 2 | IC902 | 1103-001171 | IC-EEPROM;151DC,16KBit,DIP8P;300MIL,10m | | 2 | C905 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF;10%,50V,Y5P;TP3 | |
| 2 | IC901 | AA09-00181A | IC MICOM;SIM806EW3-A035,SIM806EW3-A035, | | 2 | C607 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF;10%,50V,Y5P;TP3 | |
| △ 2 | IC801S | HA96-50371C | ASSY-H/S;-,-,AA62-30181H,KA3A1265R,- | | 2 | C608 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF;10%,50V,Y5P;TP3 | |
| 3 | | AA13-00101A | IC HYBRID;KA3S1265RD,CN5039,5PIN,-,SOT102 | | 2 | C903 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF;10%,50V,Y5P;TP3 | |
| 3 | | AA61-10386A | BRACKET-IC,-,SECC 100,T1.0,-,-,-,KA2S068 | | 2 | C211 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF;10%,50V,Y5P;TP3 | |
| | | | | | 2 | C212 | 2301-000224 | C-FILM,PEF;22nF;5%,50V,TP;7.4x3.9x13mm,5 | |
| | | | | | 2 | C416 | 2301-000224 | C-FILM,PEF;22nF;5%,50V,TP;7.4x3.9x13mm,5 | |
| | | | | | 2 | C213 | 2301-000247 | C-FILM,PEF;33nF;5%,50V,TP;8.1x4.5x13mm,5 | |

Electrical Parts List

| Level | Loc. No. | Code No. | Description ; Specification | Remark | Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|-------|----------|-------------|--|--------|
| 2 | C218 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | 2 | C805 | 2201-000332 | C-CERAMIC,DISC;2.2nF,20%,250V,Y5U,TP,9x4 | |
| 2 | C219 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | 2 | C807 | 2301-001397 | C-FILM,PPF;2.2nF,5%,1.2kV,TP;15x8.5x13.5 | |
| 2 | C220 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | 2 | C814 | 2201-000406 | C-CERAMIC,DISC;0.27nF,10%,2kV,Y5P,TP,6.3 | |
| 2 | C221 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | 2 | C816 | 2401-000293 | C-AL;100uF,30-10%,200V,GP,TP;16x25 | |
| 2 | C222 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | 2 | C817 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5 | |
| 2 | C223 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | 2 | C819 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5 | |
| 2 | C901 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | 2 | C822 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5 | |
| 2 | C921 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | 2 | C818 | 2401-000722 | C-AL;2200uF,20%,25V,WT,TP;16x25,7.5 | |
| 2 | C922 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | 2 | C910 | 2201-000980 | C-CERAMIC,DISC;0.03nF,5%,50V,NP0,TP,5x3 | |
| 2 | C919 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | 2 | C911 | 2201-000980 | C-CERAMIC,DISC;0.03nF,5%,50V,NP0,TP,5x3 | |
| 2 | C924 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | 2 | C913 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP,6.3x11.5 | |
| 2 | C233 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | | 2 | C915 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP,6.3x11.5 | |
| 2 | C234 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | | 2 | C918 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP,6.3x11.5 | |
| 2 | C235 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | | 2 | C210 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP,6.3x11.5 | |
| 2 | C907 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | | 2 | D201 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C909 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | | 2 | D202 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C237 | 2401-000914 | C-AL;22uF,20%,16V,GP,TP,5x11.5 | | 2 | D207 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C841 | 2401-000603 | C-AL;1uF,20%,50V,GP,TP,5x11.5 | | 2 | D208 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C604 | 2401-000603 | C-AL;1uF,20%,50V,GP,TP,5x11.5 | | 2 | D209 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C201 | 2401-000603 | C-AL;1uF,20%,50V,GP,TP,5x11.5 | | 2 | D210 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C303 | 2201-002031 | C-CERAMIC,DISC;0.005nF,0.5pF,50V,NP0,TP, | | 2 | D211 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C224 | 2201-002031 | C-CERAMIC,DISC;0.005nF,0.5pF,50V,NP0,TP, | | 2 | D602 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C225 | 2201-002031 | C-CERAMIC,DISC;0.005nF,0.5pF,50V,NP0,TP, | | △ 2 | D804 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C304 | 2305-000285 | C-FILM,MPEF;220Nf,5%,100V,TP,10.5x5.5x15 | | 2 | DZ402 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C305 | 2305-000149 | C-FILM,MPEF;100nF,5%,100V,TP,12x12.5x6.5 | | 2 | D906 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C821 | 2301-000192 | C-FILM,PEF;1nF,5%,50V,TP,3.5x10mm,5mm | | △ 2 | D405 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C902 | 2301-000192 | C-FILM,PEF;1nF,5%,50V,TP,3.5x10mm,5mm | | 2 | D501 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C307 | 2401-000360 | C-AL;100uF,20%,50V,GP,TP,8x11.5,5 | | 2 | D502 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C302 | 2401-000360 | C-AL;100uF,20%,50V,GP,TP,8x11.5,5 | | 2 | D503 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C401 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5 | | 2 | D508 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C403 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5 | | 2 | D604 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C421 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5 | | 2 | KEZ1 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C402 | 2401-001397 | C-AL;470uF,20%,25V,GP,TP,10x16,5 | | 2 | D301 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| 2 | C404 | 2401-001397 | C-AL;470uF,20%,25V,GP,TP,10x16,5 | | △ 2 | D411 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| 2 | C408 | 2305-000382 | C-FILM,MPEF;4.7nF,5%,400V,TP,-,5mm | | △ 2 | D803 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| 2 | C414 | 2401-002597 | C-AL;220uF,20%,35V,GP,TP,10x12.5,5 | | △ 2 | D816 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| 2 | C418 | 2401-002597 | C-AL;220uF,20%,35V,GP,TP,10x12.5,5 | | △ 2 | D401 | 0402-000540 | DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP | |
| 2 | C422 | 2401-001527 | C-AL;47uF,20%,250V,HR,TP,13x25mm,5m | | △ 2 | D404 | 0402-000540 | DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP | |
| 2 | C424 | 2201-000132 | C-CERAMIC,DISC;0.1nF,10%,500V,Y5P,TP,6.5 | | △ 2 | D402 | 0402-000534 | DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T | |
| 2 | C601 | 2201-000558 | C-CERAMIC,DISC;0.47nF,10%,50V,Y5P,TP,5x3 | | △ 2 | D403 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | C610 | 2301-000445 | C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm | | △ 2 | D406 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | C611 | 2301-000445 | C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm | | △ 2 | D810 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | C415 | 2301-000445 | C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm | | △ 2 | D811 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | C612 | 2401-001914 | C-AL;1uF,20%,50V,BP,TP,5x11.5 | | 2 | D907 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | C613 | 2401-001914 | C-AL;1uF,20%,50V,BP,TP,5x11.5 | | 2 | D504 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | C617 | 2401-000493 | C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm | | △ 2 | D413 | 0402-000537 | DIODE-RECTIFIER;RH1A,600V,0.6A,DO-204AC | |
| 2 | C917 | 2401-000493 | C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm | | △ 2 | D801 | 0402-001111 | DIODE-RECTIFIER;1N5397/GP600V1.5A,DO-20 | |
| 2 | C413 | 2401-000493 | C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm | | 2 | DZ201 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C622 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP,5x11.5 | | 2 | DZ202 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C625 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP,5x11.5 | | 2 | DZ802 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C626 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP,5x11.5 | | 2 | DZ902 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C628 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP,5x11.5 | | 2 | DZ601 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C623 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ603 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C624 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ903 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C627 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ904 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C629 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ905 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C642 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ906 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C644 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ907 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C701 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ909 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C638 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ910 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C639 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ604 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C632 | 2202-000806 | C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP | | 2 | DZ605 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C504 | 2202-000806 | C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP | | 2 | DZ908 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C505 | 2202-000806 | C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP | | 2 | DZ203 | 0403-001321 | DIODE-ZENER;MTZJ6.8C,6.66-7.01V,500mW,DO | |
| 2 | C506 | 2202-000806 | C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP | | 2 | DZ302 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,DO | |
| 2 | C634 | 2401-001840 | C-AL;100uF,20%,16V,GP,TP,6.3x11.5 | | 2 | DZ303 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,DO | |
| 2 | C826 | 2401-001840 | C-AL;100uF,20%,16V,GP,TP,6.3x11.5 | | 2 | DZ304 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,DO | |
| 2 | C832 | 2401-001840 | C-AL;100uF,20%,16V,GP,TP,6.3x11.5 | | 2 | DZ305 | 0403-001221 | DIODE-ZENER;UZ39BSB,35.36-37.19V,500mW,DO | |
| 2 | C838 | 2401-001840 | C-AL;100uF,20%,16V,GP,TP,6.3x11.5 | | 2 | DZ306 | 0403-000700 | DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T | |
| 2 | C637 | 2401-000027 | C-AL;4.7uF,20%,50V,GP,TP,5x11.5 | | 2 | DZ804 | 0403-000700 | DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T | |
| 2 | C640 | 2401-000027 | C-AL;4.7uF,20%,50V,GP,TP,5x11.5 | | 2 | DZ401 | 0403-001325 | DIODE-ZENER;MTZJ15C,14.35-15.09V,500mW,DO | |
| 2 | C641 | 2401-000027 | C-AL;4.7uF,20%,50V,GP,TP,5x11.5 | | 2 | DZ801 | 0403-001322 | DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO | |
| 2 | C643 | 2401-000027 | C-AL;4.7uF,20%,50V,GP,TP,5x11.5 | | 2 | DZ808 | 0403-001322 | DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO | |
| 2 | C647 | 2202-000286 | C-CERAMIC,MLC-AXIAL;56pF,5%,50V,SL,TP,1 | | 2 | DZ805 | 1203-001217 | IC-POST.ADJ,JUST REG./431,TO-92,3P,4.58MIL | |
| 2 | C649 | 2301-000108 | C-FILM,PEF;1.5nF,5%,50V,TP,6.5x3.0x5.5mm | | 2 | GT101 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | C804 | 2201-000332 | C-CERAMIC,DISC;2.2nF,20%,250V,Y5U,TP,9x4 | | 2 | GT102 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark | Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|-------|----------|-------------|--|--------|
| 2 | EL808 | AA60-40011B | EYELET;ID2.2,OD3.2,-,-,BSP- | | 2 | L222 | 2701-000184 | INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm | |
| 2 | EL809 | AA60-40011B | EYELET;ID2.2,OD3.2,-,-,BSP- | | 2 | L302 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | EL810 | AA60-40011B | EYELET;ID2.2,OD3.2,-,-,BSP- | | 2 | L802 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | EL811 | AA60-40011B | EYELET;ID2.2,OD3.2,-,-,BSP- | | 2 | L803 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | EL407 | AA60-40011B | EYELET;ID2.2,OD3.2,-,-,BSP- | | 2 | L804 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | EL408 | AA60-40011B | EYELET;ID2.2,OD3.2,-,-,BSP- | | 2 | L809 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | EL501 | AA60-40011B | EYELET;ID2.2,OD3.2,-,-,BSP- | | 2 | J901 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | EL502 | AA60-40011B | EYELET;ID2.2,OD3.2,-,-,BSP- | | 2 | L303 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | R236 | 2001-000515 | R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | L207 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | R237 | 2001-000515 | R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | L412 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | R238 | 2001-000515 | R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | J406 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | R622 | 2001-000577 | R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | L407 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,-,3.5x5,TP- | |
| 2 | R621 | 2001-000577 | R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | L807 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,-,3.5x5,TP- | |
| 2 | R935 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | L601 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,-,3.5x5,TP- | |
| 2 | R202 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | L609 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,-,3.5x5,TP- | |
| 2 | R205 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | L201 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,-,3.5x5,TP- | |
| 2 | R243 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | L501 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,-,3.5x5,TP- | |
| 2 | R245 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | L502 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,-,3.5x5,TP- | |
| 2 | R246 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | L604 | 2701-000169 | INDUCTOR-AXIAL;3.9uH,10%,2.5x3.4mm | |
| 2 | R310 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | L905 | 2701-000211 | INDUCTOR-AXIAL;68uH,10%,2.5x3.4mm | |
| 2 | R716 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | Q201 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | R715 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | Q202 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | R606 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | Q203 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | R602 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | Q901 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | R601 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | Q906 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | R620 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | Q908 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | R629 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | Q701 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | R309 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | Q204 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | R206 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | Q601 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | R609 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | Q907 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | R912 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R244 | 2001-000786 | R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R952 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R954 | 2001-000786 | R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R940 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R208 | 2001-000405 | R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R941 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R209 | 2001-000405 | R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R942 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R509 | 2001-000405 | R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R947 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R511 | 2001-000405 | R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R948 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R517 | 2001-000405 | R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R102 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R215 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R103 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R823 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R203 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R910 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R204 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R216 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R604 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R234 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R605 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R235 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R610 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R603 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R611 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R817 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R612 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R924 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R613 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R914 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R628 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R252 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R627 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R726 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R706 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | D505 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R707 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | D506 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R708 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | D507 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R723 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R902 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R909 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R816 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R907 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R228 | 2001-000117 | R-CARBON(S);680HM,5%,1/2W,AA,TP,2.4X6.4M | |
| 2 | J920 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R301 | 2004-001397 | R-METAL(S);4.7Kohm,1%,1/2W,AA,TP,2.4x6.4 | |
| 2 | J904 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R423 | 2004-001397 | R-METAL(S);4.7Kohm,1%,1/2W,AA,TP,2.4x6.4 | |
| 2 | R925 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R303 | 2001-000016 | R-CARBON(S);10HM,5%,1/2W,AA,TP,2.4X6.4MM | |
| 2 | R955 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | | 2 | R828 | 2008-000266 | R-FUSIBLE(S);1ohm,5%,2W,AF,TP,3.9x10mm | |
| △ | RR430S | 2001-001088 | R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4M | | 2 | R522 | 2008-000266 | R-FUSIBLE(S);1ohm,5%,2W,AF,TP,3.9x10mm | |
| 2 | R418 | 2001-001088 | R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4M | | 2 | R314 | 2004-001986 | R-METAL(S);35.7Kohm,1%,1/2W,AA,TP,2.4x6. | |
| △ | RY801S | 2002-001011 | R-COMPOSITION;3.3Mohm,5%,1/2W,AA,TP,3.7x | | 2 | R411 | 2001-000028 | R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4 | |
| △ | RY802S | 2002-001013 | R-COMPOSITION;4.7Mohm,5%,1/2W,AA,TP,3.7x | | 2 | R527 | 2001-000028 | R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4 | |
| △ | VP801S | 1405-000187 | VARISTOR;750V,1250A,12.5x7mm,TP | | 2 | R412 | 2001-000020 | R-CARBON(S);220HM,5%,1/2W,AA,TP,2.4X6.4M | |
| △ | VX801S | 1405-000187 | VARISTOR;750V,1250A,12.5x7mm,TP | | 2 | R421 | 2001-001093 | R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6. | |
| 2 | X901 | 2801-003728 | CRYSTAL-UNIT;6MHz,30ppm,28-ARM,20pF,40oh | | 2 | R913 | 2001-000947 | R-CARBON;7.5KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | L103 | 2701-000115 | INDUCTOR-AXIAL;10uH,10%,3x7mm | | 2 | R426 | 2003-000540 | R-METAL OXIDE(S);1Kohm,5%,2W,AF,TP,4x12m | |
| 2 | | 0203-001123 | TAPE-PAPER;#53131,TO.15,W6.0,L200000,YEL | | 2 | R434 | 2003-000664 | R-METAL OXIDE(S);33ohm,5%,2W,AF,TP,4x12m | |
| 2 | C707 | 2401-000939 | C-AL;22uF,20%,25V,GP,TP,5x11.5 | | 2 | R614 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | L202 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | 2 | R615 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | L301 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | 2 | R616 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | L406 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | 2 | R617 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | L907 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | 2 | R920 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | L711 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | 2 | R226 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | L108 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | 2 | R224 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | L109 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | 2 | R225 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | L204 | 2701-000184 | INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm | | 2 | R931 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|
| 2 | R812 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R831 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R956 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R919 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R214 | 2001-000411 | R-CARBON;18KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R701 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R702 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R703 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R704 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R719 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R705 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R242 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R802 | 2003-001025 | R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP;3.9x | |
| 2 | R803 | 2003-001025 | R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP;3.9x | |
| 2 | R804 | 2003-001025 | R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP;3.9x | |
| 2 | R805 | 2001-001150 | R-CARBON(S);470KOHM,5%,1/2W,AA,TP;2.4X6.4 | |
| 2 | R806 | 2001-001150 | R-CARBON(S);470KOHM,5%,1/2W,AA,TP;2.4X6.4 | |
| 2 | R813 | 2001-001153 | R-CARBON(S);470HM,5%,1/2W,AA,TP;2.4X6.4M | |
| 2 | R810 | 2001-001178 | R-CARBON(S);680OHM,5%,1/2W,AA,TP;2.4X6.4 | |
| 2 | R819 | 2004-001983 | R-METAL(S);2.49Kohm,1%,1/2W,AA,TP;2.4x6. | |
| 2 | R820 | 2001-001096 | R-CARBON(S);2.20HM,5%,1/2W,AA,TP;2.4X6.4 | |
| 2 | R822 | 2001-000273 | R-CARBON;100KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R824 | 2001-000273 | R-CARBON;100KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R825 | 2001-000066 | R-CARBON(S);10KOHM,5%,1/2W,AA,TP;2.4X6.4 | |
| 2 | R901 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R903 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R904 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R905 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R906 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R908 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R921 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R927 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R928 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R937 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R724 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R725 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R251 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R223 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | |
| 2 | R248 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | |
| 2 | R249 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | |
| 2 | R250 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | |
| 2 | R207 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | |
| 2 | R501 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | |
| 2 | R502 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | |
| 2 | R503 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | |
| 2 | R911 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | |
| 2 | R922 | 2001-000924 | R-CARBON;680OHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R923 | 2001-000924 | R-CARBON;680OHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | C411 | 2301-000104 | C-FILM,PEF;1.2Nf5%,50V,TP;6.5X3.0X5.5MM | |
| 2 | C412 | 2301-000313 | C-FILM,PEF;8.2nf5%,100V,TP;7x3.2x7mm,5m | |
| 2 | C427 | 2401-002267 | C-AL;2.2uf;20%,250V,GPT;P8x11.5,5 | |
| 2 | C507 | 2401-002267 | C-AL;2.2uf;20%,250V,GPT;P8x11.5,5 | |
| 2 | C833 | 2401-002619 | C-AL;47uf;20%,25V,GPT;P5x11,5 | |
| 2 | C229 | 2401-002619 | C-AL;47uf;20%,25V,GPT;P5x11,5 | |
| 2 | CN602 | 3711-002644 | CONNECTOR-HEADER;BOX;5P;1R;2.5mm,STRAIGH | |
| 2 | CN901 | 3711-002644 | CONNECTOR-HEADER;BOX;5P;1R;2.5mm,STRAIGH | |
| 2 | CW901 | 2503-000156 | C-NETWORK;100pF;4.20%,50V | |
| 2 | D203 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D204 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D205 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D206 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D901 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D902 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D903 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D904 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | DZ803 | 0403-001167 | DIODE-ZENER;MTZJ30D,30V,29.02-30.51V500 | |
| 2 | FA802S | 3601-001086 | FUSE-AXIAL LEAD;125V,5A,FAST-ACTING,GLAS | |
| 2 | HIC202 | AA13-00093A | IC HYBRID;-;DRGB001A,SIP5P;-;TP | |
| 2 | HIC203 | AA13-00093A | IC HYBRID;-;DRGB001A,SIP5P;-;TP | |
| 2 | HIC204 | AA13-00093A | IC HYBRID;-;DRGB001A,SIP5P;-;TP | |
| 2 | R302 | 2004-001984 | R-METAL(S);26.7Kohm,1%,1/2W,AA,TP;2.4x6. | |
| 2 | R409 | 2003-002009 | R-METAL OXIDE(S);390ohm,5%,2W,AF,TP;3.9x | |
| 2 | R410 | 2003-002009 | R-METAL OXIDE(S);390ohm,5%,2W,AF,TP;3.9x | |
| 2 | R413 | 2008-001018 | R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP;3.9x10m | |
| 2 | R424 | 2008-001018 | R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP;3.9x10m | |
| 2 | R425 | 2008-001018 | R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP;3.9x10m | |



| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | R827 | 2008-000284 | R-FUSIBLE(S);0.10HM,10%,2W,AF,TP;3.9X10M | |
| 2 | R829 | 2008-001029 | R-FUSIBLE(S);5.6ohm,5%,2W,AF,TP;3.9x10mm | |
| 2 | R835 | 2003-002181 | R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP;3.9x | |
| 2 | R836 | 2003-002181 | R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP;3.9x | |
| 2 | R433 | 2003-001042 | R-METAL OXIDE(S);5.6Kohm,5%,2W,AF,TP;3.9 | |
| 2 | R717 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R718 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R105 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | X201 | 2801-003432 | CRYSTAL-UNIT;20.25MHZ,30PPM,28-AAM,13PF | |
| 2 | X601 | 2801-003903 | CRYSTAL-UNIT;18.432MHz,25ppm,28-AAM,12pF | |
| 2 | IC904 | 1203-001943 | IC-VOL DETECTOR;7025,T0-92,3P;-;PLASTIC | |
| 2 | PCB | AA41-00168H | PCB-MAIN;CS29A6,FR-1,1LH,1.6T,330X245,K | |
| 2 | Q909 | 0505-000109 | FET-SILICON;2N7000,N,60V,200mA,5ohm,400m | |
| 2 | Q910 | 0505-000109 | FET-SILICON;2N7000,N,60V,200mA,5ohm,400m | |
| 2 | R403 | 2003-001091 | R-METAL OXIDE(S);10ohm,5%,2W,AF,TP;4x12m | |
| 2 | L705 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L706 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L605 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L606 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L607 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L608 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L701 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L702 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | R106 | 2001-000864 | R-CARBON;56KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R313 | 2004-001137 | R-METAL;6.8Kohm,1%,1/8W,AA,TP;1.8x3.2m | |
| 2 | R710 | 2001-000938 | R-CARBON;680HM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R709 | 2001-000938 | R-CARBON;680HM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R241 | 2001-000938 | R-CARBON;680HM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R315 | 2004-004970 | R-METAL(S);62Kohm,1%,1/8W,AA,TP;1.8x3.2m | |
| 2 | R811 | 2004-001408 | R-METAL(S);91Kohm,1%,1/2W,AA,TP;2.4x6.4m | |
| 2 | R809 | 2001-000022 | R-CARBON(S);330HM,5%,1/2W,AA,TP;2.4X6.4M | |
| 2 | R432 | 2004-001402 | R-METAL(S);6.8Kohm,1%,1/2W,AA,TP;2.4x6.4 | |
| 2 | R415 | 2004-001402 | R-METAL(S);6.8Kohm,1%,1/2W,AA,TP;2.4x6.4 | |
| 2 | L901 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | |
| 2 | L903 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | |
| 2 | L904 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | |
| 2 | L909 | 2701-000191 | INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm | |
| 2 | L908 | 2701-000191 | INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm | |
| 2 | R818 | 2001-001113 | R-CARBON(S);270KOHM,5%,1/2W,AA,TP;2.4X6. | |
| 2 | CN702 | 3711-002647 | CONNECTOR-HEADER;BOX;8P;1R;2.5mm,STRAIGH | |
| 2 | C656 | 2201-000304 | C-CERAMIC,DISC;0.001nf;0.25pf;50V,NP0,TP | |
| 2 | C657 | 2201-000304 | C-CERAMIC,DISC;0.001nf;0.25pf;50V,NP0,TP | |
| 2 | C306 | 2301-000342 | C-FILM,PEF;2.2nf5%,50V,TP;7.4x3.9x13mm, | |
| 2 | R422 | 2001-000037 | R-CARBON(S);330OHM,5%,1/2W,AA,TP;2.4X6.4 | |
| 2 | C621 | 2401-002458 | C-AL;1000uf;20%,35V,GPT;P;16x25,7,5 | |
| 2 | C824 | 2401-003046 | C-AL;47uf;20%,50V,WT,TP;6.3x11,2,5 | |
| 2 | C823 | 2401-003046 | C-AL;47uf;20%,50V,WT,TP;6.3x11,2,5 | |
| 2 | C808 | 2401-003046 | C-AL;47uf;20%,50V,WT,TP;6.3x11,2,5 | |
| 2 | C115 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pf;10%,50V,Y5P,TP | |
| 2 | C116 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pf;10%,50V,Y5P,TP | |
| 2 | C244 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pf;10%,50V,Y5P,TP | |
| 2 | C245 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pf;10%,50V,Y5P,TP | |
| 2 | L209 | 2701-000168 | INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm | |
| 2 | L210 | 2701-000168 | INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm | |
| 2 | L801 | 3301-001223 | CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,- | |
| 2 | L806 | 3301-001223 | CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,- | |
| 2 | R945 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | R946 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | C104 | 2401-002463 | C-AL;470uf;20%,16V,GPT;P8x11.5,5 | |
| 2 | C512 | 2401-002463 | C-AL;470uf;20%,16V,GPT;P8x11.5,5 | |
| 2 | RX801S | 2002-001010 | R-COMPOSITION;1.8Mohm,5%,1/2W,AA,TP;3.7x | |
| 2 | R210 | 2001-000812 | R-CARBON;5.6KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | F801A | 3602-000114 | FUSE-HOLDER;-;30mohm | |
| 2 | F801B | 3602-000114 | FUSE-HOLDER;-;30mohm | |
| 2 | C835 | 2401-002289 | C-AL;470uf;20%,35V,WT,TP;10x20,5 | |
| 2 | C840 | 2401-002212 | C-AL;10uf;20%,25V,WT,TP;5x11,5 | |
| 2 | C827 | 2401-002212 | C-AL;10uf;20%,25V,WT,TP;5x11,5 | |
| 2 | C301 | 2401-000611 | C-AL;1uf;20%,50V,WT,TP;5x11,5 | |
| 2 | C106 | 2401-000611 | C-AL;1uf;20%,50V,WT,TP;5x11,5 | |
| 2 | DZ602 | 0403-000720 | DIODE-ZENER;MTZJ9.1B,9.1V8.57-9.01V500 | |
| 2 | R808 | 2001-001079 | R-CARBON(S);150HM,5%,1/2W,AA,TP;2.4X6.4M | |
| 2 | C248 | 2202-000210 | C-CERAMIC,MLC-AXIAL;270pf;10%,50V,Y5P,TP | |
| 2 | C246 | 2202-000210 | C-CERAMIC,MLC-AXIAL;270pf;10%,50V,Y5P,TP | |
| 2 | R405 | 2008-000254 | R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP;3.9x10m | |
| 2 | R304 | 2008-000254 | R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP;3.9x10m | |
| 2 | C102 | 2401-001513 | C-AL;47uf;20%,16V,WT,TP;5x11,5 | |



| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|
| 2 | L208 | 2701-000147 | INDUCTOR-AXIAL;2.2uH,5%,2.4x3.4mm | |
| 2 | C247 | 2202-000849 | C-CERAMIC,MLC-AXIAL;18pF,5%,50V,CH,TP,3. | |
| 2 | | HA68-02176A | LABEL,LABEL | |
| 2 | L102 | 2701-000159 | INDUCTOR-AXIAL;22uH,10%,4.2x9.8mm | |
| 2 | C654 | 2201-000611 | C-CERAMIC,DISC;0.056nF,5%,50V,NP0,TP,7x3 | |
| 2 | C409 | 2301-001268 | C-FILM,PPF;33nF,5%,630V,TP,20x11x17,7.5 | |
| 2 | R305 | 2003-002205 | R-METAL OXIDE(S);330ohm,5%,2W,AG,TP,3.9X | |
| 2 | R414 | 2008-000253 | R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP,3.9x10m | |
| 2 | R417 | 2004-001382 | R-METAL(S);13Kohm,1%,1/2W,AA,TP,2.4x6.4m | |
| 2 | R420 | 2004-001406 | R-METAL(S);8.2Kohm,1%,1/2W,AA,TP,2.4x6.4 | |
| 2 | R428 | 2001-001095 | R-CARBON(S);2.2MOHM,5%,1/2W,AA,TP,2.4X6.6 | |
| 2 | R429 | 2001-001103 | R-CARBON(S);20KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | R436 | 2003-002008 | R-METAL OXIDE(S);18Kohm,5%,2W,AF,TP,3.9x | |
| 2 | R607 | 2001-000007 | R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R608 | 2001-000007 | R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R821 | 2004-004364 | R-METAL(S);152Kohm,1%,1/2W,AA,TP,2.4x6.4 | |
| 2 | FP801S | 3601-000297 | FUSE-CARTRIDGE;250V,5A,TIME-LAG,GLASS,5. | |
| 2 | C508 | 2305-000704 | C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5 | |
| 2 | C511 | 2305-000704 | C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5 | |
| 2 | C510 | 2401-001232 | C-AL;4.7uF,20%,250V,GPTP,10x12.5,5 | |
| 2 | R213 | 2001-000232 | R-CARBON;1.3KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | R507 | 2001-001194 | R-CARBON(S);82KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | R510 | 2001-001194 | R-CARBON(S);82KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | R513 | 2001-001194 | R-CARBON(S);82KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | R512 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9 | |
| 2 | R515 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9 | |
| 2 | R518 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9 | |
| 2 | R524 | 2001-001062 | R-CARBON(S);10MOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | R521 | 2002-001009 | R-COMPOSITION;2.7Kohm,10%,1/2W,AA,TP,3.7 | |
| 2 | R519 | 2008-000299 | R-FUSIBLE(S);47ohm,5%,2W,AF,TP,3.9x10mm | |
| 2 | DZ509 | 0403-001211 | DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D | |
| 2 | CN903 | 3711-002642 | CONNECTOR-HEADER;BOX,3P,1R,2.5mm,STRAIGH | |
| 2 | C410 | 2301-000213 | C-FILM,PEF;220nF,5%,250V,TP,21.5x11.7,5 | |
| 2 | R404 | 2001-001040 | R-CARBON(S);0.68OHM,5%,1/2W,AA,TP,2.4X6. | |
| 2 | R212 | 2004-000218 | R-METAL;10Kohm,1%,1/8W,AA,TP,1.8x3.2mm | |
| 2 | FA803S | 3601-001228 | FUSE-AXIAL LEAD;125V,10A,FAST-ACTING,EPO | |
| 2 | DZ806 | 0403-001316 | DIODE-ZENER;MTZJ3.0A,2.85-3.07V,500mW,D | |
| 2 | R401 | 2003-000586 | R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP,4x12 | |
| 2 | R402 | 2003-000586 | R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP,4x12 | |
| 2 | J914 | 2001-000674 | R-CARBON;360OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R504 | 2001-000890 | R-CARBON;6.8KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | R505 | 2001-000890 | R-CARBON;6.8KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | R506 | 2001-000890 | R-CARBON;6.8KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | C509 | 2201-000723 | C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5 | |
| 2 | DZ501 | 0403-000355 | DIODE-ZENER;UZ5.1BSB,4.97-5.18V,500MW,D | |
| 2 | R516 | 2002-001012 | R-COMPOSITION;8.2Mohm,5%,1/2W,AA,TP,3.7x | |
| 2 | C925 | 2202-000127 | C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V | |
| 2 | KEZ1 | 2201-000472 | C-CERAMIC,DISC;0.33nF,5%,50V,SL,TP,8.5x3 | |
| 2 | C420 | 2305-001003 | C-FILM,MPEF;10nF,5%,250V,TP,13x4.5x9mm,7 | |
| 2 | C419 | 2201-000376 | C-CERAMIC,DISC;0.22nF,5%,50V,SL,TP,6.3x3 | |
| 2 | C828 | 2201-000376 | C-CERAMIC,DISC;0.22nF,5%,50V,SL,TP,6.3x3 | |
| 2 | J919 | 2701-000183 | INDUCTOR-AXIAL;39uH,5%,2.5x3.4mm | |
| 2 | C203 | 2401-000480 | C-AL;10uF,20%,50V,GPTP,5x11.5 | |
| 2 | R944 | 2001-000613 | R-CARBON;3.9KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | L910 | 2701-000215 | INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm | |
| 2 | C926 | 2202-000154 | C-CERAMIC,MLC-AXIAL;150pF,10%,50V,Y5P,TP | |
| 2 | CN801 | 3711-004721 | CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA | |
| 2 | CN802 | 3711-004720 | CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA | |

ASSY-CRT

| | | |
|---|-------------|---|
| 1 | HA94-500023 | ASSY-CRT;A66EHJ13X38,+450MG,28,ITC,NORM |
| 2 | AA39-20518A | LEAD CONNECTOR-ASSY;6(4P);YFH806-06,350 |
| 2 | AA03-00276A | CRT COLOR;A66EHJ13X38,+450MG,1.5MH,12.0MM |
| 2 | AA27-20004K | COIL-DEGAUSSING;-29,19.0ohm,45T,3000mm, |
| 2 | AA63-10002A | BAND-TIE;-NYLON66 V2,-,L100,NTR,- |
| 2 | AA98-00025A | ASSY-TBC,WIRE(P);DP,29INCH,AA98-70008C,2 |

ASSY PCB CONTROL

| | | |
|---|-------------|----------------------------------|
| 1 | AA95-01525A | ASSY PCB CONTROL;-KS3A,28C7,50HZ |
|---|-------------|----------------------------------|

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | LDY01 | 0601-000198 | LED;ROUND,RED/GRN,5.0mm,630/565nm | |
| 2 | JH701 | 3722-001061 | JACK-PHONE;1P3,6P,AG,BLK,N | |
| 2 | CNY02 | AA39-20005B | LEAD CONNECTOR-ASSY;3P,YBNH025-03,67096 | |
| 2 | CN703 | AA39-20069D | LEAD CONNECTOR-ASSY;5P,YBNH025-05,67096 | |
| 2 | CNY01 | AA39-20069D | LEAD CONNECTOR-ASSY;5P,YBNH025-05,67096 | |
| 2 | CN701 | AA39-20068E | LEAD CONNECTOR-ASSY;8P,YBNH025-08,67096 | |
| 2 | CN704 | AA39-20499B | LEAD CONNECTOR-ASSY;4P,YBNH025-04,SMP02 | |
| 2 | RMV01 | AA59-60003J | MODULE-REMOCON;-ORC-06H2,38KHz,940nm,ME | |
| 2 | SW811S | 3403-001107 | SWITCH-PUSH;250V,5A,DPST,-,KDC-A04 | |
| 2 | GUIDE | AA61-50032A | GUIDE-LED;6201,ABS,-,-,BLK,HB | |
| 2 | | 6001-000057 | SCREW-MACHINE;RH,+,M3,L6,ZPC(BLK),SWRCH1 | |
| 2 | SWY02 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS | |
| 2 | SWY03 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS | |
| 2 | SWY04 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS | |
| 2 | SWY05 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS | |
| 2 | SWY06 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS | |
| 2 | CY01 | 2401-002144 | C-AL;47uF,20%,16V,GPTP,5x11.5 | |
| 2 | C701 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP | |
| 2 | C702 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP | |
| 2 | C705 | 2401-002009 | C-AL;100uF,20%,16V,GPTP,6.3x7.5 | |
| 2 | C706 | 2401-002009 | C-AL;100uF,20%,16V,GPTP,6.3x7.5 | |
| 2 | DZY01 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZY02 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZY03 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | L701 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L702 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L703 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L704 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L709 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | LY01 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | RY02 | 2001-000577 | R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | RY03 | 2001-000007 | R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | RY04 | 2001-000878 | R-CARBON;6.2KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | RY01 | 2001-000020 | R-CARBON(S);220HM,5%,1/2W,AA,TP,2.4X6.4M | |
| 2 | EL01 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EL02 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EL03 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EL04 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | GTY02 | AA60-40014A | PIN-GT,ASSY;1P,-,-,AUTO | |
| 2 | GTY03 | AA60-40014A | PIN-GT,ASSY;1P,-,-,AUTO | |
| 2 | GTY09 | AA60-40014A | PIN-GT,ASSY;1P,-,-,AUTO | |
| 2 | GTY10 | AA60-40014A | PIN-GT,ASSY;1P,-,-,AUTO | |
| 2 | PCB | AA41-00270D | PCB-CONTROL;CW28C7,FR-1,1A,D,1.6T,330X24 | |
| 2 | R701 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R702 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | RY05 | 2001-000009 | R-CARBON;20KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | J701 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | L707 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | L708 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | C703 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C704 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | | AA63-10002A | BAND-TIE;-NYLON66 V2,-,L100,NTR,- | |
| 2 | GT801- | AA39-20041B | LEAD CONNECTOR-ASSY;2P,YFH800-02,S,300, | |
| 2 | JA701C | 3722-001369 | JACK-PIN;1P3.4MM,AU,RED,- | |
| 2 | JA701B | 3722-001368 | JACK-PIN;1P3.4MM,AU,WHIT,- | |
| 2 | JA701A | 3722-001367 | JACK-PIN;1P3.4MM,AU,YEL,- | |

ASSYPCB-PFC

| | | |
|---|-------------|--|
| 1 | HA94-05784B | ASSYPCB-PFC;25-28,4,3,5784A |
| 2 | EYP05 | AA60-40011A EYELET;ID2.0,OD2.8,-,-,BST,- |
| 2 | EYP07 | AA60-40011A EYELET;ID2.0,OD2.8,-,-,BST,- |
| 2 | EYP09 | AA60-40011A EYELET;ID2.0,OD2.8,-,-,BST,- |
| 2 | EYP10 | AA60-40011A EYELET;ID2.0,OD2.8,-,-,BST,- |
| 2 | EYP11 | AA60-40011A EYELET;ID2.0,OD2.8,-,-,BST,- |
| 2 | EYP12 | AA60-40011A EYELET;ID2.0,OD2.8,-,-,BST,- |
| 2 | EYP13 | AA60-40011A EYELET;ID2.0,OD2.8,-,-,BST,- |
| 2 | EYP14 | AA60-40011A EYELET;ID2.0,OD2.8,-,-,BST,- |
| 2 | EYP15 | AA60-40011A EYELET;ID2.0,OD2.8,-,-,BST,- |
| 2 | EYP16 | AA60-40011A EYELET;ID2.0,OD2.8,-,-,BST,- |
| 2 | EYP17 | AA60-40011A EYELET;ID2.0,OD2.8,-,-,BST,- |
| 2 | EYP18 | AA60-40011A EYELET;ID2.0,OD2.8,-,-,BST,- |
| 2 | EYP01 | AA60-40011A EYELET;ID2.0,OD2.8,-,-,BST,- |
| 2 | EYP02 | AA60-40011A EYELET;ID2.0,OD2.8,-,-,BST,- |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | EYP03 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP04 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP06 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP08 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | JP01 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JP02 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | PCB | AA41-00403A | PCB-PFC;CS2939,CEM-1,1LA,1.6T,245x245 | |
| 2 | CNP02 | AA39-00236A | LEAD CONNECTOR ASSY;3(2)P;YHL500-03A BL | |
| 2 | PFT01 | AA27-00116A | COIL CHOKE;CODE_NO,-,35mH,-0,+5%,-,2.80 | |
| 2 | | HA61-00995A | HOLDER-PFC;ALLMODELL,HIPS | |
| 3 | | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB | |
| 3 | | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | | HA98-600020 | ASSY-SUB,PART;KS4A,PFC PCB | |
| 3 | | 0202-000008 | SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb, | |
| 3 | | 0202-000187 | SOLDER-WIRE FLUX;-RS60S,D1.2,63Sn/37Pb | |
| 3 | | 0204-001024 | FLUX;DF-98TVS,-,20%,- | |
| 3 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| 2 | | 6003-001023 | SCREW-TAPTITE;RVH,+,B,M3,L10,ZPC(YEL),SW | |
| 2 | CNP02 | 3711-004721 | CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA | |
| 2 | CNP01 | 3711-004720 | CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA | |
| 2 | CNP01 | AA39-00235A | LEAD CONNECTOR ASSY;3(2)P;YHL500-03A BL | |
| 2 | LX803S | AA29-00015A | FILTER LINE NOISE;WS32W8,28-20MH 1.5A,- | |
| 2 | CX803S | 2306-000318 | C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm | |



ASSY-CABINETFRONT

| | | |
|---|-------------|--|
| 1 | HA91-00879F | ASSY-CABINETFRONT;28C7,SV-011P-II |
| 2 | AA61-60003T | SPRING-CS;-SUS304,-,-,OD7,N5,OD7,-,-,- |
| 2 | AA64-70117B | BADGE-BRAND;-AL,-,-,L65,R2000,SILVER,SS |
| 2 | AA64-02509B | KNOB POWER;28C7,HIPS,HB,SV-012P-II,GRY |
| 3 | HA83-00040A | LP-MARKING PAINT;METALLIC SILVER,SV-012 |
| 3 | HA83-00021A | LP-MARKING PAINT;WHITE,TPC180 |
| 3 | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB |
| 3 | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY |
| 2 | AA64-00190A | WINDOW-REMOCON;-28C7,-,PC,-,VIOLET,- |
| 2 | AA64-00191A | INDICATOR-LED;28C7,ACRYL,-,CLR,-,-,- |
| 2 | AA64-00189B | INLAY-CONTROL;28C7,PS,TO.3,-,-,BLK,S51A |
| 2 | AA61-30001A | LATCH-DOOR;-,-,-,-,-,KIFUCO LA701 |
| 2 | HA83-00049A | LP-ADHESIVE-HM;12MM,NTR |
| 2 | HA96-00091B | ASSY-SPEAKER;16##,10W,3001-001005,AA39-2 |
| 3 | 3001-001005 | SPEAKER;10W,80HM,91DB,140HZ |
| 3 | AA39-20504B | LEAD CONNECTOR-ASSY;4P,SMH025-04,REC,30 |
| 2 | HA83-00047A | LP-TAPEACETATE;TO.1MM,W20MM,L200MM |
| 2 | AA64-02482A | KNOB CONTROL;28C7,HIPS,HB,GRY |
| 3 | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB |
| 3 | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY |
| 2 | HA64-27016A | DOOR-CONTROL;28C7,HIPS,HB,SV-012P-II |
| 3 | HA83-00040A | LP-MARKING PAINT;METALLIC SILVER,SV-012 |
| 3 | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB |
| 3 | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY |
| 2 | AA64-02420F | CABINET-FRONT;28C7,HIPS,HB,SV-012P-II,GR |
| 3 | HA83-00040A | LP-MARKING PAINT;METALLIC SILVER,SV-012 |
| 3 | AA61-40010A | BOSS-WING;-HIPS,-,-,NTR,HB |
| 4 | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB |
| 3 | HA83-00051A | LP-ADHESIVE-GEL;BLACK SOLVENT |
| 3 | HA83-00021A | LP-MARKING PAINT;WHITE,TPC180 |
| 3 | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB |
| 3 | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY |
| 2 | CF+SPK | 6002-000515 SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR |
| 2 | CF+KC | 6002-000515 SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR |
| 2 | CF+IND | 6002-000515 SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR |

ASSY-CABINET(COM)

| | | |
|---|-------------|---|
| 1 | AA90-01087C | ASSY-CABINET(COM);SILVER,SET 28C7 |
| 2 | HA64-02431B | CABINET BACK;CABINET BACK;28C7,HIPS,HB,G |
| 3 | HA83-00013A | LP-RESIN HIPS;NTR,HB,DOW A-TECH,IEC65 |
| 3 | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY |
| 3 | AA63-60002F | SPACER-FELT;-FELT,-,-,-,BLK,TO.35,-,330 |
| 2 | CF+CRT | AA60-10050Q SCREW-ASSY;-SWRCH18A,M5,L26.5,HH,+,WC,- |
| 2 | AA65-30008A | CLAMP-CORD;-PE,HB,-,BLK,- |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|
| 2 | | AA65-30007A | CLAMP-D,COIL;-NYLON-66,V0,-,NTR,WIDE | |
| 2 | | AA65-30009A | CLAMP-FBT;-ABS,V0,-,BLK,- | |
| 2 | CBO+CF | 6003-001023 | SCREW-TAPTITE;RVH,+,B,M3,L10,ZPC(YEL),SW | |
| 2 | | AA65-30018A | CLAMP-WIRE;DONG-A,NYLON-66,-,-,-,DATL-60 | |
| 2 | CB+CF | 6002-000515 | SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR | |
| 2 | AV+TER | 6002-000515 | SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR | |
| 2 | | AA63-10002A | BAND-TIE;-NYLON66 V2,-,-,L100,NTR,- | |
| 2 | | AA65-30110A | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,BLK,P | |
| 2 | | AA65-30104B | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,BLK,W | |
| 2 | | AA65-30105C | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,NTR,5 | |
| 2 | | HA68-02177A | LABEL-PQS;LABEL-PQS;135MM,34MM,WHITE | |
| 2 | | HA83-00052A | LP-TAPE-INK;-WIDTH 55 MM | |
| 2 | | HA68-02179A | LABEL-RATING;LABEL-RATING;58MM,53MM,WHITE | |
| 2 | | HA83-00052A | LP-TAPE-INK;-WIDTH 55 MM | |
| 2 | | HA61-00986A | RAIL-PCB;RAIL-PCB;SEH 703C,HIPS HB,GRY | |
| 3 | | HA83-00013A | LP-RESIN HIPS;NTR,HB,DOW A-TECH,IEC65 | |
| 3 | | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY | |

ASSY PACKING

| | | |
|---|-------------|--|
| 1 | AA90-01127A | ASSY PACKING;28C7 |
| 2 | BOX | AA60-40006A PIN-STAPLE;-,-,H18,33X17.8X2.4,-,AUTO |
| 2 | | HA69-01495A CUSHION-SET;28C7,PS,C=0.02 |
| 3 | | HA83-00058A LP-RESIN-EPS;-CHEIL SF-301V,WHIT |
| 2 | | HA69-00012B PACKING-CASE;PACKING-CASE;28C7,CB D-3,YE |
| 2 | | AA69-30032E BAG-SHEET;HDPE+PE FOAM;-W1300,H1300,-,- |
| 2 | | HA68-02178A LABEL-BOX;LABEL-BOX;250MM,89MM,WHITE |
| 2 | | HA83-00046A LP-TAPE INK;-WIDTH 105 MM |

REMOCON

| | | |
|---|-------------|---------------------------------------|
| 1 | AA59-00104K | REMOCON;-TM59,DREAM,29,L/GRAY,PAL-TTX |
|---|-------------|---------------------------------------|

ASSY-POWER,CORD

| | | |
|---|-------------|---|
| 1 | AA96-20122B | ASSY-POWER,CORD;-CP2/NO(4.0),H/C500MM,K |
|---|-------------|---|

ASSY ACCESSORY

| | | |
|---|-------------|--|
| 1 | AA94-05820A | ASSY ACCESSORY;50HZ,KS3A,XEC |
| 2 | 4301-000120 | BATTERY-MN;1.5V;-AA,14.5x50mm,- |
| 2 | HA83-00047A | LP-TAPEACETATE;TO.1MM,W20MM,L200MM |
| 2 | HA69-00276A | VINYL-BAG;HDPE,TO.025,L400,W240,-,W/O LO |
| 2 | HA68-00335A | LABEL CAUTION;A/P100(G),S51A,HUN,POL,-,- |

7-2 CW28D83NS8XXEC

| Level | Loc. No. | Code No. | Description : Specification | Remark |
|-------|----------|----------|-----------------------------|--------|
|-------|----------|----------|-----------------------------|--------|

ASSY PCB MAIN(OPT)

| | | | | |
|-----|--------|-------------|---|--|
| 1 | * | AA94-05608B | ASSY PCB MAIN(OPT);CW28D8N,K33A/H,TH,AK | |
| △ 2 | V999S | 3704-001105 | SOCKET-CRT;11P,20P,26.5PI,Ni,- | |
| 2 | CN501A | AA39-00241A | LEAD CONNECTOR ASSY;6P,YBNH250-06,S,500 | |
| 2 | CN502A | AA39-20053B | LEAD CONNECTOR ASSY;5P,YBNH025-05,S,500 | |
| 2 | TOP | AA39-20010B | LEAD CONNECTOR ASSY;1PYFH800-01,S,500, | |
| 2 | IC501 | HA96-00276B | ASSY H/S;-VIDEO AMP;AA62-00052A,STV510 | |
| 3 | | 1201-001687 | IC-VIDEO AMP;STV5109,ZIP,15P,-,SINGLE,50 | |
| 3 | | AA62-00052A | HEAT SINK-PS;-,-,SILVER,HOLE 18.5mm, 2 | |
| 3 | | 6003-000334 | SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| △ 2 | T801S | AA26-00046B | TRANS SWITCHING;CODE-NO,CV6844N8X/XEF,- | |
| △ 2 | IC201S | 1204-001634 | IC-VIDEO PROCESS;VDP3120B-C3,DIP;64P,-P | |
| 2 | HC401 | HA96-00275A | ASSY-H/S;-COMPLEX,AA62-00051A,KSD5703, | |
| 3 | | AA62-00051A | HEAT SINK-PS;-,-,SILVER,HOLE 31mm,ALL, | |
| △ 3 | D414 | 0402-001296 | DIODE-RECTIFIER;FMP-3FU,1.5KV,5A,TO-3PF, | |
| 3 | Q401 | 0502-001136 | TR-POWER;KSD5703,NPN,70W,TO-3PF,ST,8- | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | | AA60-30001A | WASHER-PLATE;M3,ID3.5,15X8.5,1.0,-,SBHG | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| △ 2 | T401 | AA26-50001L | TRANS-HORIZ.DRIVE;-,-,29mH,-,133uH,- | |
| △ 2 | TU01S | AA40-00079A | TUNER;TCPW3001PD16A(S),PAL,181CH,38, | |
| 2 | IC602 | HA96-50369B | ASSY-H/S;-,-,AA62-30181F,TDA7297,- | |
| 3 | | 1201-001064 | IC-POWER AMP;7297,ZIP,15P,-,DUAL,32dB,PL | |
| 3 | | AA62-30181F | HEAT-SINK,ES;-AL6063 EXTR,2,WHT,50MM,- | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | IC601 | 1204-001775 | IC-SOUND PROCESSOR;MSP3410D-C5 9458 ,SDI | |
| △ 2 | T444S | AA26-30005V | TRANS-FLYBACK;-FUH-29A004,29',155V | |
| △ 2 | PT801S | 1404-001156 | THERMISTOR-PTC;90HM,+30%/-20% 220VRMS,27 | |
| 2 | C806 | 2401-001137 | C-AL;330uF,20%,400V,GP,BK,30x45mm,1 | |
| 2 | C405 | 2306-000237 | C-FILM,MPPF;6.3nF,5%,1.6KV,TP,28.5x18x11 | |
| 2 | C406 | 2306-000253 | C-FILM,MPPF;7.2nF,5%,1.6KV,TP,28.5x18.5x | |
| 2 | C426 | 2306-000204 | C-FILM,MPPF;43nF,5%,400V,TP,26x20.5x12, | |
| 2 | L411 | AA27-30001F | COIL-LINEARLUTY;-22uH,DR1011,P10,45.25, | |
| 2 | L408 | AA27-00103A | COIL CHOKE;600UH,-,600UH,+10%,600UH,0.5 | |
| 2 | L405 | AA27-00057A | COIL HORIZ. WIDTH;-10mH,YL-9N 15x27.5 C | |
| 2 | C423 | 2306-001017 | C-FILM,MPPF;680nF,5%,400V,TP,26x14.5x24m | |
| △ 2 | CX801S | 2306-000318 | C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm | |
| △ 2 | LX801S | AA29-00015A | FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+ | |
| 2 | IC301 | HA96-50406A | ASSY-H/S;ASSY-H/S;AA62-30180K,LA7845,- | |
| 3 | | 1204-000517 | IC-VERTICAL DEF;LA7845,SIP,7P,-,PLASTIC | |
| 3 | | AA62-30180K | HEAT-SINK,ES;-A6063 EXTR,-,WHT,50/13,- | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | HC801 | HA96-00274A | ASSY-H/S;-COMPLEX,AA62-00053A,FMLG12S | |
| 3 | | 6003-000334 | SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR | |
| 3 | | AA62-00053A | HEAT SINK-PS;-,-,SILVER,HOLE 22mm,ALL, | |
| △ 3 | D802 | 0402-001230 | DIODE-RECTIFIER;FVG-G2CS,1000V,3A,TO-220 | |
| △ 3 | D805 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- | |
| △ 3 | D806 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- | |
| △ 3 | D807 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- | |
| △ 3 | IC802 | 1203-001006 | IC-VOLTAGE REGULATOR;78R05,TO-220F,4P,- | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| △ 2 | IC803 | 1203-001697 | IC-VOLTAGE REGULATOR;78R08,TO-220,4P,-P | |
| △ 2 | IC804 | HA96-00243C | ASSY-H/S;-REGULATOR,AA62-00045A,KA7806 | |
| 3 | | 1203-000284 | IC-POSIFIXED REG;7806,TO-220,3P,-,PLAS | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | | AA62-00065A | HEAT SINK-PS;DP;-,-,AA62-00045A,-,-,- | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | IC902 | 1103-001171 | IC-EEPROM;L51DC,16KBit,DIP;8P;300MIL,10m | |
| 2 | IC901 | AA09-00181A | IC MICOM;SIM806EV3-A035,SIM806EV3-A035, | |
| △ 2 | IC801S | HA96-50371C | ASSY-H/S;-,-,AA62-30181H,KA3A1265R,- | |
| 3 | | AA13-00101A | IC HYBRID;KA3S1265RD,CN5039,5PIN,-,50T012 | |
| 3 | | AA61-10386A | BRACKET-IC;-SECC 100,T1.0,-,-,KA2S068 | |
| 3 | | AA62-30197D | HEAT-SINK,ES;DP;-,-,AA62-30181H,-,-,- | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | | HA68-02189A | LABEL-WARNING;33MM,18MM,WHITE | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |

| Level | Loc. No. | Code No. | Description : Specification | Remark |
|-------|----------|----------|-----------------------------|--------|
|-------|----------|----------|-----------------------------|--------|

| | | | | |
|-----|--------|-------------|---|--|
| 2 | IC903 | 1203-001944 | IC-POSIFIXED REG;78RM33,TO-220,3P,-,PL | |
| 2 | C407 | 2301-001338 | C-FILM,MPE-PPF;0.68nF,5%,1.6kV,TP,28x7x1 | |
| △ 2 | D801S | 0402-001399 | DIODE-BRIDGE;GSIB660,600V,6A,SIP-4,BK | |
| 2 | Q402 | 0502-001007 | TR-POWER;KSC2073-H2,NPN,25W,TO-220,ST,6 | |
| △ 2 | PC801S | 0604-001038 | PHOTO-COUPLER;TR,130-260%,200mW,DIP-4,ST | |
| △ 2 | NT802S | 1404-001045 | THERMISTOR-NTC;4.7ohm,15%,2900K,35.0mW,T | |
| 2 | C815 | 2401-003026 | C-AL;330uF,20%,200V,GPST,22x35,10 | |
| △ 2 | CY802S | 2201-002002 | C-CERAMIC,DISC;4.7nF,20%,400V,Y5U,TP,16x | |
| 2 | JA701 | 3722-000195 | JACK-SCART;42P,-,SN,BLK,NO | |
| 2 | C820 | 2401-003076 | C-AL;3300uF,20%,50V,WP,BK,18x35.5mm | |
| 2 | R807 | 2006-001083 | R-CEMENT;120ohm,5%,5V,CJ,TP,14x10x27mm | |
| 2 | L808 | AA27-10002L | COIL-CHOKE;-24uH,K,-,2A,-,24UH-K,10x10m | |
| △ 2 | IC401 | 1202-000103 | IC-VOLTAGE COMP;393,DIP;8P;300MIL,DUAL, | |
| 2 | Q404 | 0505-000156 | FET-SILICON;IRF620,N,200V,5A,0.8ohm,50W, | |
| 2 | | AA98-00245A | ASSY SUB PART;S51A,PCB MAIN(OPT) | |
| 3 | | 0202-000008 | SOLDER-WIRE;SE63S-W3.0,S63S,D3,63Sn/37Pb, | |
| 3 | | 0202-000187 | SOLDER-WIRE FLUX;-RS60S,D1,2.63Sn/37Pb | |
| 3 | | 0204-001024 | FLUX;DF-98TVS,-,20%,- | |
| 3 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| 2 | C105 | 2301-000383 | C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm | |
| 2 | C101 | 2301-000383 | C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm | |
| 2 | C103 | 2301-000383 | C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm | |
| 2 | C228 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m | |
| 2 | C300 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m | |
| 2 | C809 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m | |
| 2 | C810 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m | |
| 2 | C811 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m | |
| 2 | C202 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm | |
| 2 | C205 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm | |
| 2 | C920 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm | |
| 2 | C231 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm | |
| 2 | C215 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm | |
| 2 | C630 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm | |
| 2 | C631 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm | |
| 2 | C645 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm | |
| 2 | C652 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm | |
| 2 | C603 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm | |
| 2 | C708 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm | |
| 2 | C214 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 2 | C216 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 2 | C605 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 2 | C620 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 2 | C635 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 2 | C646 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 2 | C829 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 2 | C837 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 2 | C839 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 2 | C916 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 2 | C308 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 2 | C914 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 2 | C831 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 2 | C825 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 2 | C208 | 2401-001026 | C-AL;3.3uF,20%,50V,GP,TP,5X11.5 | |
| 2 | C217 | 2401-001026 | C-AL;3.3uF,20%,50V,GP,TP,5X11.5 | |
| 2 | C636 | 2401-001026 | C-AL;3.3uF,20%,50V,GP,TP,5X11.5 | |
| 2 | C905 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3 | |
| 2 | C607 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3 | |
| 2 | C608 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3 | |
| 2 | C903 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3 | |
| 2 | C211 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3 | |
| 2 | C212 | 2301-000224 | C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5 | |
| 2 | C416 | 2301-000224 | C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5 | |
| 2 | C213 | 2301-000247 | C-FILM,PEF;33nF,5%,50V,TP,8.1x4.5x13mm,5 | |
| 2 | C218 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C219 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C220 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C221 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C222 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C223 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C901 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C921 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C922 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |

Electrical Parts List

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | C919 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C924 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C233 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C234 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C235 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C907 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C909 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C237 | 2401-000914 | C-AL;22uF,20%,16V,GP,TP5x11,5 | |
| 2 | C841 | 2401-000603 | C-AL;1uF,20%,50V,GP,TP5x11,5 | |
| 2 | C604 | 2401-000603 | C-AL;1uF,20%,50V,GP,TP5x11,5 | |
| 2 | C201 | 2401-000603 | C-AL;1uF,20%,50V,GP,TP5x11,5 | |
| 2 | C303 | 2201-002031 | C-CERAMIC,DISC;0.005nF,0.5pF,50V,NP0,TP | |
| 2 | C224 | 2201-002031 | C-CERAMIC,DISC;0.005nF,0.5pF,50V,NP0,TP | |
| 2 | C225 | 2201-002031 | C-CERAMIC,DISC;0.005nF,0.5pF,50V,NP0,TP | |
| 2 | C304 | 2305-000285 | C-FILM,MPEF;220nF,5%,100V,TP;10.5X5.5X15 | |
| 2 | C305 | 2305-000149 | C-FILM,MPEF;100nF,5%,100V,TP;12x12.5x6.5 | |
| 2 | C821 | 2301-000192 | C-FILM,PEF;1nF,5%,50V,TP5.3x10mm,5mm | |
| 2 | C902 | 2301-000192 | C-FILM,PEF;1nF,5%,50V,TP5.3x10mm,5mm | |
| 2 | C307 | 2401-000360 | C-AL;100uF,20%,50V,GP,TP8x11,5,5 | |
| 2 | C302 | 2401-000360 | C-AL;100uF,20%,50V,GP,TP8x11,5,5 | |
| 2 | C401 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP5. | |
| 2 | C403 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP5. | |
| 2 | C421 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP5. | |
| 2 | C402 | 2401-001397 | C-AL;470uF,20%,25V,GP,TP10x16,5 | |
| 2 | C404 | 2401-001397 | C-AL;470uF,20%,25V,GP,TP10x16,5 | |
| 2 | C408 | 2305-000382 | C-FILM,MPEF;4.7nF,5%,400V,TP,-,5mm | |
| 2 | C414 | 2401-002597 | C-AL;220uF,20%,35V,GP,TP10x12,5,5 | |
| 2 | C418 | 2401-002597 | C-AL;220uF,20%,35V,GP,TP10x12,5,5 | |
| 2 | C422 | 2401-001527 | C-AL;47uF,20%,250V,HR,TP13x25mm,5m | |
| 2 | C424 | 2201-000132 | C-CERAMIC,DISC;0.1nF,10%,500V,Y5P,TP6,5 | |
| 2 | C601 | 2201-000558 | C-CERAMIC,DISC;0.47nF,10%,50V,Y5P,TP5x3 | |
| 2 | C610 | 2301-000445 | C-FILM,PEF;4.7nF,5%,50V,TP5.5x7x3mm,5mm | |
| 2 | C611 | 2301-000445 | C-FILM,PEF;4.7nF,5%,50V,TP5.5x7x3mm,5mm | |
| 2 | C415 | 2301-000445 | C-FILM,PEF;4.7nF,5%,50V,TP5.5x7x3mm,5mm | |
| 2 | C612 | 2401-001914 | C-AL;1uF,20%,50V,BP,TP5x11,5 | |
| 2 | C613 | 2401-001914 | C-AL;1uF,20%,50V,BP,TP5x11,5 | |
| 2 | C617 | 2401-000493 | C-AL;10uF,20%,50V,LZ,TP5x11mm,5mm | |
| 2 | C917 | 2401-000493 | C-AL;10uF,20%,50V,LZ,TP5x11mm,5mm | |
| 2 | C413 | 2401-000493 | C-AL;10uF,20%,50V,LZ,TP5x11mm,5mm | |
| 2 | C622 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP5x11,5 | |
| 2 | C625 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP5x11,5 | |
| 2 | C626 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP5x11,5 | |
| 2 | C628 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP5x11,5 | |
| 2 | C623 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C624 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C627 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C629 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C642 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C644 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C701 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C638 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C639 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C632 | 2202-000806 | C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP | |
| 2 | C504 | 2202-000806 | C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP | |
| 2 | C505 | 2202-000806 | C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP | |
| 2 | C506 | 2202-000806 | C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP | |
| 2 | C634 | 2401-001840 | C-AL;100uF,20%,16V,GP,TP6.3x11,5 | |
| 2 | C826 | 2401-001840 | C-AL;100uF,20%,16V,GP,TP6.3x11,5 | |
| 2 | C832 | 2401-001840 | C-AL;100uF,20%,16V,GP,TP6.3x11,5 | |
| 2 | C838 | 2401-001840 | C-AL;100uF,20%,16V,GP,TP6.3x11,5 | |
| 2 | C637 | 2401-000027 | C-AL;4.7uF,20%,50V,GP,TP5x11,5 | |
| 2 | C640 | 2401-000027 | C-AL;4.7uF,20%,50V,GP,TP5x11,5 | |
| 2 | C641 | 2401-000027 | C-AL;4.7uF,20%,50V,GP,TP5x11,5 | |
| 2 | C643 | 2401-000027 | C-AL;4.7uF,20%,50V,GP,TP5x11,5 | |
| 2 | C647 | 2202-000286 | C-CERAMIC,MLC-AXIAL;56pF,5%,50V,SL,TP,1. | |
| 2 | C649 | 2301-000108 | C-FILM,PEF;1.5nF,5%,50V,TP6.5x3.0x5.5mm | |
| 2 | C804 | 2201-000332 | C-CERAMIC,DISC;2.2nF,20%,250V,Y5U,TP9x4 | |
| 2 | C805 | 2201-000332 | C-CERAMIC,DISC;2.2nF,20%,250V,Y5U,TP9x4 | |
| 2 | C807 | 2301-001397 | C-FILM,PPF;2.2nF,5%,1.2kV,TP15x8.5x13.5 | |
| 2 | C814 | 2201-000406 | C-CERAMIC,DISC;0.27nF,10%,2kV,Y5P,TP6,3 | |
| 2 | C816 | 2401-000293 | C-AL;100uF,±30-10%,200V,GP,TP16x25 | |
| 2 | C817 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5. | |
| 2 | C819 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5. | |
| 2 | C822 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5. | |
| 2 | C818 | 2401-000722 | C-AL;220uF,20%,25V,WT,TP16x25,7,5 | |
| 2 | C910 | 2201-000980 | C-CERAMIC,DISC;0.03nF,5%,50V,NP0,TP5x3, | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | C911 | 2201-000980 | C-CERAMIC,DISC;0.03nF,5%,50V,NP0,TP5x3, | |
| 2 | C913 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP6.3x11,5 | |
| 2 | C915 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP6.3x11,5 | |
| 2 | C918 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP6.3x11,5 | |
| 2 | C210 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP6.3x11,5 | |
| 2 | D201 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D202 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D207 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D208 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D209 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D210 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D211 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D602 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| △ 2 | D804 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | DZ402 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D906 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D405 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D501 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D502 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D503 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D508 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D604 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | KEZ1 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D301 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| △ 2 | D411 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| △ 2 | D803 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| △ 2 | D816 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| △ 2 | D401 | 0402-000540 | DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP | |
| △ 2 | D404 | 0402-000540 | DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP | |
| △ 2 | D402 | 0402-000534 | DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T | |
| △ 2 | D403 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| △ 2 | D406 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| △ 2 | D810 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| △ 2 | D811 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D907 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D504 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| △ 2 | D413 | 0402-000537 | DIODE-RECTIFIER;RH1A,600V,0.6A,DO-20AAC | |
| △ 2 | D801 | 0402-001111 | DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20 | |
| 2 | DZ201 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ202 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ802 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ902 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ601 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ603 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ903 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ904 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ905 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ906 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ907 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ909 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ910 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ604 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ605 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ908 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ901 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ203 | 0403-001321 | DIODE-ZENER;MTZJ6.8C,6.66-7.01V,500mW,DO | |
| 2 | DZ302 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D | |
| 2 | DZ303 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D | |
| 2 | DZ304 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D | |
| 2 | DZ305 | 0403-001221 | DIODE-ZENER;UZ39BSB,35.36-37.19V,500mW,D | |
| 2 | DZ306 | 0403-000700 | DIODE-ZENER;TZP33A,33V/31-35V,1W,DO-41,T | |
| 2 | DZ804 | 0403-000700 | DIODE-ZENER;TZP33A,33V/31-35V,1W,DO-41,T | |
| 2 | DZ401 | 0403-001325 | DIODE-ZENER;MTZJ15C,14.35-15.09V,500mW,D | |
| 2 | DZ801 | 0403-001322 | DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO | |
| 2 | DZ805 | 0403-001322 | DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO | |
| 2 | DZ808 | 1203-001217 | IC-POS:ADJUST REG.;431,TO-92,3P,4.58MIL | |
| 2 | GT101 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT102 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT301 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT302 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT401 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT402 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT801 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT802 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT803 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT804 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark | Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|-------|----------|-------------|-----------------------------|--------|
| 2 | J609 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY444 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | L107 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY601 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J902 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY602 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | D407 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY603 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | R427 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY604 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J503 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY805 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J504 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY806 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J506 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY807 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J501 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY808 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J502 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY809 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J407 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY810 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J419 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY811 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J630 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY812 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J245 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY815 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | L410 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY816 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | R508 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY817 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | D509 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY823 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J505 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY824 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J507 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY827 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J508 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY828 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J509 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY829 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J834 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY830 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J204 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY831 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J701 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY832 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J817 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY833 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | L413 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY834 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | R926 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY835 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J940 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY836 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | J935 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | | 2 | EY837 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EY301 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | | 2 | EY838 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EY302 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | | 2 | EY839 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EY303 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | | 2 | EY840 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EY304 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | | 2 | EY841 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark | Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|-------|----------|-------------|--|--------|
| 2 | EL502 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP- | | 2 | J901 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | R236 | 2001-000515 | R-CARBON;220OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | L303 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | R237 | 2001-000515 | R-CARBON;220OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | L207 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | R238 | 2001-000515 | R-CARBON;220OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | L412 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | R622 | 2001-000577 | R-CARBON;2KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | J406 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | R621 | 2001-000577 | R-CARBON;2KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | L407 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,3.5x5,TP- | |
| 2 | R915 | 2001-000577 | R-CARBON;2KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | L807 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,3.5x5,TP- | |
| 2 | R935 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | L601 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,3.5x5,TP- | |
| 2 | R202 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | L609 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,3.5x5,TP- | |
| 2 | R205 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | L201 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,3.5x5,TP- | |
| 2 | R243 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | L501 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,3.5x5,TP- | |
| 2 | R245 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | L502 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,3.5x5,TP- | |
| 2 | R246 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | L604 | 2701-000169 | INDUCTOR-AXIAL;3.9uH,10%,2.5x3.4mm | |
| 2 | R310 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | L905 | 2701-000211 | INDUCTOR-AXIAL;68uH,10%,2.5x3.4mm | |
| 2 | R716 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | Q201 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | |
| 2 | R715 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | Q202 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | |
| 2 | R606 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | Q203 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | |
| 2 | R602 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | Q901 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | |
| 2 | R601 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | Q906 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | |
| 2 | R620 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | Q908 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | |
| 2 | R629 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | Q701 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | |
| 2 | R309 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | Q204 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | |
| 2 | R206 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | Q601 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | |
| 2 | R609 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | Q907 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | |
| 2 | R912 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R244 | 2001-000786 | R-CARBON;47KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R952 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R954 | 2001-000786 | R-CARBON;47KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R940 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R208 | 2001-000405 | R-CARBON;180OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R941 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R209 | 2001-000405 | R-CARBON;180OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R942 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R509 | 2001-000405 | R-CARBON;180OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R947 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R511 | 2001-000405 | R-CARBON;180OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R948 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R517 | 2001-000405 | R-CARBON;180OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R102 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R215 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R103 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R823 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R203 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R910 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R204 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R216 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R604 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R234 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R605 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R235 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R610 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R603 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R611 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R817 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R612 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R924 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R613 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R914 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R628 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R252 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R627 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R726 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R706 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | D505 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R707 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | D506 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R708 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | D507 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R723 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R902 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R909 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R816 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R907 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R228 | 2001-000117 | R-CARBON(S);680HM,5%,1/2W,AA,TP2.4X6.4M | |
| 2 | J920 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R301 | 2004-001397 | R-METAL(S);4.7Kohm,1%,1/2W,AA,TP2.4x6.4 | |
| 2 | J904 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R423 | 2004-001397 | R-METAL(S);4.7Kohm,1%,1/2W,AA,TP2.4x6.4 | |
| 2 | R925 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R303 | 2001-000016 | R-CARBON(S);10HM,5%,1/2W,AA,TP2.4X6.4MM | |
| 2 | R955 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R828 | 2008-000266 | R-FUSIBLE(S);1ohm,5%,2W,AF,TP3.9x10mm | |
| △ | RR430S | 2001-001088 | R-CARBON(S);1KOHM,5%,1/2W,AA,TP2.4X6.4M | | 2 | R522 | 2008-000266 | R-FUSIBLE(S);1ohm,5%,2W,AF,TP3.9x10mm | |
| △ | R418 | 2001-001088 | R-CARBON(S);1KOHM,5%,1/2W,AA,TP2.4X6.4M | | 2 | R314 | 2004-001986 | R-METAL(S);35.7Kohm,1%,1/2W,AA,TP2.4x6.4 | |
| △ | RY801S | 2002-001011 | R-COMPOSITION;3.3Mohm,5%,1/2W,AA,TP3.7x | | 2 | R411 | 2001-000028 | R-CARBON(S);100OHM,5%,1/2W,AA,TP2.4X6.4 | |
| △ | RY802S | 2002-001013 | R-COMPOSITION;4.7Mohm,5%,1/2W,AA,TP3.7x | | 2 | R527 | 2001-000028 | R-CARBON(S);100OHM,5%,1/2W,AA,TP2.4X6.4 | |
| △ | VP801S | 1405-000187 | VARIATOR;750V,1250A,12.5x7mm,TP | | 2 | R412 | 2001-000020 | R-CARBON(S);220HM,5%,1/2W,AA,TP2.4X6.4M | |
| △ | VX801S | 1405-000187 | VARIATOR;750V,1250A,12.5x7mm,TP | | 2 | R421 | 2001-001093 | R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | X901 | 2801-003728 | CRYSTAL-UNIT;6MHz,30ppm,28-AAAM,20pF,40oh | | 2 | R913 | 2001-000947 | R-CARBON;7.5KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | L103 | 2701-000115 | INDUCTOR-AXIAL;10uH,10%,3x7mm | | 2 | R426 | 2003-000540 | R-METAL OXIDE(S);1Kohm,5%,2W,AF,TP4x12m | |
| 2 | | 0203-001123 | TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL | | 2 | R434 | 2003-000664 | R-METAL OXIDE(S);33ohm,5%,2W,AF,TP4x12m | |
| 2 | C707 | 2401-000939 | C-AL;22uF,20%,25V,GP,TP5x11.5 | | 2 | R614 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L202 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | 2 | R615 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L301 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | 2 | R616 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L406 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | 2 | R617 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L907 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | 2 | R920 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L711 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | 2 | R226 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L108 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | 2 | R224 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L109 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | 2 | R225 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L204 | 2701-000184 | INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm | | 2 | R931 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L222 | 2701-000184 | INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm | | 2 | R812 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L302 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | 2 | R831 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L802 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | 2 | R956 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L803 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | 2 | R919 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L804 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | 2 | R214 | 2001-000411 | R-CARBON;18KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L809 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | 2 | R701 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | R702 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R703 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R704 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R719 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R705 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R242 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R802 | 2003-001025 | R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP3.9x | |
| 2 | R803 | 2003-001025 | R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP3.9x | |
| 2 | R804 | 2003-001025 | R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP3.9x | |
| 2 | R805 | 2001-001150 | R-CARBON(S);470KOHM,5%,1/2W,AA,TP2.4X6. | |
| 2 | R806 | 2001-001150 | R-CARBON(S);470KOHM,5%,1/2W,AA,TP2.4X6. | |
| 2 | R813 | 2001-001153 | R-CARBON(S);470HM,5%,1/2W,AA,TP2.4X6.4M | |
| 2 | R810 | 2001-001178 | R-CARBON(S);680OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R819 | 2004-001983 | R-METAL(S);2.49Kohm,1%,1/2W,AA,TP2.4x6. | |
| 2 | R820 | 2001-001096 | R-CARBON(S);2.20HM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R822 | 2001-000273 | R-CARBON;100KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R824 | 2001-000273 | R-CARBON;100KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R825 | 2001-000066 | R-CARBON(S);10KOHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R901 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R903 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R904 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R905 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R906 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R908 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R921 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R927 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R928 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R937 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R724 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R725 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R251 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R223 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R248 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R249 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R250 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R207 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R501 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R502 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R503 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R911 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R922 | 2001-000924 | R-CARBON;680OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R923 | 2001-000924 | R-CARBON;680OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | C411 | 2301-000104 | C-FILM,PEF;1.2NF;5%,50V,TP6.5X3.0X5.5MM | |
| 2 | C412 | 2301-000313 | C-FILM,PEF;8.2nf;5%,100V,TP7X3.2x7mm,5m | |
| 2 | C427 | 2401-002267 | C-AL;2.2uf;20%,250V,GP,TP8x11.5,5 | |
| 2 | C507 | 2401-002267 | C-AL;2.2uf;20%,250V,GP,TP8x11.5,5 | |
| 2 | C833 | 2401-002619 | C-AL;47uf;20%,25V,GP,TP5x11.5 | |
| 2 | C229 | 2401-002619 | C-AL;47uf;20%,25V,GP,TP5x11.5 | |
| 2 | CN602 | 3711-002644 | CONNECTOR-HEADER;BOX,8P,1R,2.5mm,STRAIGH | |
| 2 | CWV901 | 2503-000156 | C-NETWORK;100pF;4,20%,50V | |
| 2 | D203 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D204 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D205 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D206 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D901 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D902 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D903 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D904 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | DZ803 | 0403-001167 | DIODE-ZENER;MTZJ30D,30V,29.02-30.51V,500 | |
| △ 2 | FA802S | 3601-001086 | FUSE-AXIAL LEAD;125V,5A,FAST-ACTING,GLAS | |
| 2 | HIC202 | AA13-00093A | IC HYBRID;-;DRGB001A,SIP5P,-,TP | |
| 2 | HIC203 | AA13-00093A | IC HYBRID;-;DRGB001A,SIP5P,-,TP | |
| 2 | HIC204 | AA13-00093A | IC HYBRID;-;DRGB001A,SIP5P,-,TP | |
| 2 | R302 | 2004-001984 | R-METAL(S);26.7Kohm,1%,1/2W,AA,TP2.4x6. | |
| 2 | R409 | 2003-002009 | R-METAL OXIDE(S);390ohm,5%,2W,AF,TP3.9x | |
| 2 | R410 | 2003-002009 | R-METAL OXIDE(S);390ohm,5%,2W,AF,TP3.9x | |
| 2 | R413 | 2008-001018 | R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP3.9x10 | |
| 2 | R424 | 2008-001018 | R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP3.9x10 | |
| 2 | R425 | 2008-001018 | R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP3.9x10 | |
| 2 | R827 | 2008-000284 | R-FUSIBLE(S);0.10HM,10%,2W,AF,TP3.9X10M | |
| 2 | R829 | 2008-001029 | R-FUSIBLE(S);5.6ohm,5%,2W,AF,TP3.9x10mm | |
| 2 | R835 | 2003-002181 | R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP3.9x | |
| 2 | R836 | 2003-002181 | R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP3.9x | |
| 2 | R433 | 2003-001042 | R-METAL OXIDE(S);5.6Kohm,5%,2W,AF,TP3.9 | |
| 2 | R717 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R718 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP1.8X3.2MM | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|-------------|-------------|--|--------|
| 2 | R105 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | X201 | 2801-003432 | CRYSTAL-UNIT;20.25MHZ,30PPM,28-AAM,13PF; | |
| 2 | X601 | 2801-003903 | CRYSTAL-UNIT;18.432MHz,25ppm,28-AAM,12pF | |
| 2 | IC904 | 1203-001943 | IC-VOL. DETECTOR;7025,TO-92,3P,-,PLASTIC | |
| 2 | PCB | AA41-00168H | PCB-MAIN;CS29A6,FR-1,1L,H,1.6T,330X245,K | |
| 2 | Q909 | 0505-000109 | FET-SILICON;2N7000,N,60V,200mA,5ohm,400m | |
| 2 | Q910 | 0505-000109 | FET-SILICON;2N7000,N,60V,200mA,5ohm,400m | |
| 2 | R403 | 2003-001091 | R-METAL OXIDE(S);10ohm,5%,2W,AF,TP4x12m | |
| 2 | L705 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L706 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L605 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L606 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L607 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L608 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L701 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L702 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | R106 | 2001-000864 | R-CARBON;56KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R313 | 2004-001137 | R-METAL;6.8Kohm,1%,1/8W,AA,TP1.8x3.2m | |
| 2 | R710 | 2001-000938 | R-CARBON;680HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R709 | 2001-000938 | R-CARBON;680HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R241 | 2001-000938 | R-CARBON;680HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R315 | 2004-004970 | R-METAL(S);62Kohm,1%,1/8W,AA,TP1.8x3.2m | |
| 2 | R811 | 2004-001408 | R-METAL(S);91Kohm,1%,1/2W,AA,TP2.4x6.4m | |
| 2 | R809 | 2001-000022 | R-CARBON(S);330HM,5%,1/2W,AA,TP2.4X6.4M | |
| 2 | R432 | 2004-001402 | R-METAL(S);6.8Kohm,1%,1/2W,AA,TP2.4x6.4 | |
| 2 | R415 | 2004-001402 | R-METAL(S);6.8Kohm,1%,1/2W,AA,TP2.4x6.4 | |
| 2 | L901 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | |
| 2 | L903 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | |
| 2 | L904 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | |
| 2 | L909 | 2701-000191 | INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm | |
| 2 | L908 | 2701-000191 | INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm | |
| 2 | R818 | 2001-001113 | R-CARBON(S);27KOHM,5%,1/2W,AA,TP2.4X6. | |
| 2 | CN702 | 3711-002647 | CONNECTOR-HEADER;BOX,8P,1R,2.5mm,STRAIGH | |
| 2 | C656 | 2201-000304 | C-CERAMIC,DISC;0.001nf,0.25pf;50V,NP0,TP | |
| 2 | C657 | 2201-000304 | C-CERAMIC,DISC;0.001nf,0.25pf;50V,NP0,TP | |
| 2 | C306 | 2301-000342 | C-FILM,PEF;2.2nf;5%,50V,TP7.4x3.9x13mm, | |
| 2 | R422 | 2001-000037 | R-CARBON(S);330OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | C621 | 2401-002458 | C-AL;1000uf;20%,35V,GP,TP;16x25,7.5 | |
| 2 | C824 | 2401-003046 | C-AL;47uf;20%,50V,WT,TP;6.3x11,2.5 | |
| 2 | C823 | 2401-003046 | C-AL;47uf;20%,50V,WT,TP;6.3x11,2.5 | |
| 2 | C808 | 2401-003046 | C-AL;47uf;20%,50V,WT,TP;6.3x11,2.5 | |
| 2 | C115 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pf;10%,50V,Y5P,TP | |
| 2 | C116 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pf;10%,50V,Y5P,TP | |
| 2 | C244 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pf;10%,50V,Y5P,TP | |
| 2 | C245 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pf;10%,50V,Y5P,TP | |
| 2 | L209 | 2701-000168 | INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm | |
| 2 | L210 | 2701-000168 | INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm | |
| 2 | L801 | 3301-001223 | CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,- | |
| 2 | L806 | 3301-001223 | CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,- | |
| 2 | R945 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R946 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | C104 | 2401-002463 | C-AL;470uf;20%,16V,GP,TP8x11.5,5 | |
| 2 | C512 | 2401-002463 | C-AL;470uf;20%,16V,GP,TP8x11.5,5 | |
| △ 2 | RX801S | 2002-001010 | R-COMPOSITION;1.8Mohm,5%,1/2W,AA,TP3.7x | |
| 2 | R210 | 2001-000812 | R-CARBON;5.6KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | F801A | 3602-000114 | FUSE-HOLDER;-;30mohm | |
| 2 | F801B | 3602-000114 | FUSE-HOLDER;-;30mohm | |
| 2 | C835 | 2401-002289 | C-AL;470uf;20%,35V,WT,TP;10x20,5 | |
| 2 | C840 | 2401-002212 | C-AL;10uf;20%,25V,WT,TP5x11.5 | |
| 2 | C827 | 2401-002212 | C-AL;10uf;20%,25V,WT,TP5x11.5 | |
| 2 | C301 | 2401-000611 | C-AL;1uf;20%,50V,WT,TP5x11.5 | |
| 2 | C106 | 2401-000611 | C-AL;1uf;20%,50V,WT,TP5x11.5 | |
| 2 | DZ602 | 0403-000720 | DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500 | |
| 2 | R808 | 2001-001079 | R-CARBON(S);150HM,5%,1/2W,AA,TP2.4X6.4M | |
| 2 | C248 | 2202-000210 | C-CERAMIC,MLC-AXIAL;270pf;10%,50V,Y5P,TP | |
| 2 | C246 | 2202-000210 | C-CERAMIC,MLC-AXIAL;270pf;10%,50V,Y5P,TP | |
| 2 | R405 | 2008-000254 | R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP3.9x10m | |
| 2 | R304 | 2008-000254 | R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP3.9x10m | |
| 2 | C102 | 2401-001513 | C-AL;47uf;20%,16V,WT,TP5x11.5 | |
| 2 | L208 | 2701-000147 | INDUCTOR-AXIAL;2.2uH,5%,2.4x3.4mm | |
| 2 | C247 | 2202-000849 | C-CERAMIC,MLC-AXIAL;18pf;5%,50V,CH,TP3. | |
| 2 | HA68-02176A | | LABEL;LABEL | |
| 2 | L102 | 2701-000159 | INDUCTOR-AXIAL;22uH,10%,4.2x9.8mm | |
| 2 | C654 | 2201-000611 | C-CERAMIC,DISC;0.056nf;5%,50V,NP0,TP;7x3 | |
| 2 | C409 | 2301-001268 | C-FILM,PPF;33nf;5%,630V,TP;20x11x17,7.5 | |
| 2 | R305 | 2003-002205 | R-METAL OXIDE(S);330ohm,5%,2W,AG,TP3.9X | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | R414 | 2008-000253 | R-FUSIBLE(S);0.47ohm,5%,1/W,AF,TP;3.9x10mm | |
| 2 | R417 | 2004-001382 | R-METAL(S);13Kohm,1%,1/2W,AA,TP;2.4x6.4mm | |
| 2 | R420 | 2004-001406 | R-METAL(S);8.2Kohm,1%,1/2W,AA,TP;2.4x6.4mm | |
| 2 | R428 | 2001-001095 | R-CARBON(S);2.2MOHM,5%,1/2W,AA,TP;2.4X6.4mm | |
| 2 | R429 | 2001-001103 | R-CARBON(S);20KOHM,5%,1/2W,AA,TP;2.4X6.4mm | |
| 2 | R436 | 2003-002008 | R-METAL OXIDE(S);18Kohm,5%,2W,AF,TP;3.9x10mm | |
| 2 | R607 | 2001-000007 | R-CARBON;3KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R608 | 2001-000007 | R-CARBON;3KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R916 | 2001-000007 | R-CARBON;3KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R821 | 2004-004364 | R-METAL(S);152Kohm,1%,1/2W,AA,TP;2.4x6.4mm | |
| 2 | FP801S | 3601-000297 | FUSE-CARTRIDGE;250V,5A,TIME-LAG,GLASS,5.0mm | |
| 2 | C508 | 2305-000704 | C-FILM,MPEF;100nF,5%,250V,TP;16.5x10.3x5mm | |
| 2 | C511 | 2305-000704 | C-FILM,MPEF;100nF,5%,250V,TP;16.5x10.3x5mm | |
| 2 | C510 | 2401-001232 | C-AL;4.7uF,20%,250V,GPTP;10x12.5,5mm | |
| 2 | R213 | 2001-000232 | R-CARBON;1.3KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R507 | 2001-001194 | R-CARBON(S);82KOHM,5%,1/2W,AA,TP;2.4X6.4mm | |
| 2 | R510 | 2001-001194 | R-CARBON(S);82KOHM,5%,1/2W,AA,TP;2.4X6.4mm | |
| 2 | R513 | 2001-001194 | R-CARBON(S);82KOHM,5%,1/2W,AA,TP;2.4X6.4mm | |
| 2 | R512 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP;3.7x9mm | |
| 2 | R515 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP;3.7x9mm | |
| 2 | R518 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP;3.7x9mm | |
| 2 | R524 | 2001-001062 | R-CARBON(S);10MOHM,5%,1/2W,AA,TP;2.4X6.4mm | |
| 2 | R521 | 2002-001009 | R-COMPOSITION;2.7Kohm,10%,1/2W,AA,TP;3.7x9mm | |
| 2 | R519 | 2008-000299 | R-FUSIBLE(S);47ohm,5%,2W,AF,TP;3.9x10mm | |
| 2 | DZ509 | 0403-001211 | DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,DO | |
| 2 | C410 | 2301-000213 | C-FILM,PEF;220nF,5%,250V,TP;21.5x11.7,5mm | |
| 2 | R404 | 2001-001040 | R-CARBON(S);0.68OHM,5%,1/2W,AA,TP;2.4X6.4mm | |
| 2 | R212 | 2004-000218 | R-METAL;10Kohm,1%,1/8W,AA,TP;1.8x3.2mm | |
| 2 | FA803S | 3601-001228 | FUSE-AXIAL LEAD;125V,10A,FAST-ACTING,EPO | |
| 2 | DZ806 | 0403-001316 | DIODE-ZENER;MTZJ3.0A,2.85-3.07V,500mW,DO | |
| 2 | R401 | 2003-000586 | R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP;4x12mm | |
| 2 | R402 | 2003-000586 | R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP;4x12mm | |
| 2 | J914 | 2001-000674 | R-CARBON;360OHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R504 | 2001-000890 | R-CARBON;6.8KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R505 | 2001-000890 | R-CARBON;6.8KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R506 | 2001-000890 | R-CARBON;6.8KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | C509 | 2201-000723 | C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP;16x5mm | |
| 2 | DZ501 | 0403-000355 | DIODE-ZENER;UZ5.1BSB,4.97-5.18V,500MW,DO | |
| 2 | R516 | 2002-001012 | R-COMPOSITION;8.2Mohm,5%,1/2W,AA,TP;3.7x9mm | |
| 2 | C925 | 2202-000127 | C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V | |
| 2 | KEZ1 | 2201-000472 | C-CERAMIC,DISC;0.33nF,5%,50V,SL,TP;8.5x3mm | |
| 2 | C420 | 2305-001003 | C-FILM,MPEF;10nF,5%,250V,TP;13x4.5x9mm,7mm | |
| 2 | C419 | 2201-000376 | C-CERAMIC,DISC;0.22nF,5%,50V,SL,TP;6.3x3mm | |
| 2 | C828 | 2201-000376 | C-CERAMIC,DISC;0.22nF,5%,50V,SL,TP;6.3x3mm | |
| 2 | J919 | 2701-000183 | INDUCTOR-AXIAL;39uH,5%,2.5x3.4mm | |
| 2 | C203 | 2401-000480 | C-AL;10uF,20%,50V,GPTP;5x11.5mm | |
| 2 | R944 | 2001-000613 | R-CARBON;3.9KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | L910 | 2701-000215 | INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm | |
| 2 | C926 | 2202-000154 | C-CERAMIC,MLC-AXIAL;150PF,10%,50V,Y5PTP | |
| 2 | C904 | 2401-002144 | C-AL;47uF,20%,16V,GPTP;5x11.5mm | |
| 2 | R917 | 2001-000878 | R-CARBON;6.2KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R918 | 2001-000009 | R-CARBON;20KOHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | SW901 | 3404-000244 | SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP | |
| 2 | SW902 | 3404-000244 | SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP | |
| 2 | SW903 | 3404-000244 | SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP | |
| 2 | SW904 | 3404-000244 | SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP | |
| 2 | SW905 | 3404-000244 | SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP | |
| 2 | CN801 | 3711-004721 | CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA | |
| 2 | CN802 | 3711-004720 | CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA | |
| 2 | SW801 | 3403-001107 | SWITCH-PUSH;250V,5A,DPST,-,KDC-A04 | |
| 2 | RM901 | AA32-00001A | MODULE REMOCON,-,ORC-195VF,38KHZ,940nm,M | |
| 2 | LD901 | AA96-00461A | ASSY LED GUIDE,-,SL-255D,RED,GRN | |

ASSYPCB-PFC

| | | | |
|---|-------|-------------|-----------------------------|
| 1 | * | HA94-05784B | ASSYPCB-PFC;25-28,4:3,5784A |
| 2 | EYP05 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- |
| 2 | EYP07 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- |
| 2 | EYP09 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- |
| 2 | EYP10 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- |
| 2 | EYP11 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- |
| 2 | EYP12 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- |
| 2 | EYP13 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- |
| 2 | EYP14 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | EYP15 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP16 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP17 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP18 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP01 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP02 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP03 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP04 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP06 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP08 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | JP01 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JP02 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | PCB | AA41-00403A | PCB-PFC;CS2939,CEM-1,1LA,1.6T,245x245mm | |
| 2 | CNP02 | AA39-00236A | LEAD CONNECTOR ASSY;3/2P;YHL500-03A BL | |
| 2 | PFT01 | AA27-00116A | COIL CHOKE;CODE_NO,-,35mH-0,+5%,-,2.80mm | |
| 2 | | HA61-00995A | HOLDER-PFC;ALLMODELL,HIPS | |
| 3 | | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB | |
| 3 | | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | | HA98-600020 | ASSY-SUB,PART;KS4A,PFC PCB | |
| 3 | | 0202-000008 | SOLDER-WIRE;S63S,W3.0,S63S,D3,63Sn/37Pb | |
| 3 | | 0202-000187 | SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb | |
| 3 | | 0204-001024 | FLUX;DF-98TVS,-,20%,- | |
| 3 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| 2 | | 6003-001023 | SCREW-TAPTITE;RW,H+,B,M3,L10,ZPC(YEL),SW | |
| 2 | CNP02 | 3711-004721 | CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA | |
| 2 | CNP01 | 3711-004720 | CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA | |
| 2 | CNP01 | AA39-00235A | LEAD CONNECTOR ASSY;3/2P;YHL500-03A BL | |
| 2 | LX803S | AA29-00015A | FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+ | |
| 2 | CX803S | 2306-000318 | C-FILM,MPPF;220nF,20%,250V,TP,-,2.5mm | |

ASSY-CABINET(COM)

| | | | |
|---|--------|-------------|--|
| 1 | * | AA90-03209A | ASSY-CABINET(COM);KS3A,28D8 |
| 2 | CB+CF | 6002-000515 | SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR |
| 2 | CB+SCR | 6002-000515 | SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR |
| 2 | CF+PCB | 6003-001019 | SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR |
| 2 | CRT+CF | AA60-10050Q | SCREW-ASSY;-,SWRCH18A,M5,L26.5,HH,+,WC,- |
| 2 | | AA63-10002A | BAND-TIE;-,NYLON66 V2,-,L100,NTR,- |
| 2 | | AA65-30008A | CLAMP-CORD;-,PE,HB,-,BLK,- |
| 2 | | AA65-30009A | CLAMP-FBT;-,ABS,V0,-,BLK,- |
| 2 | | AA65-30018A | CLAMP-WIRE;DONG-A,NYLON-66,-,DATL-60 |
| 2 | | AA65-30113A | CLAMP-D,COIL;-,NYLON 66,V2,-,BLK,TVI 25- |
| 2 | CRT | HA64-02313A | CABINET-BACK;28D8(SEH),HIPS,HB,GRY |
| 3 | | HA83-00013A | LP-RESIN HIPS;NTR,HB,DOW A-TECH,IEC65 |
| 3 | | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY |
| 2 | | HA68-02179A | LABEL-RATING;LABEL-RATING;58MM,53MM,WHIT |
| 2 | | HA83-00052A | LP-TAPE-INK;WIDTH 55 MM |
| 2 | | AA65-30104B | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,BLK,W |
| 2 | | AA65-30110A | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,BLK,P |
| 2 | | HA68-02177A | LABEL-POS;LABEL-POS;135MM,34MM,WHITE |
| 2 | | HA83-00046A | LP-TAPE INK;WIDTH 105 MM |
| 2 | | AA64-00894L | INLAY-BACK;21K2,PS SHEET,T0.3,BLK,KS1B 2 |

ASSY CABINET FRONT

| | | | |
|---|--------|-------------|---|
| 1 | * | HA91-04037A | ASSY CABINET FRONT;HIPS,HB,SV-012P-II,28 |
| 2 | CF+KC | 6003-001019 | SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR |
| 2 | CF+SPK | 6003-001019 | SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR |
| 2 | CF+WR | 6003-001019 | SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR |
| 2 | | AA61-60003J | SPRING-CS;-,SUS304,-,OD6,N7,OD6,-,,-,- |
| 2 | | AA64-02868A | KNOB CONTROL;25D8,HIPS,HB,GRY |
| 3 | | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB |
| 3 | | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY |
| 3 | | HA83-00040A | LP-MARKING PAINT;METALLIC SILVER,SV-012 |
| 2 | | HA64-02315A | WINDOW-RMC,LED;28D8(SEH),PC,CLR |
| 3 | | HA83-00009A | LP-RESIN PC;LEXAN 121R,VIOLET |
| 2 | | AA64-70117B | BADGE-BRAND;-,AL,-,L65,R2000,SILVER,SS |
| 2 | | AA65-30105A | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,NTR,1 |
| 2 | | HA83-00049A | LP-ADHESIVE-HM;12MM,NTR |
| 2 | | 0203-000432 | TAPE-ACETATE;#156A,T0.25MM,W19MM,L30MM,WH |
| 2 | | AA64-02312A | CABINET-FRONT;28D8(SEH),HIPS,HB,SV012P-I |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|
| 3 | | HA83-00021A | LP-MARKING PAINT; WHITE, TPC180 | |
| 3 | | HA83-00040A | LP-MARKING PAINT; METALLIC SILVER, SV-012 | |
| 3 | | HA83-00006A | LP-RESIN HIPS; BASF495F, NTR, HB | |
| 3 | | HA83-00011A | LP-RESIN; M BATCH, WILSON 6007-GY-60, GRY | |
| 2 | | AA64-02316A | KNOB-POWER; 28D8(SEH), HIPS, HB, GRY | |
| 3 | | HA83-00040A | LP-MARKING PAINT; METALLIC SILVER, SV-012 | |
| 3 | | HA83-00006A | LP-RESIN HIPS; BASF495F, NTR, HB | |
| 3 | | HA83-00011A | LP-RESIN; M BATCH, WILSON 6007-GY-60, GRY | |
| 2 | | HA61-00711C | HOLDER-PCB; 29K8, HIPS, HB, GRY | |
| 3 | | HA83-00006A | LP-RESIN HIPS; BASF495F, NTR, HB | |
| 3 | | HA83-00011A | LP-RESIN; M BATCH, WILSON 6007-GY-60, GRY | |
| 2 | | AA64-01309E | INLAY AV; PS SHEET; 29D7, T0.3, -, -, KS2A | |
| 2 | | AA61-40113A | STOPPER-PCB; 501H, HIPS, -, -, HB, NTR, - | |
| 2 | | 3001-00109Z | SPEAKER; 10W, 8ohm, 87dB, 150Hz | |
| 2 | | AA39-00102C | LEAD CONNECTOR-ASSY; 4P; 35155-0400, REC, 3 | |
| 2 | holder | HA83-00049A | LP-ADHESIVE-HM; 12MM, NTR | |

ASSY SUB-PCB, A/V SIDE

| | | | |
|---|-------|-------------|--|
| 1 | * | AA95-01788P | ASSY SUB-PCB, A/V SIDE; CT-29H1D, KS2ANTSC, |
| 2 | | 0202-000008 | SOLDER-WIRE; S63S-W3.0, S63S, D3, 63Sn/37Pb, |
| 2 | | 0202-000187 | SOLDER-WIRE FLUX; -, RS60S, D1 2, 63Sn/37Pb |
| 2 | | 0204-000442 | SOLVENT; 1M-1000, C3H7OH, 96, - |
| 2 | | 0204-001024 | FLUX; DF-98TVS, -, 20%, - |
| 2 | JE01 | 3722-000143 | JACK-PHONE; 1P(VER), 3.4PI, AG, BLK, NO |
| 2 | JA01 | 3722-001031 | JACK-PIN; 3P; 3.6mm, #18, AU |
| 2 | CN06A | AA39-00070A | LEAD CONNECTOR-ASSY; 4PYBNH250-04, 35184 |
| 2 | CN01A | AA39-20068E | LEAD CONNECTOR-ASSY; 8PYBNH025-08, 67096 |
| 2 | CN05A | AA39-20069C | LEAD CONNECTOR-ASSY; 5PYBNH025-05, 67096 |
| 2 | | AA63-10002A | BAND-TIE; NYLON66 V2, -, L100, NTR, - |
| 2 | RA01 | 2001-000028 | R-CARBON(S); 100OHM, 5%, 1/2W, AA, TP2.4X6.4 |
| 2 | RA02 | 2001-000028 | R-CARBON(S); 100OHM, 5%, 1/2W, AA, TP2.4X6.4 |
| 2 | CA06 | 2401-001840 | C-AL; 100uF, 20%, 16V, GPT, P6.3x11.5 |
| 2 | CA07 | 2401-001840 | C-AL; 100uF, 20%, 16V, GPT, P6.3x11.5 |
| 2 | JA101 | 3812-000219 | WIRE-NO SHEATH CU; TCWA, 300V, 52mm(TAPING) |
| 2 | PCB | AA41-11017D | PCB-A/V SIDE; CT-29U1, FR-1, 1L, D, 1.6T, 245X |

ASSY-CRT

| | | | |
|---|---|-------------|---|
| 1 | * | HA94-500023 | ASSY-CRT; A66EHJ13X38, +450MG, 28, ITC, NORM |
| 2 | | AA39-20518A | LEAD CONNECTOR-ASSY; 6(4)P; YFH806-06, 350 |
| 2 | | AA03-00276A | CRT COLOR; A66EHJ13X38, +450MG, 1.5MH, 12.0M |
| 2 | | AA27-20004K | COIL-DEGAUSSING; -, 29, 19.0ohm, 45T, 3000mm, |
| 2 | | AA63-10002A | BAND-TIE; NYLON66 V2, -, L100, NTR, - |
| 2 | | AA98-00025A | ASSY-TBC, WIRE(P); DP; 29INCH, AA98-70008C, 2 |

ASSY ACCESSORY

| | | | |
|---|---|-------------|--|
| 1 | * | AA94-05820A | ASSY ACCESSORY; 50HZ, KS3A, XEC |
| 2 | | 4301-000120 | BATTERY-MN; 1.5V, -, AA, 14.5x50mm, - |
| 2 | | HA83-00047A | LP-TAPEACETATE; T0.1MM, W20MM, L200MM |
| 2 | | HA69-00276A | VINYL-BAG; HDPE, T0.025, L400, W240, -, W/O LO |
| 2 | | HA68-00335A | LABEL CAUTION; A/P100(G), S51A, HUN, POL, -, - |

REMOCON

| | | | |
|---|---|-------------|--|
| 1 | * | AA59-00104K | REMOCON; -, TM59, DREAM, 29, L/GRAY, PAL-TTX |
|---|---|-------------|--|

ASSY-POWER, CORD

| | | | |
|---|--------|-------------|---|
| 1 | P/CORD | AA96-20122B | ASSY-POWER, CORD; -, CP2/NO(4.0), H/C500MM, K |
|---|--------|-------------|---|

ASSY PACKING

| | | | |
|---|---|-------------|---|
| 1 | * | AA90-03212A | ASSY PACKING; 28D8 |
| 2 | | AA60-40006A | PIN-STAPLE; -, H18, 33X17.8X2.4, -, AUTO |
| 2 | | HA83-00046A | LP-TAPE INK; WIDTH 105 MM |
| 2 | | HA68-02178A | LABEL-BOX; LABEL-BOX; 250MM, 89MM, WHITE |
| 2 | | HA69-01469A | CUSHION-SET; 28D8(SEH), PS, C=-0.02 |
| 2 | | HA69-01482A | PACKING CASE; 28D8(SEH), 810, 615, 680, YEL |
| 2 | | AA69-30032F | BAG-SHEET; HDPE+PE FOAM, -, WV1400, H1400, -, - |

7-3 CW29K84NS8XXEC

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|----------|-----------------------------|--------|
|-------|----------|----------|-----------------------------|--------|

ASSY PCB MAIN(OPT)

| | | | | |
|---|--------|-------------|---|--|
| 1 | | AA94-05723B | ASSY PCB MAIN(OPT);CW29K8N,KS3A/H,SEB,IN | |
| 2 | C815 | 2401-003602 | C-AL;220uF,20%,160V,GPBK,22x25mm,1 | |
| 2 | CN501 | 3711-002641 | CONNECTOR-HEADER;BOX,10P,1R,2.54mm,STRAI | |
| △ | CX801S | 2306-000318 | C-FILM,MPEF;220nF,20%,250V,TP,-,22.5mm | |
| 2 | IC301 | HA96-50406B | ASSY-H/S;ASSY-H/S,-,AA62-30180B,LA7845 | |
| 3 | | 1204-000517 | IC-VERTICAL DEF;LA7845,SIP7P,-,PLASTIC | |
| 3 | | AA62-30180B | HEAT-SINK,ES,-,A6063 EXTR,2,WHT,70MM,-, | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| △ | IC401 | 1202-000103 | IC-VOLTAGE COMP;393,DIP8P300MIL,DUAL, | |
| △ | IC801S | HA96-50371C | ASSY-H/S,-,AA62-30181H,KA3A1265R,- | |
| 3 | | AA13-00101A | IC HYBRID;KA3A1265RD,CN5039,5PIN,-,SOT102 | |
| 3 | | AA61-10386A | BRACKETIC,-,SECC 100,T1.0,-,-,KA2S068 | |
| 3 | | AA62-30197D | HEAT-SINK,ES,DP,-,-,AA62-30181H,-,- | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | | HA68-02189A | LABEL-WARNING,-,33MM,18MM,WHITE | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | JA701 | 3722-000195 | JACK-SCART;42P,-,SN,BLK,NO | |
| △ | NT802S | 1404-001045 | THERMISTOR-NTC;4.7ohm,15%,2900K,35.0mW,T | |
| △ | PC801S | 0604-001038 | PHOTO-COUPLER;TR,130-260%,200mW,DIP-4,ST | |
| △ | PT801S | 1404-001156 | THERMISTOR-PTC;90HM,+30%/-20%,220VRMS,27 | |
| △ | T444S | AA26-00145A | TRANS FB;1372.0076B,CT29A5P3.5MH,135V | |
| 2 | HC801 | HA96-00274A | ASSY-H/S,-,COMPLEX,AA62-00053A,FMLG12S | |
| 3 | | 6003-000334 | SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR | |
| 3 | | AA62-00053A | HEAT-SINK-PS,-,-,SILVER,HOLE 22mm,ALL | |
| △ | D802 | 0402-001230 | DIODE-RECTIFIER;FMG-G2CS,1000V,3A,TO-220 | |
| △ | D805 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- | |
| △ | D806 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- | |
| △ | D807 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- | |
| △ | IC802 | 1203-001006 | IC-VOLTAGE REGULATOR;78R05,TO-220F,4P,-, | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | HC401 | HA96-00275A | ASSY-H/S,-,COMPLEX,AA62-00051A,KS5D703, | |
| 3 | | AA62-00051A | HEAT-SINK-PS,-,-,SILVER,HOLE 31mm,ALL | |
| △ | D414 | 0402-001296 | DIODE-RECTIFIER;FMP-3FU,1.5KV,5A,TO-3PF, | |
| 3 | Q401 | 0502-001136 | TR-POWER;KSD5703,NPN,70WV,TO-3PF,ST,8- | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | | AA60-30001A | WASHER-PLATE;M3,1D3.5,15X8.5,T1.0,-,SBHG | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| △ | D801S | 0402-001399 | DIODE-BRIDGE;GSIB660,600V,6A,SIP-4,BK | |
| 2 | IC602 | HA96-50369B | ASSY-H/S,-,-,AA62-30181F,TDAT297,- | |
| 3 | | 1201-001064 | IC-POWER AMP;7297,ZIP,15P,-,DUAL,32dB,PL | |
| 3 | | AA62-30181F | HEAT-SINK,ES,-,AL6063 EXTR,2,WHT,50MM,- | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | IC902 | 1103-001171 | IC-EEPROM;L151DC,16KBit,DIP8P300MIL,10m | |
| 2 | C105 | 2301-000383 | C-FILM,PEF;10nF,5%,50V,TP;6x7x3.2mm,5mm | |
| 2 | C101 | 2301-000383 | C-FILM,PEF;10nF,5%,50V,TP;6x7x3.2mm,5mm | |
| 2 | C103 | 2301-000383 | C-FILM,PEF;10nF,5%,50V,TP;6x7x3.2mm,5mm | |
| 2 | C228 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP;7.5x4.0x6.5,5m | |
| 2 | C230 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP;7.5x4.0x6.5,5m | |
| 2 | C809 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP;7.5x4.0x6.5,5m | |
| 2 | C810 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP;7.5x4.0x6.5,5m | |
| 2 | C811 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP;7.5x4.0x6.5,5m | |
| 2 | C202 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP;5x11mm,5mm | |
| 2 | C205 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP;5x11mm,5mm | |
| 2 | C920 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP;5x11mm,5mm | |
| 2 | C231 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP;5x11mm,5mm | |
| 2 | C215 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP;5x11mm,5mm | |
| 2 | C630 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP;5x11mm,5mm | |
| 2 | C631 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP;5x11mm,5mm | |
| 2 | C645 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP;5x11mm,5mm | |
| 2 | C652 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP;5x11mm,5mm | |
| 2 | C603 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP;5x11mm,5mm | |
| 2 | C708 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP;5x11mm,5mm | |
| 2 | C214 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP;7.5x4.0x5.0m | |
| 2 | C216 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP;7.5x4.0x5.0m | |
| 2 | C605 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP;7.5x4.0x5.0m | |
| 2 | C620 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP;7.5x4.0x5.0m | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|----------|-----------------------------|--------|
|-------|----------|----------|-----------------------------|--------|

| | | | | |
|---|------|-------------|--|--|
| 2 | C635 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP;7.5x4.0x5.0m | |
| 2 | C646 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP;7.5x4.0x5.0m | |
| 2 | C829 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP;7.5x4.0x5.0m | |
| 2 | C837 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP;7.5x4.0x5.0m | |
| 2 | C839 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP;7.5x4.0x5.0m | |
| 2 | C916 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP;7.5x4.0x5.0m | |
| 2 | C308 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP;7.5x4.0x5.0m | |
| 2 | C914 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP;7.5x4.0x5.0m | |
| 2 | C831 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP;7.5x4.0x5.0m | |
| 2 | C825 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP;7.5x4.0x5.0m | |
| 2 | C208 | 2401-001026 | C-AL;3.3UF,20%,50V,GP,TP;5x11,5 | |
| 2 | C217 | 2401-001026 | C-AL;3.3UF,20%,50V,GP,TP;5x11,5 | |
| 2 | C636 | 2401-001026 | C-AL;3.3UF,20%,50V,GP,TP;5x11,5 | |
| 2 | C905 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP3 | |
| 2 | C607 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP3 | |
| 2 | C608 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP3 | |
| 2 | C903 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP3 | |
| 2 | C211 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP3 | |
| 2 | C212 | 2301-000224 | C-FILM,PEF;22nF,5%,50V,TP;7.4x3.9x13mm,5 | |
| 2 | C213 | 2301-000247 | C-FILM,PEF;33nF,5%,50V,TP;8.1x4.5x13mm,5 | |
| 2 | C218 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C219 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C220 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C221 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C222 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C223 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C901 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C921 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C922 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C919 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C924 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C233 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C234 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C235 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C907 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C909 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C237 | 2401-000914 | C-AL;22uF,20%,16V,GP,TP;5x11,5 | |
| 2 | C841 | 2401-000603 | C-AL;1uF,20%,50V,GP,TP;5x11,5 | |
| 2 | C604 | 2401-000603 | C-AL;1uF,20%,50V,GP,TP;5x11,5 | |
| 2 | C201 | 2401-000603 | C-AL;1uF,20%,50V,GP,TP;5x11,5 | |
| 2 | C303 | 2201-002031 | C-CERAMIC,DISC;0.005nF,0.5pF,50V,NP0,TP | |
| 2 | C224 | 2201-002031 | C-CERAMIC,DISC;0.005nF,0.5pF,50V,NP0,TP | |
| 2 | C225 | 2201-002031 | C-CERAMIC,DISC;0.005nF,0.5pF,50V,NP0,TP | |
| 2 | C304 | 2305-000285 | C-FILM,MPEF;220NF,5%,100V,TP;10.5X5.5X15 | |
| 2 | C305 | 2305-000149 | C-FILM,MPEF;100nF,5%,100V,TP;12x12.5x6.5 | |
| 2 | C821 | 2301-000192 | C-FILM,PEF;1nF,5%,50V,TP;5.3x10mm,5mm | |
| 2 | C902 | 2301-000192 | C-FILM,PEF;1nF,5%,50V,TP;5.3x10mm,5mm | |
| 2 | C307 | 2401-000360 | C-AL;100uF,20%,50V,GP,TP;8x11.5,5 | |
| 2 | C302 | 2401-000360 | C-AL;100uF,20%,50V,GP,TP;8x11.5,5 | |
| 2 | C401 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP5 | |
| 2 | C403 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP5 | |
| 2 | C421 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP5 | |
| 2 | C402 | 2401-001397 | C-AL;470uF,20%,25V,GP,TP;10x16,5 | |
| 2 | C404 | 2401-001397 | C-AL;470uF,20%,25V,GP,TP;10x16,5 | |
| 2 | C408 | 2305-000382 | C-FILM,MPEF;4.7nF,5%,400V,TP,-,5mm | |
| 2 | C414 | 2401-002597 | C-AL;220uF,20%,35V,GP,TP;10x12.5,5 | |
| 2 | C418 | 2401-002597 | C-AL;220uF,20%,35V,GP,TP;10x12.5,5 | |
| 2 | C422 | 2401-001527 | C-AL;47uF,20%,250V,HR,TP;13x25mm,5m | |
| 2 | C424 | 2201-000132 | C-CERAMIC,DISC;0.1nF,10%,500V,Y5P,TP6.5 | |
| 2 | C601 | 2201-000558 | C-CERAMIC,DISC;0.47nF,10%,50V,Y5P,TP5x3 | |
| 2 | C610 | 2301-000445 | C-FILM,PEF;4.7nF,5%,50V,TP;5.5x7x3mm,5mm | |
| 2 | C611 | 2301-000445 | C-FILM,PEF;4.7nF,5%,50V,TP;5.5x7x3mm,5mm | |
| 2 | C415 | 2301-000445 | C-FILM,PEF;4.7nF,5%,50V,TP;5.5x7x3mm,5mm | |
| 2 | C612 | 2401-001914 | C-AL;1uF,20%,50V,BP,TP;5x11,5 | |
| 2 | C613 | 2401-001914 | C-AL;1uF,20%,50V,BP,TP;5x11,5 | |
| 2 | C617 | 2401-000493 | C-AL;10uF,20%,50V,LZ,TP;5x11mm,5mm | |
| 2 | C917 | 2401-000493 | C-AL;10uF,20%,50V,LZ,TP;5x11mm,5mm | |
| 2 | C413 | 2401-000493 | C-AL;10uF,20%,50V,LZ,TP;5x11mm,5mm | |
| 2 | C622 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP;5x11,5 | |
| 2 | C625 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP;5x11,5 | |
| 2 | C626 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP;5x11,5 | |
| 2 | C628 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP;5x11,5 | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | C623 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C624 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C627 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C629 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C642 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C644 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C701 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C638 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C639 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C632 | 2202-000806 | C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP | |
| 2 | C634 | 2401-001840 | C-AL;100uF,20%,16V,GP,TP6.3x11.5 | |
| 2 | C826 | 2401-001840 | C-AL;100uF,20%,16V,GP,TP6.3x11.5 | |
| 2 | C832 | 2401-001840 | C-AL;100uF,20%,16V,GP,TP6.3x11.5 | |
| 2 | C838 | 2401-001840 | C-AL;100uF,20%,16V,GP,TP6.3x11.5 | |
| 2 | C637 | 2401-000027 | C-AL;4.7uF,20%,50V,GP,TP5x11.5 | |
| 2 | C640 | 2401-000027 | C-AL;4.7uF,20%,50V,GP,TP5x11.5 | |
| 2 | C641 | 2401-000027 | C-AL;4.7uF,20%,50V,GP,TP5x11.5 | |
| 2 | C643 | 2401-000027 | C-AL;4.7uF,20%,50V,GP,TP5x11.5 | |
| 2 | C912 | 2401-000027 | C-AL;4.7uF,20%,50V,GP,TP5x11.5 | |
| 2 | C647 | 2202-000286 | C-CERAMIC,MLC-AXIAL;56pF,5%,50V,SL,TP,1 | |
| 2 | C649 | 2301-000108 | C-FILM,PEF;1.5nF,5%,50V,TP6.5x3.0x5mm | |
| 2 | C804 | 2201-000332 | C-CERAMIC,DISC;2.2nF,20%,250V,Y5U,TP9x4 | |
| 2 | C805 | 2201-000332 | C-CERAMIC,DISC;2.2nF,20%,250V,Y5U,TP9x4 | |
| 2 | C807 | 2301-001397 | C-FILM,PPF;2.2nF,5%,1.2kV,TP15x8.5x13.5 | |
| 2 | C814 | 2201-000406 | C-CERAMIC,DISC;0.27nF,10%,2kV,Y5P,TP6.3 | |
| 2 | C817 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5 | |
| 2 | C819 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5 | |
| 2 | C822 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5 | |
| 2 | C419 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5 | |
| 2 | C818 | 2401-000722 | C-AL;2200uF,20%,25V,WT,TP16x25.7,5 | |
| 2 | C910 | 2201-000980 | C-CERAMIC,DISC;0.03nF,5%,50V,NP0,TP5x3 | |
| 2 | C911 | 2201-000980 | C-CERAMIC,DISC;0.03nF,5%,50V,NP0,TP5x3 | |
| 2 | C913 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP6.3x11.5 | |
| 2 | C915 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP6.3x11.5 | |
| 2 | C918 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP6.3x11.5 | |
| 2 | C210 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP6.3x11.5 | |
| 2 | D201 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D202 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D207 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D208 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D209 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D210 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D211 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D602 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D804 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | DZ402 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D906 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D405 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D604 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D408 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D301 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| 2 | D411 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| 2 | D803 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| 2 | D816 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| 2 | D401 | 0402-000540 | DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP | |
| 2 | D404 | 0402-000540 | DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP | |
| 2 | D402 | 0402-000534 | DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T | |
| 2 | D403 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D406 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D810 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D811 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D907 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D407 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D413 | 0402-000537 | DIODE-RECTIFIER;RH1A,600V,0.6A,DO-204AC | |
| 2 | D801 | 0402-001111 | DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20 | |
| 2 | DZ201 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ202 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ802 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ902 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ601 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ603 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ903 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ904 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ905 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ906 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ907 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|
| 2 | DZ604 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ605 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ908 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ909 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ910 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ203 | 0403-001321 | DIODE-ZENER;MTZJ5.6B,6.66-7.01V,500mW,DO | |
| 2 | DZ302 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,DO | |
| 2 | DZ303 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,DO | |
| 2 | DZ304 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,DO | |
| 2 | DZ305 | 0403-001221 | DIODE-ZENER;UZ39BSB,35.36-37.19V,500mW,DO | |
| 2 | DZ306 | 0403-000700 | DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T | |
| 2 | DZ804 | 0403-000700 | DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T | |
| 2 | DZ401 | 0403-001325 | DIODE-ZENER;MTZJ15C,14.35-15.09V,500mW,DO | |
| 2 | DZ801 | 0403-001322 | DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO | |
| 2 | DZ808 | 0403-001322 | DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO | |
| 2 | DZ805 | 1203-001217 | IC-POS.ADJUST REG.;431,T0-92,3P4.58MIL | |
| 2 | GT101 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT102 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT301 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT302 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT401 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT402 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT801 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT802 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT803 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT804 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT805 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT806 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT103 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT404 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | J102 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J103 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J105 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J108 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J110 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J111 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J112 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J113 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J114 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J115 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J116 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J117 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J119 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J122 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J123 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J124 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J203 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J205 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J206 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J207 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J208 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J209 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J210 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J211 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J212 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J213 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J214 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J216 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J217 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J218 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J219 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J222 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J223 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J224 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J225 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J226 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J227 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J228 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J229 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J230 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J232 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J234 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J236 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J237 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J238 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J239 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--|
| 2 | EY446 | AA60-40011A | EYELET;ID2.0,0D2.8,-,-,BST- | |
| 2 | EY447 | AA60-40011A | EYELET;ID2.0,0D2.8,-,-,BST- | |
| 2 | EY818 | AA60-40011A | EYELET;ID2.0,0D2.8,-,-,BST- | |
| 2 | EY819 | AA60-40011A | EYELET;ID2.0,0D2.8,-,-,BST- | |
| 2 | EL401 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL402 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL404 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL406 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL802 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL803 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL805 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL806 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL807 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL808 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL809 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL810 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL811 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL403 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL405 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL407 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | EL408 | AA60-40011B | EYELET;ID2.2,0D3.2,-,-,BSP- | |
| 2 | R236 | 2001-000515 | R-CARBON;2200HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R237 | 2001-000515 | R-CARBON;2200HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R238 | 2001-000515 | R-CARBON;2200HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R247 | 2001-000515 | R-CARBON;2200HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R622 | 2001-000577 | R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R621 | 2001-000577 | R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R915 | 2001-000577 | R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R935 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R202 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R205 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R243 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R245 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R246 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R310 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R716 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R715 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R606 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R602 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R601 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R620 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R629 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R309 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R206 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R609 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R912 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R952 | 2001-000290 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R940 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R941 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R942 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R947 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R948 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R102 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R103 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R203 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R204 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R604 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R605 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R610 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R611 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R612 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R613 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R628 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R627 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R706 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R707 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R708 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R723 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R909 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R907 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | J920 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | J904 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R925 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R955 | 2001-000281 | R-CARBON;1000HM,5%,1/8W,AA,TP,1.8X3.2MM | |
| △ | 2 | RR430S | 2001-001088 | R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4M |
| 2 | R418 | 2001-001088 | R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4M | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|--|---|--------|
| △ | 2 | RY801S | 2002-001011 R-COMPOSITION;3.3Mohm,5%,1/2W,AA,TP3.7x | |
| △ | 2 | RY802S | 2002-001013 R-COMPOSITION;4.7Mohm,5%,1/2W,AA,TP3.7x | |
| △ | 2 | VP801S | 1405-000187 VARISTOR;750V,1250A,12.5x7mm,TP | |
| △ | 2 | VX801S | 1405-000187 VARISTOR;750V,1250A,12.5x7mm,TP | |
| 2 | X901 | 2801-003728 CRYSTAL-UNIT;6MHz,30ppm,28-AAM,20pF,40oh | | |
| 2 | L103 | 2701-000115 INDUCTOR-AXIAL;10uH,10%,3x7mm | | |
| 2 | | 0203-001123 TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL | | |
| 2 | C707 | 2401-000939 C-AL;22uF,20%,25V,GP,TP5x11.5 | | |
| 2 | L202 | 2701-000114 INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | |
| 2 | L301 | 2701-000114 INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | |
| 2 | L406 | 2701-000114 INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | |
| 2 | L907 | 2701-000114 INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | |
| 2 | L711 | 2701-000114 INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | |
| 2 | L707 | 2701-000114 INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | |
| 2 | L708 | 2701-000114 INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | |
| 2 | L108 | 2701-000114 INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | |
| 2 | L109 | 2701-000114 INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | | |
| 2 | L204 | 2701-000184 INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm | | |
| 2 | L902 | 2701-000184 INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm | | |
| 2 | L222 | 2701-000184 INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm | | |
| 2 | L302 | 3301-000287 CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | |
| 2 | L802 | 3301-000287 CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | |
| 2 | L803 | 3301-000287 CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | |
| 2 | L804 | 3301-000287 CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | |
| 2 | L809 | 3301-000287 CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | |
| 2 | J901 | 3301-000287 CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | |
| 2 | L303 | 3301-000287 CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | |
| 2 | L207 | 3301-000287 CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | |
| 2 | L412 | 3301-000287 CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | |
| 2 | J406 | 3301-000287 CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | | |
| 2 | L407 | 2901-000297 FILTER-EMI ON BOARD;-.3A,-,-,3.5x5,TP- | | |
| 2 | L807 | 2901-000297 FILTER-EMI ON BOARD;-.3A,-,-,3.5x5,TP- | | |
| 2 | L601 | 2901-000297 FILTER-EMI ON BOARD;-.3A,-,-,3.5x5,TP- | | |
| 2 | L609 | 2901-000297 FILTER-EMI ON BOARD;-.3A,-,-,3.5x5,TP- | | |
| 2 | L201 | 2901-000297 FILTER-EMI ON BOARD;-.3A,-,-,3.5x5,TP- | | |
| 2 | L604 | 2701-000169 INDUCTOR-AXIAL;3.9uH,10%,2.5x3.4mm | | |
| 2 | L905 | 2701-000211 INDUCTOR-AXIAL;68uH,10%,2.5x3.4mm | | |
| 2 | Q201 | 0501-000389 TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | | |
| 2 | Q202 | 0501-000389 TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | | |
| 2 | Q203 | 0501-000389 TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | | |
| 2 | Q901 | 0501-000389 TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | | |
| 2 | Q906 | 0501-000389 TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | | |
| 2 | Q908 | 0501-000389 TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | | |
| 2 | Q701 | 0501-000389 TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | | |
| 2 | Q204 | 0501-000389 TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | | |
| 2 | Q601 | 0501-000389 TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | | |
| 2 | Q907 | 0501-000389 TR-SMALL SIGNAL;KSC815,NPN,400mW,T0-92,T | | |
| 2 | R244 | 2001-000786 R-CARBON;47KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R954 | 2001-000786 R-CARBON;47KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R208 | 2001-000405 R-CARBON;180OHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R215 | 2001-000522 R-CARBON;22KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R823 | 2001-000522 R-CARBON;22KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R910 | 2001-000522 R-CARBON;22KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R216 | 2001-000429 R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R234 | 2001-000429 R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R235 | 2001-000429 R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R603 | 2001-000429 R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R817 | 2001-000429 R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R924 | 2001-000429 R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R914 | 2001-000429 R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R607 | 2001-000429 R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R608 | 2001-000429 R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R252 | 2001-000429 R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R726 | 2001-000429 R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R209 | 2001-000429 R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R902 | 2001-000429 R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R816 | 2001-000429 R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | | |
| 2 | R228 | 2001-000117 R-CARBON(S);680HM,5%,1/2W,AA,TP2.4X6.4M | | |
| 2 | R301 | 2004-001397 R-METAL(S);4.7Kohm,1%,1/2W,AA,TP2.4x6.4 | | |
| 2 | R303 | 2001-000016 R-CARBON(S);10HM,5%,1/2W,AA,TP2.4X6.4MM | | |
| 2 | R828 | 2008-000266 R-FUSIBLE(S);1ohm,5%,2W,AF,TP3.9x10mm | | |
| 2 | R405 | 2008-000266 R-FUSIBLE(S);1ohm,5%,2W,AF,TP3.9x10mm | | |
| 2 | R314 | 2004-001986 R-METAL(S);35.7Kohm,1%,1/2W,AA,TP2.4x6. | | |
| 2 | R411 | 2001-000028 R-CARBON(S);100OHM,5%,1/2W,AA,TP2.4X6.4 | | |
| 2 | R412 | 2001-000020 R-CARBON(S);22OHM,5%,1/2W,AA,TP2.4X6.4M | | |
| 2 | R421 | 2001-001093 R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP2.4X6. | | |
| 2 | R913 | 2001-000947 R-CARBON;7.5KOHM,5%,1/8W,AA,TP1.8X3.2M | | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | R426 | 2003-000540 | R-METAL OXIDE(S);1Kohm,5%,2W,AF,TP4x12m | |
| 2 | R434 | 2003-000664 | R-METAL OXIDE(S);33ohm,5%,2W,AF,TP4x12m | |
| 2 | R614 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R615 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R616 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R617 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R920 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R226 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R224 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R225 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R931 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R812 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R831 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R956 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R919 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R214 | 2001-000411 | R-CARBON;18KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R701 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R702 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R703 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R704 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R719 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R705 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R242 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R802 | 2003-001025 | R-METAL OXIDE(S);15kohm,5%,2W,AF,TP3.9x | |
| 2 | R803 | 2003-001025 | R-METAL OXIDE(S);15kohm,5%,2W,AF,TP3.9x | |
| 2 | R804 | 2003-001025 | R-METAL OXIDE(S);15kohm,5%,2W,AF,TP3.9x | |
| 2 | R805 | 2001-001150 | R-CARBON(S);470KOHM,5%,1/2W,AA,TP2.4X6. | |
| 2 | R806 | 2001-001150 | R-CARBON(S);470KOHM,5%,1/2W,AA,TP2.4X6. | |
| 2 | R813 | 2001-001153 | R-CARBON(S);470HM,5%,1/2W,AA,TP2.4X6.4M | |
| 2 | R832 | 2001-001153 | R-CARBON(S);470HM,5%,1/2W,AA,TP2.4X6.4M | |
| 2 | R810 | 2001-001178 | R-CARBON(S);680OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R819 | 2004-001983 | R-METAL(S);2.49Kohm,1%,1/2W,AA,TP2.4x6. | |
| 2 | R820 | 2001-001096 | R-CARBON(S);2.2OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R822 | 2001-000273 | R-CARBON;100KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R824 | 2001-000273 | R-CARBON;100KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R825 | 2001-000066 | R-CARBON(S);10KOHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R901 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R903 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R904 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R905 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R906 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R908 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R921 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R927 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R928 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R937 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R938 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R724 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R725 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R251 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R223 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R248 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R249 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R250 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R911 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R922 | 2001-000924 | R-CARBON;680OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R923 | 2001-000924 | R-CARBON;680OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | C409 | 2301-001268 | C-FILM,PPF;33nf,5%,630V,TP20x11x17.5 | |
| 2 | C411 | 2301-000104 | C-FILM,PEF;1.2NF,5%,50V,TP6.5X3.0X5.5MM | |
| 2 | C412 | 2301-000313 | C-FILM,PEF;8.2nf,5%,100V,TP7x3.2x7mm,5m | |
| 2 | C427 | 2401-002267 | C-AL;2.2uF,20%,250V,GP,TP8x11.5.5 | |
| 2 | C833 | 2401-002619 | C-AL;47uF,20%,25V,GP,TP5x11.5 | |
| 2 | C229 | 2401-002619 | C-AL;47uF,20%,25V,GP,TP5x11.5 | |
| 2 | CN602 | 3711-002644 | CONNECTOR-HEADER;BOX,5P,1R,2.5mm,STRAIGH | |
| 2 | CN901 | 3711-002644 | CONNECTOR-HEADER;BOX,5P,1R,2.5mm,STRAIGH | |
| 2 | CW901 | 2503-000156 | C-NETWORK;100pF,4,20%,50V | |
| 2 | D203 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D204 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D205 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D206 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D901 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D902 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D903 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | D904 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | |
| 2 | DZ803 | 0403-001167 | DIODE-ZENER;MTZJ300,30V,29.02-30.51V,500 | |
| △ | 2 | FA802S | FUSE-AXIAL LEAD;125V,5A,FAST-ACTING,GLAS | |
| 2 | HIC201 | AA13-00093A | IC HYBRID;-DRGB001A,SP5P;-TP | |

Electrical Parts List

| Level | Loc. No. | Code No. | Description ; Specification | Remark | Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|-------|----------|-------------|--|--------|
| 2 | HIC202 | AA13-00093A | IC HYBRID;- DRGB001A,SIP5P;-TP | | 2 | C106 | 2401-000611 | C-AL;1uF,20%,50V,WT,TP5x11,5 | |
| 2 | HIC203 | AA13-00093A | IC HYBRID;- DRGB001A,SIP5P;-TP | | 2 | R417 | 2004-001382 | R-METAL(S);13Kohm,1%,1/2W,AA,TP2.4x6.4mm | |
| 2 | HIC204 | AA13-00093A | IC HYBRID;- DRGB001A,SIP5P;-TP | | 2 | D2602 | 0403-000720 | DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500 | |
| 2 | R302 | 2004-001984 | R-METAL(S);26.7Kohm,1%,1/2W,AA,TP2.4x6 | | 2 | CN502 | 3711-002646 | CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGH | |
| 2 | R409 | 2003-002009 | R-METAL OXIDE(S);390ohm,5%,2W,AF,TP3.9x | | 2 | R808 | 2001-001079 | R-CARBON(S);150HM,5%,1/2W,AA,TP2.4X6.4MM | |
| 2 | R410 | 2003-002009 | R-METAL OXIDE(S);390ohm,5%,2W,AF,TP3.9x | | 2 | C425 | 2301-001259 | C-FILM,MPPF;100nF5%,400V,TP19x8x16,7.5 | |
| 2 | R413 | 2008-001018 | R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP3.9x10 | | 2 | C248 | 2202-000210 | C-CERAMIC,MLC-AXIAL;270pf,10%,50V,Y5P,TP | |
| 2 | R424 | 2008-001018 | R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP3.9x10 | | 2 | C246 | 2202-000210 | C-CERAMIC,MLC-AXIAL;270pf,10%,50V,Y5P,TP | |
| 2 | R827 | 2008-000284 | R-FUSIBLE(S);0.10HM,10%,2W,AF,TP3.9X10MM | | 2 | R436 | 2003-002008 | R-METAL OXIDE(S);18Kohm,5%,2W,AF,TP3.9x | |
| 2 | R829 | 2008-001029 | R-FUSIBLE(S);5.6ohm,5%,2W,AF,TP3.9x10mm | | 2 | R304 | 2008-000254 | R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP3.9x10mm | |
| 2 | R433 | 2003-001042 | R-METAL OXIDE(S);5.6Kohm,5%,2W,AF,TP3.9 | | 2 | C102 | 2401-001513 | C-AL;47uF,20%,16V,WT,TP5x11,5 | |
| 2 | R717 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | L208 | 2701-000147 | INDUCTOR-AXIAL;2.2uH,5%,2.4x3.4mm | |
| 2 | R718 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | C247 | 2202-000849 | C-CERAMIC,MLC-AXIAL;18pf,5%,50V,CH,TP3. | |
| 2 | R105 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | C410 | 2301-000213 | C-FILM,PEF;220nF5%,250V,TP21.5x11,7.5 | |
| 2 | X201 | 2801-003432 | CRYSTAL-UNIT;20.25MHZ,30PPM,28-AAM,13PF | | 2 | | HA68-02176A | LABEL;LABEL | |
| 2 | X601 | 2801-003903 | CRYSTAL-UNIT;18.432MHz,25ppm,28-AAM,12pF | | 2 | L102 | 2701-000159 | INDUCTOR-AXIAL;22uH,10%,4.2x9.8mm | |
| 2 | IC904 | 1203-001943 | IC-VOL. DETECTOR;7025,TO-92,3P,-PLASTIC | | 2 | C654 | 2201-000611 | C-CERAMIC,DISC;0.056nF5%,50V,NP0,TP7x3 | |
| 2 | PCB | AA41-00168H | PCB-MAIN;CS29A6,FR-1,1L,H,1.6T,330X245,K | | 2 | R429 | 2001-001103 | R-CARBON(S);20KOHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | Q909 | 0505-000109 | FET-SILICON;2N7000,N,60V,200mA,5ohm,400m | | 2 | R213 | 2001-000232 | R-CARBON;1.3KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | Q910 | 0505-000109 | FET-SILICON;2N7000,N,60V,200mA,5ohm,400m | | 2 | DZ806 | 0403-001316 | DIODE-ZENER;MTZJ3.0A,2.85-3.07V,500mW,DO | |
| 2 | R403 | 2003-001091 | R-METAL OXIDE(S);10ohm,5%,2W,AF,TP4x12mm | | △ 2 | FA803S | 3601-001228 | FUSE-AXIAL LEAD;125V,10A,FAST-ACTING,EPO | |
| 2 | L705 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | L401 | 2001-001038 | R-CARBON(S);0.560HM,5%,1/2W,AA,TP2.4X6 | |
| 2 | L706 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | R404 | 2001-001038 | R-CARBON(S);0.560HM,5%,1/2W,AA,TP2.4X6 | |
| 2 | L605 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | R207 | 2001-000221 | R-CARBON;1.2KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | L606 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | R212 | 2004-000218 | R-METAL;10Kohm,1%,1/8W,AA,TP1.8x3.2mm | |
| 2 | L607 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | R414 | 2008-000253 | R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP3.9x10mm | |
| 2 | L608 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | R428 | 2001-000096 | R-CARBON(S);1MOHM,5%,1/2W,AA,TP2.4X6.4MM | |
| 2 | L701 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | R425 | 2008-001011 | R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP3.9x10 | |
| 2 | L702 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | R401 | 2003-000586 | R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP4x12 | |
| 2 | R106 | 2001-000864 | R-CARBON;56KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R402 | 2003-000586 | R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP4x12 | |
| 2 | R313 | 2004-001137 | R-METAL;6.8Kohm,1%,1/8W,AA,TP1.8x3.2mm | | 2 | J914 | 2001-000674 | R-CARBON;360OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R710 | 2001-000938 | R-CARBON;68OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | R423 | 2001-001155 | R-CARBON(S);5.6KOHM,5%,1/2W,AA,TP2.4X6 | |
| 2 | R709 | 2001-000938 | R-CARBON;68OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | C925 | 2202-000127 | C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V | |
| 2 | R241 | 2001-000938 | R-CARBON;68OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | KEZ1 | 2201-000472 | C-CERAMIC,DISC;0.33nF,5%,50V,SL,TP8.5x3 | |
| 2 | R315 | 2004-004970 | R-METAL(S);62Kohm,1%,1/8W,AA,TP1.8x3.2mm | | 2 | C828 | 2201-000376 | C-CERAMIC,DISC;0.22nF,5%,50V,SL,TP6.3x3 | |
| 2 | R811 | 2004-001408 | R-METAL(S);91Kohm,1%,1/2W,AA,TP2.4x6.4mm | | 2 | J919 | 2701-000183 | INDUCTOR-AXIAL;39uH,5%,2.5x3.4mm | |
| 2 | R809 | 2001-000022 | R-CARBON(S);33OHM,5%,1/2W,AA,TP2.4X6.4MM | | 2 | SW901 | 3404-000244 | SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP | |
| 2 | R420 | 2004-001402 | R-METAL(S);6.8Kohm,1%,1/2W,AA,TP2.4x6.4 | | 2 | SW902 | 3404-000244 | SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP | |
| 2 | L901 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | | 2 | SW903 | 3404-000244 | SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP | |
| 2 | L903 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | | 2 | SW904 | 3404-000244 | SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP | |
| 2 | L904 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | | 2 | SW905 | 3404-000244 | SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP | |
| 2 | L909 | 2701-000191 | INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm | | 2 | R916 | 2001-000007 | R-CARBON;3KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | L908 | 2701-000191 | INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm | | 2 | R917 | 2001-000878 | R-CARBON;6.2KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R818 | 2001-001113 | R-CARBON(S);270KOHM,5%,1/2W,AA,TP2.4X6 | | 2 | R918 | 2001-000009 | R-CARBON;20KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | CN702 | 3711-002647 | CONNECTOR-HEADER;BOX,8P,1R,2.5mm,STRAIGH | | 2 | C416 | 2301-000148 | C-FILM,PEF;10nF,5%,100V,TP7x3.2x7mm,5mm | |
| 2 | C656 | 2201-000304 | C-CERAMIC,DISC;0.001nF,0.25pF,50V,NP0,TP | | 2 | R415 | 2004-001987 | R-METAL(S);4.3Kohm,1%,1/2W,AA,TP2.4x6.4 | |
| 2 | C657 | 2201-000304 | C-CERAMIC,DISC;0.001nF,0.25pF,50V,NP0,TP | | 2 | R826 | 2003-001035 | R-METAL OXIDE(S);27ohm,5%,2W,AF,TP3.9x1 | |
| 2 | C306 | 2301-000342 | C-FILM,PEF;2.2nF,5%,50V,TP7.4x3.9x13mm, | | 2 | KEZ1 | 2201-000795 | C-CERAMIC,DISC;10nF,10%,400V,Y5P,TP15x1 | |
| 2 | R422 | 2001-000037 | R-CARBON(S);330OHM,5%,1/2W,AA,TP2.4X6.4 | | 2 | R432 | 2001-001192 | R-CARBON(S);820OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R305 | 2003-002157 | R-METAL OXIDE;220OHM,5%,2W,AG,TP6X16MM | | 2 | C203 | 2401-000480 | C-AL;10uF,20%,50V,GP,TP5x11,5 | |
| 2 | R306 | 2003-002157 | R-METAL OXIDE;220OHM,5%,2W,AG,TP6X16MM | | 2 | R944 | 2001-000613 | R-CARBON;3.9KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | C621 | 2401-002458 | C-AL;100uF,20%,35V,GP,TP16x25,7.5 | | 2 | L910 | 2701-000215 | INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm | |
| 2 | C824 | 2401-003046 | C-AL;47uF,20%,50V,WT,TP6.3x11,2.5 | | 2 | C926 | 2202-000154 | C-CERAMIC,MLC-AXIAL;150pf,10%,50V,Y5P,TP | |
| 2 | C823 | 2401-003046 | C-AL;47uF,20%,50V,WT,TP6.3x11,2.5 | | 2 | R835 | 2003-002181 | R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP3.9x | |
| 2 | C808 | 2401-003046 | C-AL;47uF,20%,50V,WT,TP6.3x11,2.5 | | 2 | R836 | 2003-002181 | R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP3.9x | |
| 2 | C115 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pf,10%,50V,Y5P,TP | | 2 | C420 | 2305-001003 | C-FILM,MPEF;10nF,5%,250V,TP13x4.5x9mm,7 | |
| 2 | C116 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pf,10%,50V,Y5P,TP | | 2 | IC901 | AA09-00181A | IC MICOM;SIM806EV3-AQ35,SIM806EV3-AQ35, | |
| 2 | C244 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pf,10%,50V,Y5P,TP | | △ 2 | IC201S | 1204-001634 | IC-VIDEO PROCESS;VDP3120B-C3,DIP64P,-P | |
| 2 | C245 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pf,10%,50V,Y5P,TP | | 2 | IC601 | 1204-001775 | IC-SOUND PROCESSOR;MSP3410D-CS 9458,-SDI | |
| 2 | L209 | 2701-000168 | INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm | | △ 2 | T401 | AA26-50001L | TRANS-HORIZ.DRIVE;-,-,29mH,-,-,133uH,- | |
| 2 | L210 | 2701-000168 | INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm | | △ 2 | L403 | AA27-00099A | COIL LINEARITY;23.5uH,23.5uH,DR14x15C,5- | |
| 2 | L801 | 3301-001223 | CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,- | | △ 2 | TU01S | AA40-00079A | TUNER;TCPW3001PD16A(S),PAL,181CH,38. | |
| 2 | L806 | 3301-001223 | CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,- | | 2 | | AA98-00245A | ASSY SUB PART;S51A,PCB MAIN(OPT) | |
| 2 | R945 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP1.8X3.2M | | 3 | | 0202-000008 | SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb, | |
| 2 | R946 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP1.8X3.2M | | 3 | | 0202-000187 | SOLDER-WIRE FLUX;-RS60S,D1.2,63Sn/37Pb | |
| 2 | C104 | 2401-002463 | C-AL;470uF,20%,16V,GP,TP8x11,5.5 | | 3 | | 0204-001024 | FLUX;DF-98TVS,-20%, | |
| △ 2 | RX801S | 2002-001010 | R-COMPOSITION;1.8Mohm,5%,1/2W,AA,TP3.7x | | 3 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| 2 | R821 | 2004-001891 | R-METAL(S);133Kohm,1%,1/2W,AA,TP2.5x6.5 | | △ 2 | T801S | AA26-00046A | TRANS SWITCHING;-,-,AC90-260V,DC135/16 | |
| 2 | R210 | 2001-000812 | R-CARBON;5.6KOHM,5%,1/8W,AA,TP1.8X3.2M | | △ 2 | IC804 | HA96-00243C | ASSY-H/S;-REGULATOR,AA62-00045A,KA7806 | |
| △ 2 | FP801S | 3601-000297 | FUSE-CARTIDGE;250V/5A,TIME-LAG,GLASS,5. | | 3 | | 1203-000284 | IC-POSIXED REG.;7806,TO-220,3P,-PLAS | |
| 2 | F801A | 3602-000114 | FUSE-HOLDER;-,-,30mohm | | 3 | | 6003-000333 | SCREW-TAPTITE;RH,+2S,M3,L10,ZPC(YEL),SW | |
| 2 | F801B | 3602-000114 | FUSE-HOLDER;-,-,30mohm | | 3 | | AA62-00065A | HEAT SINK-PS;DP;-,-,AA62-00045A,-,-, | |
| 2 | C835 | 2401-002289 | C-AL;470uF,20%,35V,WT,TP10x20,5 | | 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | C840 | 2401-002212 | C-AL;10uF,20%,25V,WT,TP5x11,5 | | 2 | L408 | AA27-00103A | COIL CHOKE;600UH,-,600UH,+10%,600UH,0.5 | |
| 2 | C827 | 2401-002212 | C-AL;10uF,20%,25V,WT,TP5x11,5 | | △ 2 | LX801S | AA29-00015A | FILTER LINE NOISE;WS32W8,28-20MH,1.5A,+ | |
| 2 | C301 | 2401-000611 | C-AL;1uF,20%,50V,WT,TP5x11,5 | | 2 | L405 | AA27-00057A | COIL HORIZ. WIDTH;-,-,10mH,YL-9N 15x27.5 C | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|
| △ 2 | IC803 | 1203-001697 | IC-VOLTAGE REGULATOR;78R08,TO-220,4P,-P | |
| 2 | Q404 | HA96-00437A | ASSY-H/S;ASSY-H/S;AA62-00076A,IRF620 | |
| 3 | | 0505-000156 | FET-SILICON;IRF620,N,200V,5A,0.8ohm,50W, | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SVW | |
| 3 | | HA62-00076A | HEAT SINK;AL,100Hz,T1.0,10,40 | |
| 2 | Q402 | 0502-001007 | TR-POWER;KSC2073-H2,NPN,25W,TO-220,ST,6 | |
| △ 2 | CY802S | 2201-002002 | C-CERAMIC,DISC;4.7nF,20%,400V,Y5U,TP,16x | |
| 2 | C407 | 2301-001338 | C-FILM,MPE-PPF;0.68nF,5%,1.6kV,TP,28x7x1 | |
| 2 | C405 | 2306-000330 | C-FILM,MPPF;7.7nF,3%,1.6KV,TP,28.5x18.5x | |
| 2 | C426 | 2306-000204 | C-FILM,MPPF;430nF,5%,400V,TP,26x20.5x12. | |
| 2 | IC903 | 1203-001944 | IC-POS.FIXED REG.,78RM33,TO-220,3P,-PL | |
| 2 | C806 | 2401-003031 | C-AL;470uF,20%,450V,GPKB,35x45mm,1 | |
| 2 | C820 | 2401-003076 | C-AL;3300uF,20%,50V,WPKB,18x35.5mm | |
| 2 | R807 | 2006-001083 | R-CEMENT;120ohm,5%,5V,CJ,TP,14x10x27mm | |
| 2 | C423 | 2301-001192 | C-FILM,MPPF;820nF,5%,400V,TP,29x18.5x25. | |
| 2 | C406 | 2306-000357 | C-FILM,MPPF;8.2nF,5%,1.6KV,BK,20x9.5x17. | |
| 2 | JA702 | 3722-001425 | JACK-PIN;2P;3.4mm,NL,BLK,- | |
| 2 | TOP | AA39-20010B | LEAD CONNECTOR-ASSY.;1P,YFH800-01,S,500, | |
| 2 | L808 | AA27-10002L | COIL-CHOKE;24uH,K,-,2A,-,24UH-K,10x10mm | |
| 2 | L402 | AA27-00067A | COIL-HORIZ WIDTH;240uH,YL9N 12x20 C,6 | |
| 2 | CN801 | 3711-004721 | CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA | |
| 2 | CN802 | 3711-004720 | CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA | |

ASSY PCB CRT

| | | | |
|---|-------------|---------------------------------------|--|
| 1 | AA95-01533A | ASSY PCB CRT,KS3A,28,29,W8-Z4-A8-K8,5 | |
| 2 | AA63-10002A | BAND-TIE;-,NYLON66 V2,-,L100,NTR,- | |
| 2 | CN501A | 3711-002641 | CONNECTOR-HEADER;BOX,10P,1R,2.54mm,STRAI |
| 2 | CN501A | AA39-00225A | LEAD CONNECTOR ASSY.;10P,67096-010,S,600 |
| 2 | CN502A | 3711-002646 | CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGH |
| 2 | CN502E | AA39-20029K | LEAD CONNECTOR-ASSY.;7P,67096-007,S,400, |
| 2 | CNF01 | 3711-002642 | CONNECTOR-HEADER;BOX,3P,1R,2.5mm,STRAIGH |
| 2 | CNG01 | 3711-002643 | CONNECTOR-HEADER;BOX,4P,1R,2.5mm,STRAIGH |
| 2 | IC501 | HA96-50151A | ASSY-H/S;-,TR,AA61-10060A,TD,6101Q,- |
| 2 | IC502 | HA96-50151A | ASSY-H/S;-,TR,AA61-10060A,TD,6101Q,- |
| 2 | IC503 | HA96-50151A | ASSY-H/S;-,TR,AA61-10060A,TD,6101Q,- |
| 3 | | 1201-000539 | IC-VIDEO AMP;6101,ZIP9P,-,SINGLE,-,PLAS |
| 3 | | 6001-000057 | SCREW-MACHINE;RH,+,M3,L6,ZPC(BLK),SWRCH1 |
| 3 | | 6021-000154 | NUT-HEXAGON;2C,M3,ZPC(YEL),SM20C |
| 3 | BRC501 | AA61-10060A | BRACKET-TR;W3220,CUS-1 1/2H,T0.5,-,-,- |
| 2 | ICG01 | 1201-000191 | IC-OP AMP;4558,DIP8P;300MIL,DUAL,20V/mV |
| 2 | QG03 | 0502-001007 | TR-POWER;KSC2073-H2,NPN,25W,TO-220,ST,6 |
| 2 | VA999 | 3704-000114 | SOCKET-CRT;14P;29.1,35.5,SN,ISH09S/BK |
| 2 | C501 | 2201-000247 | C-CERAMIC,DISC;0.015nF,5%,50V,NP0,TP,5x3 |
| 2 | C507 | 2201-000247 | C-CERAMIC,DISC;0.015nF,5%,50V,NP0,TP,5x3 |
| 2 | C502 | 2305-000704 | C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5 |
| 2 | C505 | 2305-000704 | C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5 |
| 2 | C508 | 2305-000704 | C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5 |
| 2 | CF07 | 2305-000704 | C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5 |
| 2 | C503 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5 |
| 2 | C506 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5 |
| 2 | C509 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5 |
| 2 | C511 | 2401-001232 | C-AL;4.7uF,20%,250V,GPT,TP,10x12.5,5 |
| 2 | C512 | 2401-000914 | C-AL;22uF,20%,16V,GPT,TP,5x11,5 |
| 2 | C515 | 2401-000914 | C-AL;22uF,20%,16V,GPT,TP,5x11,5 |
| 2 | C526 | 2401-000914 | C-AL;22uF,20%,16V,GPT,TP,5x11,5 |
| 2 | C514 | 2401-000430 | C-AL;10uF,20%,250V,GPT,TP,10x16mm,5m |
| 2 | C518 | 2301-000224 | C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5 |
| 2 | C519 | 2301-000224 | C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5 |
| 2 | C520 | 2301-000224 | C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5 |
| 2 | C521 | 2301-000224 | C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5 |
| 2 | C522 | 2301-000224 | C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5 |
| 2 | C523 | 2301-000224 | C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5 |
| 2 | CF01 | 2201-000180 | C-CERAMIC,DISC;10nF,10%,50V,Y5V,TP,7x3,5 |
| 2 | CF02 | 2301-000192 | C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm |
| 2 | C516 | 2301-000192 | C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm |
| 2 | CF03 | 2201-000376 | C-CERAMIC,DISC;0.22nF,5%,50V,SL,TP,6.3x3 |
| 2 | CF04 | 2201-000653 | C-CERAMIC,DISC;0.068nF,5%,50V,SL,TP,5x3, |
| 2 | CF05 | 2301-000261 | C-FILM,PEF;4.7nF,5%,100V,TP,10.5x12.5x6. |
| 2 | CF06 | 2301-000516 | C-CERAMIC,DISC;4.7nF,+100-0%,500V,Y5U,TP |
| 2 | CF08 | 2201-000604 | C-CERAMIC,DISC;0.056nF,+100-0%,500V,SL,T |
| 2 | CF10 | 2401-001840 | C-AL;100uF,20%,16V,GPT,TP,6.3x11,5 |
| 2 | CF12 | 2401-001840 | C-AL;100uF,20%,16V,GPT,TP,6.3x11,5 |
| 2 | CF14 | 2401-000832 | C-AL;220uF,20%,25V,GPT,TP,8x11.5,5 |
| 2 | CG01 | 2401-000832 | C-AL;220uF,20%,25V,GPT,TP,8x11.5,5 |
| 2 | CG04 | 2401-000832 | C-AL;220uF,20%,25V,GPT,TP,8x11.5,5 |
| 2 | CG02 | 2305-000149 | C-FILM,MPEF;100nF,5%,100V,TP,12x12.5x6.5 |
| 2 | CG03 | 2401-000493 | C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm |
| 2 | D502 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP |
| 2 | D507 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, |
| 2 | D508 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, |
| 2 | D509 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, |
| 2 | D510 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, |
| 2 | D511 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, |
| 2 | D512 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, |
| 2 | DF02 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, |
| 2 | DF03 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, |
| 2 | DF01 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, |
| 2 | DF04 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, |
| 2 | DG01 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, |
| 2 | DZ503 | 0403-001211 | DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D |
| 2 | KEZ1 | 0403-001211 | DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D |
| 2 | DZF01 | 0403-001039 | DIODE-ZENER;MA2560,56V,52-60V,1W,DO-41,T |
| 2 | DZF02 | 0403-001039 | DIODE-ZENER;MA2560,56V,52-60V,1W,DO-41,T |
| 2 | EL81 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- |
| 2 | EL82 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- |
| 2 | EL83 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- |
| 2 | EL84 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- |
| 2 | EL85 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- |
| 2 | EL86 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- |
| 2 | EL87 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- |
| 2 | EL88 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- |
| 2 | EL89 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- |
| 2 | EL90 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- |
| 2 | EL91 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- |
| 2 | EL92 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- |
| 2 | EL93 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- |
| 2 | EL94 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- |
| 2 | GT504 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO |
| 2 | GT505 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO |
| 2 | GT508 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO |
| 2 | J501 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J503 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J505 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J506 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J507 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J508 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J509 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J510 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J511 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | JF01 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | JF02 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | JF03 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | JF04 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | JF05 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | JG01 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J512 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J513 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J514 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J515 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J516 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J517 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J518 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J519 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J520 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J524 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J526 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J527 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J528 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | JF06 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | JF07 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J529 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J530 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J521 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J523 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | J531 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | L501 | 2701-000112 | INDUCTOR-AXIAL;100uH,10%,3x7mm |
| 2 | LF02 | 2701-000112 | INDUCTOR-AXIAL;100uH,10%,3x7mm |
| 2 | LF01 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, |
| 2 | L505 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, |
| 2 | L506 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|
| 2 | LF03 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | PCB | AA41-00210D | PCB-CRT;CS29A6,FR-1,1L,D,1.6T,330x245, | |
| 2 | Q502 | 0501-000283 | TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T | |
| 2 | Q601 | 0501-000283 | TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T | |
| 2 | Q503 | 0501-000283 | TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T | |
| 2 | Q504 | 0501-000283 | TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T | |
| 2 | QF01 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | QF02 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | QF03 | 0501-000369 | TR-SMALL SIGNAL;KSC2331-Y,NPN,1000mW,TO- | |
| 2 | RF10 | 2001-000241 | R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | RF11 | 2001-000241 | R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | R502 | 2001-001093 | R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6. | |
| 2 | R507 | 2001-001093 | R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6. | |
| 2 | R512 | 2001-001093 | R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6. | |
| 2 | R503 | 2001-000085 | R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6. | |
| 2 | R513 | 2001-000085 | R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6. | |
| 2 | R508 | 2001-000085 | R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6. | |
| 2 | R504 | 2001-000515 | R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R509 | 2001-000515 | R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R539 | 2001-000515 | R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R505 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9 | |
| 2 | R510 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9 | |
| 2 | R515 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9 | |
| 2 | R517 | 2001-001062 | R-CARBON(S);10MOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RF18 | 2003-000458 | R-METAL OXIDE(S);100ohm,5%,2W,AF,TP,4x12 | |
| 2 | R519 | 2002-001009 | R-COMPOSITION;2.7Kohm,10%,1/2W,AA,TP,3.7 | |
| 2 | R521 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | RF05 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R522 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | RF04 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | R542 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R543 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R544 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R546 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R501 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R506 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R511 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | RF02 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | RF03 | 2001-000362 | R-CARBON;150OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | RF06 | 2001-000989 | R-CARBON;820KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | RF07 | 2004-001989 | R-METAL;620OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | RF08 | 2001-000313 | R-CARBON;11KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | RF09 | 2001-000221 | R-CARBON;1.2KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | RF12 | 2001-000221 | R-CARBON;1.2KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | RF13 | 2001-001179 | R-CARBON(S);68KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RF16 | 2001-001179 | R-CARBON(S);68KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RF14 | 2001-001071 | R-CARBON(S);12KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RF15 | 2001-001100 | R-CARBON(S);2.7OHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RF17 | 2001-001100 | R-CARBON(S);2.7OHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RG06 | 2001-001100 | R-CARBON(S);2.7OHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RG07 | 2001-001100 | R-CARBON(S);2.7OHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RF19 | 2003-001023 | R-METAL OXIDE(S);120ohm,5%,2W,AF,TP,3.9x | |
| 2 | RF20 | 2003-002214 | R-METAL OXIDE(S);680ohm,5%,2W,AG,TP,3.9x | |
| 2 | RF21 | 2003-002214 | R-METAL OXIDE(S);680ohm,5%,2W,AG,TP,3.9x | |
| 2 | RF22 | 2003-002214 | R-METAL OXIDE(S);680ohm,5%,2W,AG,TP,3.9x | |
| 2 | RF23 | 2003-000746 | R-METAL OXIDE(S);56ohm,5%,2W,AF,TP,4x12m | |
| 2 | RF24 | 2003-000746 | R-METAL OXIDE(S);56ohm,5%,2W,AF,TP,4x12m | |
| 2 | RF25 | 2003-002009 | R-METAL OXIDE(S);390ohm,5%,2W,AF,TP,3.9x | |
| 2 | RG01 | 2004-001397 | R-METAL(S);4.7Kohm,1%,1/2W,AA,TP,2.4x6.4m | |
| 2 | RG02 | 2004-002022 | R-METAL(S);51Kohm,1%,1/2W,AA,TP,2.4x6.4m | |
| 2 | RG04 | 2004-002022 | R-METAL(S);51Kohm,1%,1/2W,AA,TP,2.4x6.4m | |
| 2 | RG03 | 2004-001987 | R-METAL(S);4.3Kohm,1%,1/2W,AA,TP,2.4x6.4 | |
| 2 | RG05 | 2001-001163 | R-CARBON(S);560OHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RG08 | 2001-001163 | R-CARBON(S);560OHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | L503 | 2901-000297 | FILTER-EMI ON BOARD;-.3A,-,3.5x5,TP,- | |
| 2 | L504 | 2901-000297 | FILTER-EMI ON BOARD;-.3A,-,3.5x5,TP,- | |
| 2 | LF04 | 2901-000297 | FILTER-EMI ON BOARD;-.3A,-,3.5x5,TP,- | |
| 2 | LF05 | 2901-000297 | FILTER-EMI ON BOARD;-.3A,-,3.5x5,TP,- | |
| 2 | EY501 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | R518 | 2003-002171 | R-METAL OXIDE(S);150ohm,5%,2W,AG,TP,3.9x | |
| 2 | R526 | 2004-000500 | R-METAL;2.7Kohm,1%,1/8W,AA,TP,1.8x3.2mm | |
| 2 | R527 | 2004-000433 | R-METAL;1Kohm,1%,1/8W,AA,TP,1.8x3.2mm | |
| 2 | DZG501 | 0403-001328 | DIODE-ZENER;MTZJ22A,20.15-21.20V,500mW,D | |
| 2 | L507 | 2701-000215 | INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm | |
| 2 | SG501 | AA27-00084A | COIL;-S-23,-,-----,S-23,5000Mohm | |
| 2 | SG502 | AA27-00084A | COIL;-S-23,-,-----,S-23,5000Mohm | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | SG503 | AA27-00084A | COIL;-S-23,-,-----,S-23,5000Mohm | |
| 2 | SG504 | AA27-00084A | COIL;-S-23,-,-----,S-23,5000Mohm | |
| 2 | SG505 | AA27-00084A | COIL;-S-23,-,-----,S-23,5000Mohm | |
| 2 | | HA98-00054A | ASSY SUB PART;ASSY SUB PART;KS3A,PCB,CRT | |
| 3 | | 0202-000008 | SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb, | |
| 3 | | 0202-000187 | SOLDER-WIRE FLUX;-RS60S,D1.2,63Sn/37Pb | |
| 3 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| 3 | | 0204-001024 | FLUX;DF-98TVS,-,20%,- | |
| 2 | QF04 | HA96-50149A | ASSY-H/S;-AA62-30013A,2SC2344,- | |
| 3 | | 0502-000153 | TR-POWER;2SC2344-D,NPN,1.2W,TO-220,-,60 | |
| 3 | SCR09 | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | H/S09 | AA62-30013A | HEAT-SINK.ES;-A6063 EXTR,-,45(21) T02 | |
| 2 | QF05 | HA96-50149B | ASSY-H/S;-TR,AA62-30013A,2SA1011,- | |
| 3 | QV10 | 0502-000131 | TR-POWER;2SA1011-D,PNP,1.2W,TO-220,-,60 | |
| 3 | SCR10 | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | H/S10 | AA62-30013A | HEAT-SINK.ES;-A6063 EXTR,-,45(21) T02 | |
| 2 | C510 | 2401-001525 | C-AL;47uF,20%,250V,GPBK,16x25mm,7, | |
| 2 | R523 | 2008-000267 | R-FUSIBLE(S);2.4ohm,5%,2W,AA,TP,3.9x10mm | |
| 2 | CF11 | 2401-000927 | C-AL;22uF,20%,250V,GP,TP,13x20,5 | |
| 2 | JA501 | 3722-001503 | JACK-PIN;1P,1P1,N1,RED,SCR-JACK | |
| 2 | QG02 | 0502-000244 | TR-POWER;KSAA940,PNP,1.5W,TO-220,-,40-14 | |
| 2 | C513 | 2201-000723 | C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5 | |

ASSYPCB-PFC



| | | | | |
|---|--------|-------------|--|--|
| 1 | | HA94-05786B | ASSYPCB-PFC;28W8/Z4-29A8/K8,50HZ,5786A | |
| 2 | EYP07 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP08 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP09 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP10 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP11 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP12 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP13 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP14 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP15 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP16 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP17 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP18 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP01 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP02 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP03 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP04 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP05 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | EYP06 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 2 | PCB | AA41-00404A | PCB-PFC;CS2539,FR-1,1L,A,1.6T,330x245, | |
| 2 | JP801 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JP802 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | CNP02 | AA39-00236A | LEAD CONNECTOR ASSY;3(2)P,YHL500-03A BL | |
| 2 | PFT01 | AA27-00116A | COIL CHOKE;CODE_NO,-,35mH,-0,+5%,-,2.80 | |
| 2 | | HA98-600020 | ASSY-SUB,PART;KSA4,PFC PCB | |
| 3 | | 0202-000008 | SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb, | |
| 3 | | 0202-000187 | SOLDER-WIRE FLUX;-RS60S,D1.2,63Sn/37Pb | |
| 3 | | 0204-001024 | FLUX;DF-98TVS,-,20%,- | |
| 3 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| 2 | | HA61-00987A | HOLDER-PFC;32W8,29A8,28W8,HIPS,ALLFLAT | |
| 3 | | HA83-00006A | LP-RESIN HIPS;-BASF495F,NTR,HB | |
| 3 | | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | CNP02 | 3711-004721 | CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA | |
| 2 | | 6003-001023 | SCREW-TAPTITE;RWH,+,B,M3,L10,ZPC(YEL),SW | |
| 2 | CNP01 | AA39-00235A | LEAD CONNECTOR ASSY;3(2)P,YHL500-03A BL | |
| 2 | CNP01 | 3711-004720 | CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA | |
| 2 | LX803S | AA29-00015A | FILTER LINE NOISE;WVS32W8,28-20MH 1.5A,+ | |
| 2 | CX803S | 2306-000318 | C-FILM,MPPF;220nF,20%,250V,TP,-,2.5mm | |

ASSY-PCB A/V BOARD

| | | | | |
|---|-------|-------------|---|--|
| 1 | | AA95-01518A | ASSY-PCB A/V BOARD;29K8,KS3A,50HZ | |
| 2 | JH701 | 3722-000143 | JACK-PHONE;1P(VER),3.4PI,AG,BLK,NO | |
| 2 | JA701 | 3722-001031 | JACK-PIN;3P,3.6mm,#18,AU | |
| 2 | CN704 | AA39-00070A | LEAD CONNECTOR ASSY;4P,YBNH250-04,35184 | |
| 2 | CN705 | AA39-20009E | LEAD CONNECTOR ASSY;1P,YFH800-01,600,16 | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | CN701 | AA39-20068G | LEAD CONNECTOR-ASSY;8P,YBNH025-08,67096 | |
| 2 | CN703 | AA39-20069A | LEAD CONNECTOR-ASSY;5P,YBNH025-05,67096 | |
| 2 | | AA63-10002A | BAND-TIE;- ,NYLON66 V2,-,-,L100,NTR,- | |
| 2 | | AA98-00246A | ASSY SUB PART;S51A,CONTROL WIDE | |
| 3 | | 0202-000008 | SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb, | |
| 3 | | 0202-000187 | SOLDER-WIRE FLUX;- ,RS60S,D1.2,63Sn/37Pb | |
| 3 | | 0204-001024 | FLUX;DF-98TVS,- ,20%,- | |
| 3 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| 2 | R701 | 2001-000028 | R-CARBON(S);1000HM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R702 | 2001-000028 | R-CARBON(S);1000HM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | C701 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP | |
| 2 | C702 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP | |
| 2 | C703 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C704 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C705 | 2401-002009 | C-AL;100uF,20%,16V,GP,TP6.3x7.5 | |
| 2 | C706 | 2401-002009 | C-AL;100uF,20%,16V,GP,TP6.3x7.5 | |
| 2 | L701 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L702 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L703 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L704 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L707 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | L708 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | PCB | AA41-00345A | PCB-SIDE A/V;CS29K1,FR-1,1LA,1.6T,245x2 | |
| 2 | | AA65-30018A | CLAMP-WIRE;DONG-A,NYLON66,-,-,-,DATL-60 | |

ASSY-PCB SUB POWER

| | | | | |
|---|-------|-------------|--|--|
| 1 | | AA95-01548A | ASSY-PCB SUB POWER;29K8,KS3A | |
|  | 2 | SW811S | 3403-001107 SWITCH-PUSH;250V/5A,DPST,-,KDC-A04 | |
| 2 | RMV01 | AA32-00001A | MODULE REMOCON;- ,ORC-195VF,38KHZ,940nm,M | |
| 2 | CNY01 | AA39-20546C | LEAD CONNECTOR-ASSY;5P,YBNH250-05,67096 | |
| 2 | LDY01 | AA96-00461A | ASSY LED GUIDE;- ,SL-255D,RED/GRN | |
| 2 | | AA98-00246A | ASSY SUB PART;S51A,CONTROL WIDE | |
| 3 | | 0202-000008 | SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb, | |
| 3 | | 0202-000187 | SOLDER-WIRE FLUX;- ,RS60S,D1.2,63Sn/37Pb | |
| 3 | | 0204-001024 | FLUX;DF-98TVS,- ,20%,- | |
| 3 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| 2 | DZY01 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V/5.45-5.73V/500 | |
| 2 | DZY02 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V/5.45-5.73V/500 | |
| 2 | RY01 | 2001-000793 | R-CARBON;470HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | CY01 | 2401-002144 | C-AL;47uF,20%,16V,GP,TP;5x11.5 | |
| 2 | PCB | AA41-00478A | PCB-POWER S/V;CW29K8,FR-1,1LA,1.6T,330X | |
| 2 | ELO1 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | ELO2 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | ELO3 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | ELO4 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | GTY01 | AA60-40014A | PIN-GT,ASSY;1P,-,-,AUTO | |
| 2 | GTY02 | AA60-40014A | PIN-GT,ASSY;1P,-,-,AUTO | |
| 2 | GTY03 | AA60-40014A | PIN-GT,ASSY;1P,-,-,AUTO | |
| 2 | GTY04 | AA60-40014A | PIN-GT,ASSY;1P,-,-,AUTO | |
| 2 | GTY05 | AA60-40014A | PIN-GT,ASSY;1P,-,-,AUTO | |
| 2 | GTY06 | AA60-40014A | PIN-GT,ASSY;1P,-,-,AUTO | |
|  | 2 | PD812S | AA39-20179F LEAD CONNECTOR-ASSY;3(2)PYFH800-150,S, | |

ASSY-CABINET(COM)

| | | | | |
|---|--------|-------------|--|--|
| 1 | | AA90-01097A | ASSY-CABINET(COM);29K8,KS3A,FLAT | |
| 2 | | HA64-02448A | CABINETBACK;29K8,HIPS,HB,GRY | |
| 3 | | HA83-00013A | LP-RESIN HIPS;- ,NTR,HB,DOW A-TECH,IEC65 | |
| 3 | | HA83-00012A | LP-RESIN;- ,M BATCH,WILSON 6053-GY-60,GRY | |
| 2 | | AA65-30008A | CLAMP-CORD;- ,PE,HB,-,BLK,- | |
| 2 | CB+CF | 6003-001025 | SCREW-TAPTITE;RH,+ ,B,M4,L20,ZPC(BLK),SWR | |
| 2 | CRT+CF | AA60-10050V | SCREW-ASSY;- ,SWRCH18A,M6,L30,HH,+ ,WC,-,Z | |
| 2 | | AA65-30009A | CLAMP-FBT;- ,ABS,VO,-,BLK,- | |
| 2 | | AA65-30110A | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,BLK,P | |
| 2 | | HA68-02177A | LABEL-PQS;LABEL-PQS;135MM,34MM,WHITE | |
| 2 | | HA83-00046A | LP-TAPE INK;WIDTH 105 MM | |
| 2 | | HA68-02179A | LABEL-RATING;LABEL-RATING;58MM,53MM,WHIT | |
| 2 | | HA83-00052A | LP-TAPE INK;WIDTH 55 MM | |
| 2 | CB+SCR | 6002-000515 | SCREW-TAPPING;RH,+ ,2,M4,L15,ZPC(WHT),SWR | |
| 2 | CF+BCR | 6002-000515 | SCREW-TAPPING;RH,+ ,2,M4,L15,ZPC(WHT),SWR | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|
| 2 | | AA63-10002A | BAND-TIE;- ,NYLON66 V2,-,-,L100,NTR,- | |
| 2 | | AA65-30104B | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,BLK,W | |
| 2 | CF+AV | 6003-001135 | SCREW-TAPTITE;TH,+ ,B,M4.0,L15,BLK,SWRCH1 | |
| 2 | | AA64-00894G | INLAY BACK;D3,PS SHEET,T0.3,-,-,BLK,SCAR | |
| 2 | | AA65-30113A | CLAMP-D,COIL;- ,NYLON 66,V2,-,BLK,TVI 25- | |
| 2 | | AA65-30018A | CLAMP-WIRE;DONG-A,NYLON-66,-,-,-,DATL-60 | |
| 2 | | AA61-10054A | BRACKET-CRATER;6277,STS304,T0.5,-,-,- | |
| 2 | CF+SPK | 6003-001024 | SCREW-TAPTITE;RWH,+ ,B,M4,L12,ZPC(YEL),SW | |
| 2 | CF+PCB | 6003-001024 | SCREW-TAPTITE;RWH,+ ,B,M4,L12,ZPC(YEL),SW | |

ASSY CABINET FRONT

| | | | | |
|---|--------|-------------|---|--|
| 1 | | HA91-00830A | ASSY CABINET FRONT;29K8,KS2A,FLAT,HIPS | |
| 2 | CF+KC | 6002-000515 | SCREW-TAPPING;RH,+ ,2,M4,L15,ZPC(WHT),SWR | |
| 2 | LED+CF | 6002-000515 | SCREW-TAPPING;RH,+ ,2,M4,L15,ZPC(WHT),SWR | |
| 2 | | AA64-02467A | WINDOW REMOCON;29K8,PC,VIOLET | |
| 3 | | HA83-00009A | LP-RESIN PC;LEXAN 121R,VIOLET | |
| 2 | | AA64-02499A | KNOB POWER;29K8,HIPS,HB,SV-012P-II | |
| 3 | | HA83-00040A | LP-MARKING PAINT;METALLIC SILVER,SV-012 | |
| 3 | | HA83-00006A | LP-RESIN HIPS;- ,BASF495F,NTR,HB | |
| 3 | | HA83-00012A | LP-RESIN;- ,M BATCH,WILSON 6053-GY-60,GRY | |
| 2 | | AA64-02462A | INDICATOR LED;29K8,ACRYL,CLR | |
| 3 | | HA83-00010A | LP-RESIN;- ,OROGLAS,VM-100 ZHN 2 | |
| 2 | | AA64-70117B | BADGE-BRAND;- ,AL,-,-,L65,R2000,SILVER,SS | |
| 2 | | HA83-00049A | LP-ADHESIVE-HM;12MM,NTR | |
| 2 | | AA61-60003J | SPRING-CS;- ,SUS304,-,-,OD6,N7,OD6,-,-,- | |
| 2 | | AA65-30105A | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,NTR,1 | |
| 2 | | AA64-01510B | INLAY AV;29K8,PS SHEET,T0.3,KS3A 50HZ SI | |
| 2 | | AA64-02439A | CABINET-FRONT;29K8,HIPS,HB,SV-012P-II,GR | |
| 3 | | HA83-00040A | LP-MARKING PAINT;METALLIC SILVER,SV-012 | |
| 3 | | HA83-00021A | LP-MARKING PAINT;WHITE,TPC180 | |
| 3 | | HA83-00006A | LP-RESIN HIPS;- ,BASF495F,NTR,HB | |
| 3 | | HA83-00011A | LP-RESIN;- ,M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | | AA64-02057B | INLAY CONTROL;29K8,PS SHEET,T0.3,-,-,-,S | |
| 2 | | AA61-30001A | LATCH-DOOR;- ,-----,KIFUCO LA701 | |
| 2 | | AA64-02591A | DOOR CONTROL;29K8,HIPS,SV-012P-II,SILVER | |
| 3 | | HA83-00040A | LP-MARKING PAINT;METALLIC SILVER,SV-012 | |
| 3 | | HA83-00006A | LP-RESIN HIPS;- ,BASF495F,NTR,HB | |
| 3 | | HA83-00011A | LP-RESIN;- ,M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | | HA61-00711C | HOLDER-PCB;29K8,HIPS,HB,GRY | |
| 3 | | HA83-00006A | LP-RESIN HIPS;- ,BASF495F,NTR,HB | |
| 3 | | HA83-00011A | LP-RESIN;- ,M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | | AA64-60399C | INLAY-AV;- ,PS SHEET,T0.3,-,-,BLK,S/GRAY | |
| 2 | | AA64-01902B | KNOB CONTROL;29K8,HIPS,HB,NTR | |
| 3 | | HA83-00006A | LP-RESIN HIPS;- ,BASF495F,NTR,HB | |
| 3 | | HA83-00011A | LP-RESIN;- ,M BATCH,WILSON 6007-GY-60,GRY | |

ASSY PACKING

| | | | | |
|---|--|-------------|---|--|
| 1 | | AA90-01136A | ASSY PACKING;29K8 | |
| 2 | | AA60-40006A | PIN-STAPLE;- ,H18,33X17.8X2.4;- ,AUTO | |
| 2 | | HA69-01053A | CUSHIONSET;CT-29K8,PS,C-0.02,-,- | |
| 3 | | HA83-00058A | LP-RESIN-EP;CHEIL SF-301V,WHT | |
| 2 | | AA69-30032F | BAG-SHEET;HDPE+PE FOAM;- ,W1400,H1400,-,- | |
| 2 | | HA68-02178A | LABEL-BOX;LABEL-BOX;250MM,89MM,WHITE | |
| 2 | | HA83-00046A | LP-TAPE INK;WIDTH 105 MM | |
| 2 | | HA69-01225A | PACKING-CASE;CS-29K8,D-3 AB,KS3A SEH,-,- | |
| 2 | | HA83-00057B | LP-TAPE-CELLULOSE;HA02-030010,T0.046,W7 | |

ASSY CRT

| | | | | |
|---|--|-------------|---|--|
| 1 | | AA94-05795A | ASSY CRT;A68QCP891X307,+400MG,29,ITC,2 | |
| 2 | | AA03-00342A | CRT COLOR;A68QCP893X003,400MG,1.11MH,14. | |
| 2 | | AA27-00128A | COIL DEGAUSSING;- ,---,50T,7,-,29inch,2P | |
| 2 | | AA98-70011A | ASSY-TBC,WIRE(P);- ,29INCH,NTSC,PAL,2P-WH | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|----------|-----------------------------|--------|
|-------|----------|----------|-----------------------------|--------|

ASSY HOLDER SPK

| | | | | |
|---|--|-------------|--|--|
| 1 | | AA91-00507B | ASSY HOLDER SPK;DP,-;80HM/15W,-;29K1 CKD | |
|---|--|-------------|--|--|

ASSY ACCESSORY

| | | | | |
|---|--|-------------|--|--|
| 1 | | AA94-05821A | ASSY ACCESSORY;50HZ;FLAT,KS3A,XEC | |
| 2 | | 4301-000121 | BATTERY-MN;1.5V,-;AAA,10.5x44.5m,HOLDER | |
| 2 | | HA69-00276A | VINYL-BAG;HDPE,T0.025,L400,W240,-;W/O LO | |
| 2 | | HA83-00047A | LP-TAPEACETATE;T0.1MM,W20MM,L200MM | |
| 2 | | HA68-02124A | LABEL;A/P120(G),70,69,WHITE,XECCO | |

REMOCON

| | | | | |
|---|--|-------------|--|--|
| 1 | | AA59-00116B | REMOCON,-;TM57,37,D3/D4,L/GRAY,S/S,GRA | |
|---|--|-------------|--|--|

ASSY-POWER,CORD

| | | | | |
|---|--|-------------|--|--|
| 1 | | AA96-00094A | ASSY-POWER,CORD;DP;CP2/NO(4.0),H/C350MM, | |
|---|--|-------------|--|--|

7-4 WS28W8VNE8XXEC

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|----------|-----------------------------|--------|
|-------|----------|----------|-----------------------------|--------|

ASSY PCB MAIN(OPT)

| | | | | |
|---|-------|-------------|---|--|
| 1 | * | AA94-05584B | ASSY PCB MAIN(OPT);WS28W8N,KS3A/H,SEB,IN | |
| 2 | C815 | 2401-003602 | C-AL;220uF,20%,160V,GPBK,22x25mm,1 | |
| 2 | CN501 | 3711-002641 | CONNECTOR-HEADER;BOX,10P1R,2.54mm,STRAI | |
| △ | 2 | CX801S | C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm | |
| 2 | IC301 | HA96-50406B | ASSY-H/S;ASSY-H/S;-;AA62-30180B,LA7845 | |
| 3 | | 1204-000517 | IC-VERTICAL DEF;LA7845,SIP7P,-,PLASTIC | |
| 3 | | AA62-30180B | HEAT-SINK,ES;-;A6063 EXTR.,2,WHT,70MM,-, | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+2S,M3,L10,ZPC(YEL),SW | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| △ | 2 | IC401 | 1202-000103 | IC-VOLTAGE COMP;393,DIP8P;300MIL,DUAL |
| △ | 2 | IC801S | HA96-50371C | ASSY-H/S;-;AA62-30181H,KA3A1265R,- |
| 3 | | AA13-00101A | IC HYBRID;KA3S1265RD,CN5039,5PIN,-,50TO12 | |
| 3 | | AA61-10386A | BRACKET-IC;-;SECC 100,T1.0,-,-,KA2S068 | |
| 3 | | AA62-30197D | HEAT-SINK,ES;DP,-,-;AA62-30181H,-,- | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+2S,M3,L10,ZPC(YEL),SW | |
| 3 | | HA68-02189A | LABEL-WARNING;33MM,18MM,WHITE | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 3 | | 3722-000195 | JACK-SCART;42P,-,SN,BLK,NO | |
| △ | 2 | JA701 | 1404-001045 | THERMISTOR-NTC;4.7ohm,15%,2900K,35.0mW,T |
| △ | 2 | NT802S | 0604-001038 | PHOTO-COUPLER;TR,130-260%,200mW,DIP-4,ST |
| △ | 2 | PC801S | 1404-001156 | THERMISTOR-PTC;90HM,+30%/-20%,220VRMS,27 |
| △ | 2 | PT801S | AA26-00145A | TRANS FBT;1372.0076B,CT29A5P;3.5MH,135V |
| 2 | T444S | HA96-00274A | ASSY-H/S;-;COMPLEX,AA62-00053A,FMLG12S | |
| 2 | HC801 | 6003-000334 | SCREW-TAPTITE;RH,+2S,M3,L6,ZPC(YEL),SWR | |
| 3 | | AA62-00053A | HEAT SINK-PS;-,-,SILVER,HOLE 22mm,ALL, | |
| △ | 3 | D802 | 0402-001230 | DIODE-RECTIFIER;FMG-G2CS,1000V,3A,TO-220 |
| △ | 3 | D805 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- |
| △ | 3 | D806 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- |
| △ | 3 | D807 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- |
| △ | 3 | IC802 | 1203-001006 | IC-VOLTAGE REGULATOR;78R05,TO-220F,4P,-, |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | HC401 | HA96-00275A | ASSY-H/S;-;COMPLEX,AA62-00051A,KSD5703, | |
| 3 | | AA62-00051A | HEAT SINK-PS;-,-,SILVER,HOLE 31mm,ALL, | |
| △ | 3 | D414 | 0402-001296 | DIODE-RECTIFIER;FMP-3FU,1.5KV,5A,TO-3PF, |
| 3 | Q401 | 0502-001136 | TR-POWER;KSD5703,NPN,70W,TO-3PF,ST-8 | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+2S,M3,L10,ZPC(YEL),SW | |
| 3 | | AA60-30001A | WASHER-PLATE;M3,ID3.5,15X8.5,T1.0,-,SBHG | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| △ | 2 | D801S | 0402-001399 | DIODE-BRIDGE;GSIB660,600V,6A,SIP-4,BK |
| 2 | IC602 | HA96-50369B | ASSY-H/S;-;AA62-30181F,TDAT7297,- | |
| 3 | | 1201-001064 | IC-POWER AMP;7297,ZIP,15P,-,DUAL,32dB,PL | |
| 3 | | AA62-30181F | HEAT-SINK,ES;-;AL6063 EXTR.,2,WHT,50MM,-, | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+2S,M3,L10,ZPC(YEL),SW | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | IC902 | 1103-001171 | IC-EEPROM;L51DC,16KBit,DIP8P;300MIL,10m | |
| 2 | C105 | 2301-000383 | C-FILM,PEF;10nF,5%,50V,TP6x7x3.2mm,5mm | |
| 2 | C101 | 2301-000383 | C-FILM,PEF;10nF,5%,50V,TP6x7x3.2mm,5mm | |
| 2 | C103 | 2301-000383 | C-FILM,PEF;10nF,5%,50V,TP6x7x3.2mm,5mm | |
| 2 | C228 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP7.5x4.0x6.5,5m | |
| 2 | C230 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP7.5x4.0x6.5,5m | |
| 2 | C809 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP7.5x4.0x6.5,5m | |
| 2 | C810 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP7.5x4.0x6.5,5m | |
| 2 | C811 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP7.5x4.0x6.5,5m | |
| 2 | C202 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C205 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C920 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C231 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C215 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C630 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C631 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C645 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C652 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C603 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C708 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C214 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C216 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C605 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C620 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|----------|-----------------------------|--------|
|-------|----------|----------|-----------------------------|--------|

| | | | | |
|---|------|-------------|--|--|
| 2 | C635 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C646 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C829 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C837 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C839 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C916 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C308 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C914 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C831 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C825 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C208 | 2401-001026 | C-AL;3.3uF,20%,50V,GP,TP5x11.5 | |
| 2 | C217 | 2401-001026 | C-AL;3.3uF,20%,50V,GP,TP5x11.5 | |
| 2 | C636 | 2401-001026 | C-AL;3.3uF,20%,50V,GP,TP5x11.5 | |
| 2 | C905 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP3 | |
| 2 | C607 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP3 | |
| 2 | C608 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP3 | |
| 2 | C903 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP3 | |
| 2 | C211 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP3 | |
| 2 | C212 | 2301-000224 | C-FILM,PEF;22nF,5%,50V,TP7.4x3.9x13mm,5 | |
| 2 | C213 | 2301-000247 | C-FILM,PEF;33nF,5%,50V,TP8.1x4.5x13mm,5 | |
| 2 | C218 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C219 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C220 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C221 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C222 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C223 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C901 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C921 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C922 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C919 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C924 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | |
| 2 | C233 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C234 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C235 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C907 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C909 | 2305-000412 | C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| 2 | C237 | 2401-000914 | C-AL;22uF,20%,16V,GP,TP5x11.5 | |
| 2 | C841 | 2401-000603 | C-AL;1uF,20%,50V,GP,TP5x11.5 | |
| 2 | C604 | 2401-000603 | C-AL;1uF,20%,50V,GP,TP5x11.5 | |
| 2 | C201 | 2401-000603 | C-AL;1uF,20%,50V,GP,TP5x11.5 | |
| 2 | C303 | 2201-002031 | C-CERAMIC,DISC;0.005nF,0.5pF,50V,NP0,TP | |
| 2 | C224 | 2201-002031 | C-CERAMIC,DISC;0.005nF,0.5pF,50V,NP0,TP | |
| 2 | C225 | 2201-002031 | C-CERAMIC,DISC;0.005nF,0.5pF,50V,NP0,TP | |
| 2 | C304 | 2305-000285 | C-FILM,MPEF;220nF,5%,100V,TP10.5x5.5x15 | |
| 2 | C305 | 2305-000149 | C-FILM,MPEF;100nF,5%,100V,TP12x12.5x6.5 | |
| 2 | C821 | 2301-000192 | C-FILM,PEF;1nF,5%,50V,TP5.3x10mm,5mm | |
| 2 | C902 | 2301-000192 | C-FILM,PEF;1nF,5%,50V,TP5.3x10mm,5mm | |
| 2 | C307 | 2401-000360 | C-AL;100uF,20%,50V,GP,TP8x11.5,5 | |
| 2 | C302 | 2401-000360 | C-AL;100uF,20%,50V,GP,TP8x11.5,5 | |
| 2 | C401 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP5 | |
| 2 | C403 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP5 | |
| 2 | C421 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP5 | |
| 2 | C402 | 2401-001397 | C-AL;470uF,20%,25V,GP,TP10x16,5 | |
| 2 | C404 | 2401-001397 | C-AL;470uF,20%,25V,GP,TP10x16,5 | |
| 2 | C408 | 2305-000382 | C-FILM,MPEF;4.7nF,5%,400V,TP,-,5mm | |
| 2 | C414 | 2401-002597 | C-AL;220uF,20%,35V,GP,TP10x12.5,5 | |
| 2 | C418 | 2401-002597 | C-AL;220uF,20%,35V,GP,TP10x12.5,5 | |
| 2 | C422 | 2401-001527 | C-AL;47uF,20%,250V,HR,TP13x25mm,5m | |
| 2 | C424 | 2201-000132 | C-CERAMIC,DISC;0.1nF,10%,500V,Y5P,TP6.5 | |
| 2 | C601 | 2201-000558 | C-CERAMIC,DISC;0.47nF,10%,50V,Y5P,TP5x3 | |
| 2 | C610 | 2301-000445 | C-FILM,PEF;4.7nF,5%,50V,TP5.5x7x3mm,5mm | |
| 2 | C611 | 2301-000445 | C-FILM,PEF;4.7nF,5%,50V,TP5.5x7x3mm,5mm | |
| 2 | C415 | 2301-000445 | C-FILM,PEF;4.7nF,5%,50V,TP5.5x7x3mm,5mm | |
| 2 | C612 | 2401-001914 | C-AL;1uF,20%,50V,BP,TP5x11.5 | |
| 2 | C613 | 2401-001914 | C-AL;1uF,20%,50V,BP,TP5x11.5 | |
| 2 | C617 | 2401-000493 | C-AL;10uF,20%,50V,LZ,TP5x11mm,5mm | |
| 2 | C917 | 2401-000493 | C-AL;10uF,20%,50V,LZ,TP5x11mm,5mm | |
| 2 | C413 | 2401-000493 | C-AL;10uF,20%,50V,LZ,TP5x11mm,5mm | |
| 2 | C622 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP5x11.5 | |
| 2 | C625 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP5x11.5 | |
| 2 | C626 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP5x11.5 | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | C628 | 2401-001989 | C-AL;4.7uF,20%,50V,BP,TP5x11,5 | |
| 2 | C623 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C624 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C627 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C629 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C642 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C644 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C701 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C638 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C639 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C632 | 2202-000806 | C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP | |
| 2 | C634 | 2401-001840 | C-AL;100uF,20%,16V,GPTP6.3x11,5 | |
| 2 | C826 | 2401-001840 | C-AL;100uF,20%,16V,GPTP6.3x11,5 | |
| 2 | C832 | 2401-001840 | C-AL;100uF,20%,16V,GPTP6.3x11,5 | |
| 2 | C838 | 2401-001840 | C-AL;100uF,20%,16V,GPTP6.3x11,5 | |
| 2 | C637 | 2401-000027 | C-AL;4.7uF,20%,50V,GPTP5x11,5 | |
| 2 | C640 | 2401-000027 | C-AL;4.7uF,20%,50V,GPTP5x11,5 | |
| 2 | C641 | 2401-000027 | C-AL;4.7uF,20%,50V,GPTP5x11,5 | |
| 2 | C643 | 2401-000027 | C-AL;4.7uF,20%,50V,GPTP5x11,5 | |
| 2 | C912 | 2401-000027 | C-AL;4.7uF,20%,50V,GPTP5x11,5 | |
| 2 | C647 | 2202-000286 | C-CERAMIC,MLC-AXIAL;56pF,5%,50V,SL,TP,1 | |
| 2 | C649 | 2301-000108 | C-FILM,PEF;1.5nF,5%,50V,TP6.5x3.0x5.5mm | |
| 2 | C804 | 2201-000332 | C-CERAMIC,DISC;2.2nF,20%,250V,Y5U,TP9x4 | |
| 2 | C805 | 2201-000332 | C-CERAMIC,DISC;2.2nF,20%,250V,Y5U,TP9x4 | |
| 2 | C807 | 2301-001397 | C-FILM,PPF;2.2nF,5%,1.2kV,TP15x8.5x13.5 | |
| 2 | C814 | 2201-000406 | C-CERAMIC,DISC;0.27nF,10%,2kV,Y5P,TP6.3 | |
| 2 | C817 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5 | |
| 2 | C819 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5 | |
| 2 | C822 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5 | |
| 2 | C419 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5 | |
| 2 | C818 | 2401-000722 | C-AL;2200uF,20%,25V,WT,TP16x25,7.5 | |
| 2 | C910 | 2201-000980 | C-CERAMIC,DISC;0.03nF,5%,50V,NP0,TP5x3 | |
| 2 | C911 | 2201-000980 | C-CERAMIC,DISC;0.03nF,5%,50V,NP0,TP5x3 | |
| 2 | C913 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP6.3x11,5 | |
| 2 | C915 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP6.3x11,5 | |
| 2 | C918 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP6.3x11,5 | |
| 2 | C210 | 2401-000287 | C-AL;100uF,20%,16V,WT,TP6.3x11,5 | |
| 2 | D201 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D202 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D207 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D208 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D209 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D210 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D211 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D602 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D804 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | DZ402 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D906 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D405 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D604 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D408 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | D301 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | D411 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | D803 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | D816 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | D401 | 0402-000540 | DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP | |
| 2 | D404 | 0402-000540 | DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP | |
| 2 | D402 | 0402-000534 | DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T | |
| 2 | D403 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D406 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D810 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D811 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D907 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D407 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D413 | 0402-000537 | DIODE-RECTIFIER;RH1A,600V,0.6A,DO-204AC | |
| 2 | D801 | 0402-001111 | DIODE-RECTIFIER;1N5397GP600V,1.5A,DO-20 | |
| 2 | DZ201 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ202 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ802 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ902 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ601 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ603 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ903 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ904 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ905 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ906 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|
| 2 | DZ907 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ909 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ910 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ604 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ605 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ908 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZ203 | 0403-001321 | DIODE-ZENER;MTZJ6.8C,6.66-7.01V,500mW,DO | |
| 2 | DZ302 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D | |
| 2 | DZ303 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D | |
| 2 | DZ304 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D | |
| 2 | DZ305 | 0403-001221 | DIODE-ZENER;UZ39BSB,35.36-37.19V,500mW,D | |
| 2 | DZ306 | 0403-000700 | DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T | |
| 2 | DZ804 | 0403-000700 | DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T | |
| 2 | DZ401 | 0403-001325 | DIODE-ZENER;MTZJ15C,14.35-15.09V,500mW,D | |
| 2 | DZ801 | 0403-001322 | DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO | |
| 2 | DZ808 | 0403-001322 | DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO | |
| 2 | DZ805 | 1203-001217 | IC-POSIA,ADJUST REG.;431,TO-92,3P,4.58MIL | |
| 2 | GT101 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT102 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT301 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT302 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT401 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT402 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT801 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT802 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT803 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT804 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT805 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT806 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT103 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT404 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | J102 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J103 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J105 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J108 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J110 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J111 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J112 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J113 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J114 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J115 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J116 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J117 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J119 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J122 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J123 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J124 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J203 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J205 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J206 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J207 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J208 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J209 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J210 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J211 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J212 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J213 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J214 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J216 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J217 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J218 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J219 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J222 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J223 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J224 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J225 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J226 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J227 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J228 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J229 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J230 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J232 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J234 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J236 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J237 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J238 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |

[illegible]

Samsung Electronics

| Level | Loc. No. | Code No. | Description ; Specification | Remark | Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--|--------|-------------|--|--|--------|
| △ | 2 | RY802S | 2002-001013 | R-COMPOSITION;4.7Mohm,5%,1/2W,AA,TP;3.7x | 2 | R434 | 2003-000664 | R-METAL OXIDE(S);33ohm,5%,2W,AF,TP;4x12m | |
| △ | 2 | VP801S | 1405-000187 | VARISTOR;750V,1250A,12.5x7mm,TP | 2 | R614 | 2001-000780 | R-CARBON;4700HM,5%,1/8W,AA,TP;1.8X3.2MM | |
| △ | 2 | VX801S | 1405-000187 | VARISTOR;750V,1250A,12.5x7mm,TP | 2 | R615 | 2001-000780 | R-CARBON;4700HM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | X901 | 2801-003728 | CRYSTAL-UNIT;6MHz,30ppm,28-AA,MM,20pF,40oh | 2 | R616 | 2001-000780 | R-CARBON;4700HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L103 | 2701-000115 | INDUCTOR-AXIAL;10uH,10%,3x7mm | 2 | R617 | 2001-000780 | R-CARBON;4700HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | | 0203-001123 | TAPE-PAPER;#53131,TO.15,W6.0,L200000,YEL | 2 | R920 | 2001-000780 | R-CARBON;4700HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | C707 | 2401-000939 | C-AL;22uF,20%,25V,GP,TP;5x11.5 | 2 | R226 | 2001-000780 | R-CARBON;4700HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L202 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | 2 | R224 | 2001-000780 | R-CARBON;4700HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L301 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | 2 | R225 | 2001-000780 | R-CARBON;4700HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L406 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | 2 | R931 | 2001-000780 | R-CARBON;4700HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L907 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | 2 | R812 | 2001-000780 | R-CARBON;4700HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L711 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | 2 | R831 | 2001-000780 | R-CARBON;4700HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L108 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | 2 | R956 | 2001-000780 | R-CARBON;4700HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L109 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | 2 | R919 | 2001-000780 | R-CARBON;4700HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L707 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | 2 | R214 | 2001-000411 | R-CARBON;18KOHM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L708 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | 2 | R701 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L204 | 2701-000184 | INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm | 2 | R702 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L902 | 2701-000184 | INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm | 2 | R703 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L222 | 2701-000184 | INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm | 2 | R704 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L302 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | 2 | R719 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L802 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | 2 | R705 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L803 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | 2 | R242 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | L804 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | 2 | R802 | 2003-001025 | R-METAL OXIDE(S);15kohm,5%,2W,AF,TP;3.9x | | |
| 2 | L809 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | 2 | R803 | 2003-001025 | R-METAL OXIDE(S);15kohm,5%,2W,AF,TP;3.9x | | |
| 2 | J901 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | 2 | R804 | 2003-001025 | R-METAL OXIDE(S);15kohm,5%,2W,AF,TP;3.9x | | |
| 2 | L303 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | 2 | R805 | 2001-001150 | R-CARBON(S);470KOHM,5%,1/2W,AA,TP;2.4X6. | | |
| 2 | L207 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | 2 | R806 | 2001-001150 | R-CARBON(S);470KOHM,5%,1/2W,AA,TP;2.4X6. | | |
| 2 | L412 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | 2 | R813 | 2001-001153 | R-CARBON(S);470KOHM,5%,1/2W,AA,TP;2.4X6.4M | | |
| 2 | J406 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | 2 | R832 | 2001-001153 | R-CARBON(S);470KOHM,5%,1/2W,AA,TP;2.4X6.4M | | |
| 2 | L407 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | 2 | R810 | 2001-001178 | R-CARBON(S);680OHM,5%,1/2W,AA,TP;2.4X6.4 | | |
| 2 | L807 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | 2 | R819 | 2004-001983 | R-METAL(S);2.49kohm,1%,1/2W,AA,TP;2.4x6. | | |
| 2 | L601 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | 2 | R820 | 2001-001096 | R-CARBON(S);2.2OHM,5%,1/2W,AA,TP;2.4X6.4 | | |
| 2 | L609 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | 2 | R822 | 2001-000273 | R-CARBON;100KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | L201 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | 2 | R824 | 2001-000273 | R-CARBON;100KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | L604 | 2701-000169 | INDUCTOR-AXIAL;3.9uH,10%,2.5x3.4mm | 2 | R825 | 2001-000066 | R-CARBON(S);10KOHM,5%,1/2W,AA,TP;2.4X6.4 | | |
| 2 | L905 | 2701-000211 | INDUCTOR-AXIAL;68uH,10%,2.5x3.4mm | 2 | R901 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | Q201 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | 2 | R903 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | Q202 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | 2 | R904 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | Q203 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | 2 | R905 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | Q901 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | 2 | R906 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | Q906 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | 2 | R908 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | Q908 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | 2 | R921 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | Q701 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | 2 | R927 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | Q204 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | 2 | R928 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | Q601 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | 2 | R937 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | Q907 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | 2 | R938 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | R244 | 2001-000786 | R-CARBON;47KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | R724 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | R954 | 2001-000786 | R-CARBON;47KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | R725 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | R208 | 2001-000405 | R-CARBON;180OHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | R251 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | |
| 2 | R215 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | R223 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | | |
| 2 | R823 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | R248 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | | |
| 2 | R910 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | R249 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | | |
| 2 | R216 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | R250 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | | |
| 2 | R234 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | R911 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | | |
| 2 | R235 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | R922 | 2001-000924 | R-CARBON;680OHM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | R603 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | R923 | 2001-000924 | R-CARBON;680OHM,5%,1/8W,AA,TP;1.8X3.2MM | | |
| 2 | R817 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | C409 | 2301-001385 | C-FILM,PPF;30nF5%,630V,TP;20x15.5x10.5, | | |
| 2 | R924 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | C411 | 2301-000104 | C-FILM,PEF;1.2NF5%,50V,TP;6.5X3.0X5.5MM | | |
| 2 | R914 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | C412 | 2301-000313 | C-FILM,PEF;8.2nF5%,100V,TP;7x3.2x7mm,5m | | |
| 2 | R607 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | C427 | 2401-002267 | C-AL;2.2uF,20%,250V,GP,TP;8x11.5,5 | | |
| 2 | R608 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | C833 | 2401-002619 | C-AL;47uF,20%,25V,GP,TP;5x11.5 | | |
| 2 | R252 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | C229 | 2401-002619 | C-AL;47uF,20%,25V,GP,TP;5x11.5 | | |
| 2 | R726 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | CN602 | 3711-002644 | CONNECTOR-HEADER;BOX,5P;1R,2.5mm,STRAIGH | | |
| 2 | R209 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | CN901 | 3711-002644 | CONNECTOR-HEADER;BOX,5P;1R,2.5mm,STRAIGH | | |
| 2 | R902 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | CN903 | 3711-002642 | CONNECTOR-HEADER;BOX,3P;1R,2.5mm,STRAIGH | | |
| 2 | R816 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM | 2 | CW901 | 2503-000156 | C-NETWORK;100pF;4,20%,50V | | |
| 2 | R228 | 2001-000117 | R-CARBON(S);680HM,5%,1/2W,AA,TP;2.4X6.4M | 2 | D203 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | |
| 2 | R301 | 2004-001397 | R-METAL(S);4.7Kohm,1%,1/2W,AA,TP;2.4x6.4 | 2 | D204 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | |
| 2 | R417 | 2004-001397 | R-METAL(S);4.7Kohm,1%,1/2W,AA,TP;2.4x6.4 | 2 | D205 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | |
| 2 | R303 | 2001-000016 | R-CARBON(S);10HM,5%,1/2W,AA,TP;2.4X6.4MM | 2 | D206 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | |
| 2 | R828 | 2008-000266 | R-FUSIBLE(S);1ohm,5%,2W,AF,TP;3.9x10mm | 2 | D901 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | |
| 2 | R314 | 2004-001986 | R-METAL(S);35.7Kohm,1%,1/2W,AA,TP;2.4x6. | 2 | D902 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | |
| 2 | R411 | 2001-000028 | R-CARBON(S);100OHM,5%,1/2W,AA,TP;2.4X6.4 | 2 | D903 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | |
| 2 | R412 | 2001-000020 | R-CARBON(S);220HM,5%,1/2W,AA,TP;2.4X6.4M | 2 | D904 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | |
| 2 | R421 | 2001-001093 | R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP;2.4X6. | 2 | DZ803 | 0403-001167 | DIODE-ZENER;MTZJ30D,30V;29.02-30.51V;500 | | |
| 2 | R913 | 2001-000947 | R-CARBON;7.5KOHM,5%,1/8W,AA,TP;1.8X3.2M | △ | FA802S | 3601-001086 | FUSE-AXIAL LEAD;125V,5A,FAST-ACTING,GLAS | | |
| 2 | R426 | 2003-000540 | R-METAL OXIDE(S);1Kohm,5%,2W,AF,TP;4x12m | △ | HIC201 | AA13-00093A | IC HYBRID;-,DRGB001A,SIP;5P,-TP | | |

Electrical Parts List

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | HIC202 | AA13-00093A | IC HYBRID;-DRGB001A,SIP5P,-TP | |
| 2 | HIC203 | AA13-00093A | IC HYBRID;-DRGB001A,SIP5P,-TP | |
| 2 | HIC204 | AA13-00093A | IC HYBRID;-DRGB001A,SIP5P,-TP | |
| 2 | R302 | 2004-001893 | R-METAL(S);22Kohm,1%,1/2W,AA,TP2.5x6.5mm | |
| 2 | R409 | 2003-002009 | R-METAL OXIDE(S);390ohm,5%,2W,AF,TP3.9x | |
| 2 | R410 | 2003-002009 | R-METAL OXIDE(S);390ohm,5%,2W,AF,TP3.9x | |
| 2 | R413 | 2008-001018 | R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP3.9x10 | |
| 2 | R424 | 2008-001018 | R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP3.9x10 | |
| 2 | R827 | 2008-000284 | R-FUSIBLE(S);0.10HM,10%,2W,AF,TP3.9x10M | |
| 2 | R829 | 2008-001029 | R-FUSIBLE(S);5.6ohm,5%,2W,AF,TP3.9x10mm | |
| 2 | R433 | 2003-001042 | R-METAL OXIDE(S);5.6Kohm,5%,2W,AF,TP3.9 | |
| 2 | R717 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R718 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R105 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | X201 | 2801-003432 | CRYSTAL-UNIT;20.25MHZ,30PPM,28-AAM,13PF, | |
| 2 | X601 | 2801-003903 | CRYSTAL-UNIT;18.432MHz,25ppm,28-AAM,12pF | |
| 2 | IC904 | 1203-001943 | IC-VOL. DETECTOR;7025,TO-92,3P,-PLASTIC | |
| 2 | PCB | AA41-00168H | PCB-MAIN;CS29A6,FR-1,1L,H,1.6T,330X245,K | |
| 2 | Q909 | 0505-000109 | FET-SILICON;2N7000,N,60V,200mA,5ohm,400m | |
| 2 | Q910 | 0505-000109 | FET-SILICON;2N7000,N,60V,200mA,5ohm,400m | |
| 2 | R403 | 2003-001091 | R-METAL OXIDE(S);10ohm,5%,2W,AF,TP4x12m | |
| 2 | L705 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L706 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L605 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L606 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L607 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L608 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L701 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | L702 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | |
| 2 | R106 | 2001-000864 | R-CARBON;56KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R313 | 2004-001137 | R-METAL;6.8Kohm,1%,1/8W,AA,TP1.8x3.2m | |
| 2 | R710 | 2001-000938 | R-CARBON;68OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R709 | 2001-000938 | R-CARBON;68OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R241 | 2001-000938 | R-CARBON;68OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R315 | 2004-004970 | R-METAL(S);62Kohm,1%,1/8W,AA,TP1.8x3.2m | |
| 2 | R811 | 2004-001408 | R-METAL(S);91Kohm,1%,1/2W,AA,TP2.4x6.4m | |
| 2 | R809 | 2001-000022 | R-CARBON(S);330HM,5%,1/2W,AA,TP2.4X6.4M | |
| 2 | R420 | 2004-001402 | R-METAL(S);6.8Kohm,1%,1/2W,AA,TP2.4x6.4 | |
| 2 | L901 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | |
| 2 | L903 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | |
| 2 | L904 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | |
| 2 | L909 | 2701-000191 | INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm | |
| 2 | L908 | 2701-000191 | INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm | |
| 2 | R818 | 2001-001113 | R-CARBON(S);270KOHM,5%,1/2W,AA,TP2.4X6. | |
| 2 | CN702 | 3711-002647 | CONNECTOR-HEADER;BOX,8P,1R,2.5mm,STRAIGH | |
| 2 | C656 | 2201-000304 | C-CERAMIC,DISC;0.001nF,0.25pF,50V,NP0,TP | |
| 2 | C657 | 2201-000304 | C-CERAMIC,DISC;0.001nF,0.25pF,50V,NP0,TP | |
| 2 | C306 | 2301-000342 | C-FILM,PEF;2.2nF,5%,50V,TP7.4x3.9x13mm, | |
| 2 | R422 | 2001-000037 | R-CARBON(S);330OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R305 | 2003-002157 | R-METAL OXIDE;220OHM,5%,2W,AG,TP6X16MM | |
| 2 | R306 | 2003-002157 | R-METAL OXIDE;220OHM,5%,2W,AG,TP6X16MM | |
| 2 | C621 | 2401-002458 | C-AL;100uF,20%,35V,GPT,16x25.7.5 | |
| 2 | C824 | 2401-003046 | C-AL;47uF,20%,50V,WT,TP6.3x11.2,5 | |
| 2 | C823 | 2401-003046 | C-AL;47uF,20%,50V,WT,TP6.3x11.2,5 | |
| 2 | C808 | 2401-003046 | C-AL;47uF,20%,50V,WT,TP6.3x11.2,5 | |
| 2 | C115 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP | |
| 2 | C116 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP | |
| 2 | C244 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP | |
| 2 | C245 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP | |
| 2 | L209 | 2701-000168 | INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm | |
| 2 | L210 | 2701-000168 | INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm | |
| 2 | L801 | 3301-001223 | CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,- | |
| 2 | L806 | 3301-001223 | CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,- | |
| 2 | R945 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R946 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | C104 | 2401-002463 | C-AL;470uF,20%,16V,GPT,8x11.5,5 | |
| △ | RX801S | 2002-001010 | R-COMPOSITION;1.8Mohm,5%,1/2W,AA,TP3.7x | |
| 2 | R821 | 2004-001891 | R-METAL(S);133Kohm,1%,1/2W,AA,TP2.5x6.5 | |
| 2 | R210 | 2001-000812 | R-CARBON;5.6KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| △ | FP801S | 3601-000297 | FUSE-CARTRIDGE;250V,5A,TIME-LAG,GLASS,5. | |
| 2 | F801A | 3602-000114 | FUSE-HOLDER;-,-,30mohm | |
| 2 | F801B | 3602-000114 | FUSE-HOLDER;-,-,30mohm | |
| 2 | C835 | 2401-002289 | C-AL;470uF,20%,35V,WT,TP;10x20,5 | |
| 2 | C840 | 2401-002212 | C-AL;10uF,20%,25V,WT,TP5x11,5 | |
| 2 | C827 | 2401-002212 | C-AL;10uF,20%,25V,WT,TP5x11,5 | |
| 2 | C301 | 2401-000611 | C-AL;1uF,20%,50V,WT,TP5x11,5 | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | C106 | 2401-000611 | C-AL;1uF,20%,50V,WT,TP5x11,5 | |
| 2 | DZ602 | 0403-000720 | DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500 | |
| 2 | CN502 | 3711-002646 | CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGH | |
| 2 | R808 | 2001-001079 | R-CARBON(S);150HM,5%,1/2W,AA,TP2.4X6.4M | |
| 2 | C425 | 2301-001259 | C-FILM,MPPF;100nF,5%,400V,TP19x8x16,7.5 | |
| 2 | C248 | 2202-000210 | C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP | |
| 2 | C246 | 2202-000210 | C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP | |
| 2 | R436 | 2003-002008 | R-METAL OXIDE(S);18Kohm,5%,2W,AF,TP3.9x | |
| 2 | R304 | 2008-000254 | R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP3.9x10m | |
| 2 | R405 | 2008-000254 | R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP3.9x10m | |
| 2 | C102 | 2401-001513 | C-AL;47uF,20%,16V,WT,TP5x11,5 | |
| 2 | L208 | 2701-000147 | INDUCTOR-AXIAL;2.2uH,5%,2.4x3.4mm | |
| 2 | C247 | 2202-000849 | C-CERAMIC,MLC-AXIAL;18pF,5%,50V,CH,TP3. | |
| 2 | C410 | 2301-000213 | C-FILM,PEF;220nF,5%,250V,TP21.5x11.7,5 | |
| 2 | | HA68-02176A | LABEL;LABEL | |
| 2 | L102 | 2701-000159 | INDUCTOR-AXIAL;22uH,10%,4.2x9.8mm | |
| 2 | C654 | 2201-000611 | C-CERAMIC,DISC;0.056nF,5%,50V,NP0,TP7x3 | |
| 2 | R429 | 2001-001103 | R-CARBON(S);20KOHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R213 | 2001-000232 | R-CARBON;1.3KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | DZ806 | 0403-001316 | DIODE-ZENER;MTZJ3.0A,2.85-3.07V,500mW,DO | |
| △ | FA803S | 3601-001228 | FUSE-AXIAL LEAD;125V,10A,FAST-ACTING,EPO | |
| 2 | L401 | 2001-001038 | R-CARBON(S);0.56OHM,5%,1/2W,AA,TP2.4X6. | |
| 2 | R207 | 2001-000221 | R-CARBON;1.2KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R212 | 2004-000218 | R-METAL;10Kohm,1%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R414 | 2008-000253 | R-FUSIBLE(S);0.47ohm,5%,1V,AF,TP3.9x10m | |
| 2 | R428 | 2001-001106 | R-CARBON(S);220KOHM,5%,1/2W,AA,TP2.4X6. | |
| 2 | R425 | 2008-001011 | R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP3.9x10 | |
| 2 | R401 | 2003-000586 | R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP4x12 | |
| 2 | R402 | 2003-000586 | R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP4x12 | |
| 2 | J914 | 2001-000674 | R-CARBON;360OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R423 | 2001-001182 | R-CARBON(S);7.5KOHM,5%,1/2W,AA,TP2.4X6. | |
| 2 | C925 | 2202-000127 | C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V | |
| 2 | KEZ1 | 2201-000472 | C-CERAMIC,DISC;0.33nF,5%,50V,SL,TP8.5x3 | |
| 2 | C828 | 2201-000376 | C-CERAMIC,DISC;0.22nF,5%,50V,SL,TP6.3x3 | |
| 2 | J919 | 2701-000183 | INDUCTOR-AXIAL;39uH,5%,2.5x3.4mm | |
| 2 | R404 | 2001-001040 | R-CARBON(S);0.68OHM,5%,1/2W,AA,TP2.4X6. | |
| 2 | C416 | 2301-000160 | C-FILM,PEF;12nF,5%,50V,TP11.0x6.0x9.0mm | |
| 2 | R432 | 2001-001163 | R-CARBON(S);560OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | C420 | 2305-001003 | C-FILM,MPEF;10nF,5%,250V,TP13x4.5x9mm,7 | |
| 2 | R826 | 2003-001035 | R-METAL OXIDE(S);27ohm,5%,2W,AF,TP3.9x1 | |
| 2 | KEZ1 | 2201-000795 | C-CERAMIC,DISC;10nF,10%,400V,Y5P,TP15x1 | |
| 2 | R415 | 2004-004083 | R-METAL(S);3.6Kohm,2%,1/2W,AA,TP2.5x6.5 | |
| 2 | C203 | 2401-000480 | C-AL;10uF,20%,50V,GPT,TP5x11,5 | |
| 2 | R944 | 2001-000613 | R-CARBON;3.9KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | L910 | 2701-000215 | INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm | |
| 2 | C926 | 2202-000154 | C-CERAMIC,MLC-AXIAL;150pF,10%,50V,Y5P,TP | |
| 2 | R835 | 2003-002181 | R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP3.9x | |
| 2 | R836 | 2003-002181 | R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP3.9x | |
| 2 | IC901 | AA09-00181A | IC MICOM;SIM806EW3-A035,SIM806EW3-A035, | |
| △ | IC201S | 1204-001634 | IC-VIDEO PROCESS;VDP3120B-C3,DIP64P,-P | |
| △ | IC601 | 1204-001775 | IC-SOUND PROCESSOR;MSP3410D-C5,9458,SDI | |
| 2 | T401 | AA26-50001L | TRANS-HORIZ.DRIVE;-,-,29mH,-,-,133uH,- | |
| 2 | L403 | AA27-00099A | COIL LINEARITY;23.5uH,23.5uH,DR14x15C.5 | |
| △ | TU01S | AA40-00079A | TUNER;TCPW3001PD16A(S),PAL,181CH,38. | |
| 2 | | AA98-00245A | ASSY SUB PART;S51A,PCB MAIN(OPT) | |
| 3 | | 0202-000008 | SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb, | |
| 3 | | 0202-000187 | SOLDER-WIRE FLUX;-,-,RS60S,D1,2.63Sn/37Pb | |
| 3 | | 0204-001024 | FLUX;DF-98TVS,-,-,20%,- | |
| 3 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| △ | T801S | AA26-00046A | TRANS SWITCHING;-,-,AC90-260V,DC135/16 | |
| △ | IC804 | HA96-00243C | ASSY-H/S;-,-,REGULATOR,AA62-00045A,KA7806 | |
| 3 | | 1203-000284 | IC-POS.FIXED REG.;7806,TO-220,3P,-PLAS | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+2S,M3,L10,ZPC(YEL),SW | |
| 3 | | AA62-00065A | HEAT SINK-PS;DR;-,-,AA62-00045A,-,-,- | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | L408 | AA27-00103A | COIL CHOKE;600uH,-,600uH,+10%,600uH,0.5 | |
| △ | LX801S | AA29-00015A | FILTER LINE NOISE;WS32V8,28-20MH,1.5A,- | |
| 2 | L405 | AA27-00057A | COIL HORIZ. WIDTH;-,-,10mH,YL-9N 15x27.5 C | |
| △ | IC803 | 1203-001697 | IC-VOLTAGE REGULATOR;78R08,TO-220,4P,-P | |
| 2 | Q404 | HA96-00437A | ASSY-H/S;ASSY-H/S;AA62-00076A,IRF620 | |
| 3 | | 0505-000156 | FET-SILICON;IRF620,N,200V,5A,0.8ohm,50W, | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+2S,M3,L10,ZPC(YEL),SW | |
| 3 | | HA62-00076A | HEAT SINK;AL,100Hz,T1.0,10.40 | |
| 2 | Q402 | 0502-001007 | TR-POWER;KSC2073-H2,NPN,25WV,TO-220,ST,6 | |
| △ | CY802S | 2201-002002 | C-CERAMIC,DISC;4.7nF,20%,400V,Y5U,TP16x | |
| 2 | C407 | 2301-001338 | C-FILM,MPE-PPF;0.68nF,5%,1.6kV,TP28x7x1 | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|
| 2 | C405 | 2303-000118 | C-FILM,PPF;10nF5%,1.6KV,BK,31x19.5x13,2 | |
| 2 | C406 | 2303-000118 | C-FILM,PPF;10nF5%,1.6KV,BK,31x19.5x13,2 | |
| 2 | C426 | 2306-000235 | C-FILM,MPPF;560nF5%,400V,TP;26*22.5*14, | |
| 2 | IC903 | 1203-001944 | IC-POSIX.FIXED REG.;78RM33,TO-220,3P,-,PL | |
| 2 | C806 | 2401-003031 | C-AL;470uF;20%,450V,GP,BK,35x45mm,1 | |
| 2 | C820 | 2401-003076 | C-AL;3300uF;20%,50V,WP,BK,18x35.5mm | |
| 2 | R807 | 2006-001083 | R-CEMENT;120ohm,5%,5W,CJ,TP;14x10x27mm | |
| 2 | C423 | 2301-001192 | C-FILM,MPPF;820nF5%,400V,TP;29x18.5x25. | |
| 2 | JA702 | 3722-001425 | JACK-PIN;2P;3.4mm,NL,BLK,- | |
| 2 | TOP | AA39-200108 | LEAD CONNECTOR-ASSY;1PYFH800-01,S,500, | |
| 2 | L808 | AA27-10002L | COIL-CHOKE,-,24uH,K,-,2A,-,24UH-K,10x10m | |
| 2 | L402 | AA27-00067A | COIL-HORIZ. WIDTHH;-;240uH,YL9N 12x20 C.6 | |
| 2 | CN801 | 3711-004721 | CONNECTOR-HEADER;3WALL,2P;1R,12.5mm,STRA | |
| 2 | CN802 | 3711-004720 | CONNECTOR-HEADER;3WALL,2P;1R,12.5mm,STRA | |

ASSY-PCB SUB POWER

| | | | | |
|---|--------|-------------|--|--|
| 1 | * | AA95-01546A | ASSY-PCB SUB POWER;-;29A8,28-32W8,KS3A | |
| 2 | SW811S | 3403-001107 | SWITCH-PUSH;250V,5A,DPST,-,KDC-A04 | |
| 2 | PD812S | AA39-20179F | LEAD CONNECTOR-ASSY;3(2)PYFH800-150,S, | |
| 2 | RMV01 | AA32-00001A | MODULE REMOCON;-;ORC-195VF;38KHZ,940nm,M | |
| 2 | LDY01 | AA96-00461A | ASSY LED GUIDE;-;SL-255D,RED/GRN | |
| 2 | CNY01 | AA39-20546C | LEAD CONNECTOR-ASSY;5PYBNH250-05,67096 | |
| 2 | DZY01 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | DZY03 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | RY01 | 2001-000020 | R-CARBON(S);220HM,5%,1/2W,AA,TP,2.4X6.4M | |
| 2 | CY01 | 2401-002144 | C-AL;47uF;20%,16V,GP,TP5x11,5 | |
| 2 | PCB | AA41-00285B | PCB-POWER S/W;WS32W8,FR-1,1L,B,1.6T;245x | |
| 2 | EL01 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BSP,- | |
| 2 | EL02 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BSP,- | |
| 2 | EL03 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BSP,- | |
| 2 | EL04 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BSP,- | |
| 2 | GTU01 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GTU02 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GTU03 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GTU08 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GTU09 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GTU10 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | JY01 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |

ASSY PCB CRT

| | | | | |
|---|--------|-------------|--|--|
| 1 | * | AA95-01533A | ASSY PCB CRT;KS3A,28,29,W8-Z4-A8-K8,5 | |
| 2 | | AA63-10002A | BAND-TIE;-;NYLON66 V2,-,L100,NTR,- | |
| 2 | CN501A | 3711-002641 | CONNECTOR-HEADER;BOX,10P;1R,2.54mm,STRAI | |
| 2 | CN501A | AA39-00225A | LEAD CONNECTOR ASSY;10P;67096-010,S,600 | |
| 2 | CN502A | 3711-002646 | CONNECTOR-HEADER;BOX,7P;1R,2.5mm,STRAIGH | |
| 2 | CN502E | AA39-20029K | LEAD CONNECTOR-ASSY;7P;67096-007,S,400, | |
| 2 | CNF01 | 3711-002642 | CONNECTOR-HEADER;BOX,3P;1R,2.5mm,STRAIGH | |
| 2 | CNG01 | 3711-002643 | CONNECTOR-HEADER;BOX,4P;1R,2.5mm,STRAIGH | |
| 2 | IC501 | HA96-50151A | ASSY-H/S;-;TR,AA61-10060A,TDA6101Q,- | |
| 2 | IC502 | HA96-50151A | ASSY-H/S;-;TR,AA61-10060A,TDA6101Q,- | |
| 2 | IC503 | HA96-50151A | ASSY-H/S;-;TR,AA61-10060A,TDA6101Q,- | |
| 3 | | 1201-000539 | IC-VIDEO AMP;6101,ZIP9P,-,SINGLE,-,PLAS | |
| 3 | | 6001-000057 | SCREW-MACHINE;RH,+;M3,L6,ZPC(BLK),SWRCH1 | |
| 3 | | 6021-000154 | NUT-HEXAGON;2C,M3,ZPC(YEL),SM20C | |
| 3 | BRC501 | AA61-10060A | BRACKET-TR;W3220,CUS-1 1/2H,T0.5,-,-,- | |
| 2 | ICG01 | 1201-000191 | IC-OP AMP;4558,DIP8P;300MIL,DUAL,20V/mV | |
| 2 | IG03 | 0502-001007 | TR-POWER;KSC2073-H2,NPN,25W,TO-220,ST,6 | |
| 2 | VA999 | 3704-000114 | SOCKET-CRT;14P;29.1,35.5,SN,ISH09S/BK | |
| 2 | C501 | 2201-000247 | C-CERAMIC,DISC;0.015nF5%,50V,NP0,TP,5x3 | |
| 2 | C507 | 2201-000247 | C-CERAMIC,DISC;0.015nF5%,50V,NP0,TP,5x3 | |
| 2 | C502 | 2305-000704 | C-FILM,MPEF;100nF5%,250V,TP;16.5x10.3x5 | |
| 2 | C505 | 2305-000704 | C-FILM,MPEF;100nF5%,250V,TP;16.5x10.3x5 | |
| 2 | C508 | 2305-000704 | C-FILM,MPEF;100nF5%,250V,TP;16.5x10.3x5 | |
| 2 | CF07 | 2305-000704 | C-FILM,MPEF;100nF5%,250V,TP;16.5x10.3x5 | |
| 2 | C503 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5 | |
| 2 | C506 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5 | |
| 2 | C509 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5 | |
| 2 | C511 | 2401-001232 | C-AL;4.7uF;20%,250V,GP,TP;10x12.5,5 | |
| 2 | C512 | 2401-000914 | C-AL;22uF;20%,16V,GP,TP;5x11,5 | |
| 2 | C515 | 2401-000914 | C-AL;22uF;20%,16V,GP,TP;5x11,5 | |
| 2 | C526 | 2401-000914 | C-AL;22uF;20%,16V,GP,TP;5x11,5 | |
| 2 | C514 | 2401-000430 | C-AL;10uF;20%,250V,GP,TP;10x16mm,5m | |
| 2 | C518 | 2301-000224 | C-FILM,PEF;22nF5%,50V,TP;7.4x3.9x13mm,5 | |
| 2 | C519 | 2301-000224 | C-FILM,PEF;22nF5%,50V,TP;7.4x3.9x13mm,5 | |
| 2 | C520 | 2301-000224 | C-FILM,PEF;22nF5%,50V,TP;7.4x3.9x13mm,5 | |
| 2 | C521 | 2301-000224 | C-FILM,PEF;22nF5%,50V,TP;7.4x3.9x13mm,5 | |
| 2 | C522 | 2301-000224 | C-FILM,PEF;22nF5%,50V,TP;7.4x3.9x13mm,5 | |
| 2 | C523 | 2301-000224 | C-FILM,PEF;22nF5%,50V,TP;7.4x3.9x13mm,5 | |
| 2 | CF01 | 2201-000180 | C-CERAMIC,DISC;10nF,10%,50V,Y5V,TP;7x3,5 | |
| 2 | CF02 | 2301-000192 | C-FILM,PEF;1nF5%,50V,TP;5.3x10mm,5mm | |
| 2 | C516 | 2301-000192 | C-FILM,PEF;1nF5%,50V,TP;5.3x10mm,5mm | |
| 2 | CF03 | 2201-000376 | C-CERAMIC,DISC;0.22nF5%,50V,SL,TP,6.3x3 | |
| 2 | CF04 | 2201-000653 | C-CERAMIC,DISC;0.068nF5%,50V,SL,TP,5x3 | |
| 2 | CF05 | 2301-000261 | C-FILM,PEF;4.7nF5%,100V,TP;10.5x12.5x6 | |
| 2 | CF06 | 2201-000516 | C-CERAMIC,DISC;4.7nF+100-0%,500V,Y5U,TP | |
| 2 | CF08 | 2201-000604 | C-CERAMIC,DISC;0.056nF+100-0%,500V,SL,T | |
| 2 | CF10 | 2401-001840 | C-AL;100uF;20%,16V,GP,TP;6.3x11,5 | |
| 2 | CF12 | 2401-001840 | C-AL;100uF;20%,16V,GP,TP;6.3x11,5 | |
| 2 | CF14 | 2401-000832 | C-AL;220uF;20%,25V,GP,TP;8x11.5,5 | |
| 2 | CG01 | 2401-000832 | C-AL;220uF;20%,25V,GP,TP;8x11.5,5 | |
| 2 | CG04 | 2401-000832 | C-AL;220uF;20%,25V,GP,TP;8x11.5,5 | |
| 2 | CG02 | 2305-000149 | C-FILM,MPEF;100nF5%,100V,TP;12x12.5x6.5 | |
| 2 | CG03 | 2401-000493 | C-AL;10uF;20%,50V,LZ,TP;5x11mm,5mm | |
| 2 | D502 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D507 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | D508 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | D509 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | D510 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | D511 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | D512 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | DF02 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | DF03 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | DF01 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | DF04 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | DG01 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | DZ503 | 0403-001211 | DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D | |
| 2 | KEZ1 | 0403-001211 | DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D | |
| 2 | DZF01 | 0403-001039 | DIODE-ZENER;MA2560,56V,52-60V,1W,DO-41,T | |
| 2 | DZF02 | 0403-001039 | DIODE-ZENER;MA2560,56V,52-60V,1W,DO-41,T | |
| 2 | EL81 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- | |
| 2 | EL82 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- | |
| 2 | EL83 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- | |
| 2 | EL84 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- | |
| 2 | EL85 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- | |
| 2 | EL86 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- | |
| 2 | EL87 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- | |
| 2 | EL88 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- | |
| 2 | EL89 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- | |
| 2 | EL90 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- | |
| 2 | EL91 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- | |
| 2 | EL92 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- | |
| 2 | EL93 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- | |
| 2 | EL94 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP,- | |
| 2 | GT504 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT505 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT508 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | J501 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J503 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J505 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J506 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J507 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J508 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J509 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J510 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J511 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JF01 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JF02 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JF03 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JF04 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JF05 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JG01 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J512 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J513 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J514 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J515 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J516 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|
| 2 | J517 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J518 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J519 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J520 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J524 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J526 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J527 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J528 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JF06 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JF07 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J529 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J530 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J521 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J523 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J531 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | L501 | 2701-000112 | INDUCTOR-AXIAL;100uH,10%,3x7mm | |
| 2 | LF02 | 2701-000112 | INDUCTOR-AXIAL;100uH,10%,3x7mm | |
| 2 | LF01 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | L505 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | L506 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | LF03 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | PCB | AA41-00210D | PCB-CRT;CS29A6,FR-1,1L,D,1.6T,330x245, | |
| 2 | Q502 | 0501-000283 | TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T | |
| 2 | QG01 | 0501-000283 | TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T | |
| 2 | Q503 | 0501-000283 | TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T | |
| 2 | Q504 | 0501-000283 | TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T | |
| 2 | QF01 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | QF02 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | QF03 | 0501-000389 | TR-SMALL SIGNAL;KSC2331-Y,NPN,100mW,TO- | |
| 2 | RF10 | 2001-000241 | R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | RF11 | 2001-000241 | R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | R502 | 2001-001093 | R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | R507 | 2001-001093 | R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | R512 | 2001-001093 | R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | R503 | 2001-000085 | R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | R513 | 2001-000085 | R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | R508 | 2001-000085 | R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | R504 | 2001-000515 | R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R509 | 2001-000515 | R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R539 | 2001-000515 | R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R505 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9 | |
| 2 | R510 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9 | |
| 2 | R515 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9 | |
| 2 | R517 | 2001-001062 | R-CARBON(S);10MOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RF18 | 2003-000458 | R-METAL OXIDE(S);100ohm,5%,2W,AF,TP,4x12 | |
| 2 | R519 | 2002-001009 | R-COMPOSITION;2.7Kohm,10%,1/2W,AA,TP,3.7 | |
| 2 | R521 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | RF05 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R522 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | RF04 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | R542 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R543 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R544 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R546 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R501 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R506 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | R511 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | RF02 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | RF03 | 2001-000362 | R-CARBON;150OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | RF06 | 2001-000989 | R-CARBON;820KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | RF07 | 2004-001989 | R-METAL;620OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | RF08 | 2001-000313 | R-CARBON;11KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 2 | RF09 | 2001-000221 | R-CARBON;1.2KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | RF12 | 2001-000221 | R-CARBON;1.2KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 2 | RF13 | 2001-001179 | R-CARBON(S);68KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RF16 | 2001-001179 | R-CARBON(S);68KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RF14 | 2001-001071 | R-CARBON(S);12KOHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RF15 | 2001-001100 | R-CARBON(S);2.7OHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RF17 | 2001-001100 | R-CARBON(S);2.7OHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RG06 | 2001-001100 | R-CARBON(S);2.7OHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RG07 | 2001-001100 | R-CARBON(S);2.7OHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RF19 | 2003-001023 | R-METAL OXIDE(S);120ohm,5%,2W,AF,TP,3.9x | |
| 2 | RF20 | 2003-002214 | R-METAL OXIDE(S);680ohm,5%,2W,AG,TP,3.9x | |
| 2 | RF21 | 2003-002214 | R-METAL OXIDE(S);680ohm,5%,2W,AG,TP,3.9x | |
| 2 | RF22 | 2003-002214 | R-METAL OXIDE(S);680ohm,5%,2W,AG,TP,3.9x | |
| 2 | RF23 | 2003-000746 | R-METAL OXIDE(S);56ohm,5%,2W,AF,TP,4x12m | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|
| 2 | RF24 | 2003-000746 | R-METAL OXIDE(S);56ohm,5%,2W,AF,TP,4x12m | |
| 2 | RF25 | 2003-002009 | R-METAL OXIDE(S);390ohm,5%,2W,AF,TP,3.9x | |
| 2 | RG01 | 2004-001397 | R-METAL(S);4.7Kohm,1%,1/2W,AA,TP,2.4x6.4 | |
| 2 | RG02 | 2004-002022 | R-METAL(S);51Kohm,1%,1/2W,AA,TP,2.4x6.4m | |
| 2 | RG04 | 2004-002022 | R-METAL(S);51Kohm,1%,1/2W,AA,TP,2.4x6.4m | |
| 2 | RG03 | 2004-001987 | R-METAL(S);4.3Kohm,1%,1/2W,AA,TP,2.4x6.4 | |
| 2 | RG05 | 2001-001163 | R-CARBON(S);560OHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | RG08 | 2001-001163 | R-CARBON(S);560OHM,5%,1/2W,AA,TP,2.4X6.4 | |
| 2 | L503 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,-,3.5x5,TP,- | |
| 2 | L504 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,-,3.5x5,TP,- | |
| 2 | LF04 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,-,3.5x5,TP,- | |
| 2 | LF05 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,-,3.5x5,TP,- | |
| 2 | EY501 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | R518 | 2003-002171 | R-METAL OXIDE(S);150ohm,5%,2W,AG,TP,3.9x | |
| 2 | R526 | 2004-000500 | R-METAL;2.7Kohm,1%,1/8W,AA,TP,1.8x3.2m | |
| 2 | R527 | 2004-000433 | R-METAL;1Kohm,1%,1/8W,AA,TP,1.8x3.2mm | |
| 2 | DZG501 | 0403-001328 | DIODE-ZENER;MTJ22A,20.15-21.20V,500mW,D | |
| 2 | L507 | 2701-000215 | INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm | |
| 2 | SG501 | AA27-00084A | COIL;-S-23,-,-,-,-,-,S-23,5000Mohm | |
| 2 | SG502 | AA27-00084A | COIL;-S-23,-,-,-,-,-,S-23,5000Mohm | |
| 2 | SG503 | AA27-00084A | COIL;-S-23,-,-,-,-,-,S-23,5000Mohm | |
| 2 | SG504 | AA27-00084A | COIL;-S-23,-,-,-,-,-,S-23,5000Mohm | |
| 2 | SG505 | AA27-00084A | COIL;-S-23,-,-,-,-,-,S-23,5000Mohm | |
| 2 | | HA98-00054A | ASSY SUB PART;ASSY SUB PART;KSA3A,PCB,CRT | |
| 3 | | 0202-000008 | SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb, | |
| 3 | | 0202-000187 | SOLDER-WIRE FLUX;-RS60S,D1,2.63Sn/37Pb | |
| 3 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| 3 | | 0204-001024 | FLUX;DF-98TVS,-,20%,- | |
| 2 | QF04 | HA96-50149A | ASSY-H/S;-AA62-30013A,2SC2344,- | |
| 3 | | 0502-000153 | TR-POWER;2SC2344-D,NPN,1.2W,TO-220,-,60 | |
| 3 | SCR09 | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | H/S09 | AA62-30013A | HEAT-SINK;ES;-A6063 EXTR,-,-,45(21) T02 | |
| 2 | QF05 | HA96-50149B | ASSY-H/S;-TR,AA62-30013A,2SA1011,- | |
| 3 | QV10 | 0502-000131 | TR-POWER;2SA1011-D,PNP,1.2W,TO-220,-,60 | |
| 3 | SCR10 | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | H/S10 | AA62-30013A | HEAT-SINK;ES;-A6063 EXTR,-,-,45(21) T02 | |
| 2 | C510 | 2401-001525 | C-AL;47uF,20%,250V,GPBK,16x25mm,7. | |
| 2 | R523 | 2008-000267 | R-FUSIBLE(S);2.4ohm,5%,2W,AA,TP,3.9x10mm | |
| 2 | CF11 | 2401-000927 | C-AL;22uF,20%,250V,GP,TP,13x20,5 | |
| 2 | JA501 | 3722-001503 | JACK-PIN;1P,1P,NL,RED,SCR-JACK | |
| 2 | QG02 | 0502-000244 | TR-POWER;KSA940,PNP,1.5W,TO-220,-,40-14 | |
| 2 | C513 | 2201-000723 | C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5 | |

ASSY PCB CONTROL

| | | | |
|---|-------|-------------|--|
| 1 | * | AA95-01530A | ASSY PCB CONTROL;-KSA3A,XXA8-W8 |
| 2 | RY03 | 2001-000007 | R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM |
| 2 | RY05 | 2001-000009 | R-CARBON;20KOHM,5%,1/8W,AA,TP,1.8X3.2MM |
| 2 | RY02 | 2001-000577 | R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM |
| 2 | RY04 | 2001-000878 | R-CARBON;6.2KOHM,5%,1/8W,AA,TP,1.8X3.2M |
| 2 | PCB | AA41-00284C | PCB-CONTROL;CW32W8,FR-1,1L,C,1.6T,245X24 |
| 2 | LY01 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | DZY02 | 0403-000508 | DIODE-ZENER;MTJ5.6B,5.6V,5.45-5.73V,500 |
| 2 | SWY02 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS |
| 2 | SWY03 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS |
| 2 | SWY04 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS |
| 2 | SWY05 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS |
| 2 | SWY06 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS |
| 2 | CNY02 | AA39-20005A | LEAD CONNECTOR-ASSY;-3P,YHN025-03,67096 |

ASSY CRT

| | | | |
|---|---|-------------|--|
| 1 | * | AA94-05796A | ASSY CRT;W66QDE893X001,400MG,28,16,9,I |
| 2 | | AA03-00329A | CRT COLOR;W66QDE993X001,BV:400MG, BH:200 |
| 2 | | AA27-00128A | COIL DEGAUSSING;-,-,-,-,50T,7,-,29inch,2 |
| 2 | | AA98-00025A | ASSY-TBC;WIRE(P);DP,29INCH,AA98-70008C,2 |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|----------|-----------------------------|--------|
|-------|----------|----------|-----------------------------|--------|

ASSY-HOLDER,SPK

| | | | | |
|---|---|-------------|--|--|
| 1 | * | AA91-00150B | ASSY-HOLDER,SPK;DP,-,80HM/15W,-,AA91-001 | |
|---|---|-------------|--|--|

ASSY-KNOB-CONTROL

| | | | | |
|---|--------|-------------|--|--|
| 1 | * | HA91-00910A | ASSY-KNOB-CONTROL;HIPS,HB,GRY,32W8 | |
| 2 | | HA64-02497A | KNOB CONTROL;32W8,HIPS,HB,GRY | |
| 3 | | HA83-00006A | LP-RESIN HIPS,-,BASF495F,NTR,HB | |
| 3 | | HA83-00012A | LP-RESIN,-,M BATCH,WILSON 6053-GY-60,GRY | |
| 2 | KC+PCB | 6003-001023 | SCREW-TAPTITE;RWVH,+B,M3,L10,ZPC(YEL),SW | |
| 2 | | AA63-10002A | BAND-TIE,-,NYLON66 V2,-,-,L100,NTR,- | |

ASSYPCB-PFC

| | | | | |
|---|--------|-------------|--|--|
| 1 | * | HA94-05786B | ASSYPCB-PFC;28W8/Z4-29A8/K8,50HZ,5786A | |
| 2 | EYP07 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP08 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP09 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP10 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP11 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP12 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP13 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP14 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP15 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP16 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP17 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP18 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP01 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP02 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP03 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP04 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP05 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | EYP06 | AA60-40011A | EYELET;ID2.0,OD2.8,-,-,BST,- | |
| 2 | PCB | AA41-00404A | PCB-PFC;CS2539,FR-1,1LA,1.6T,330x245, | |
| 2 | JP801 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JP802 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | CNP02 | AA39-00236A | LEAD CONNECTOR ASSY;-3(2)PYHL500-03A BL | |
| 2 | PFT01 | AA27-00116A | COIL CHOKE;CODE_NO,-,35mH,-0,+5%,-,2.80 | |
| 2 | | HA98-600020 | ASSY-SUB;PART;KS4A,PFC PCB | |
| 3 | | 0202-000008 | SOLDER-WIRE;S63S-W3.0,S63S,D3.63Sn/37Pb, | |
| 3 | | 0202-000187 | SOLDER-WIRE FLUX;-RS60S,D1.2,63Sn/37Pb | |
| 3 | | 0204-001024 | FLUX;DF-98TVS,-,20%,- | |
| 3 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| 2 | | HA61-00987A | HOLDER-PFC;32W8,29A8,28W8,HIPS,ALLFLAT | |
| 3 | | HA83-00006A | LP-RESIN HIPS,-,BASF495F,NTR,HB | |
| 3 | | HA83-00011A | LP-RESIN,-,M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | CNP02 | 3711-004721 | CONNECTOR-HEADER;3WALL,2P1R,12.5mm,STRA | |
| 2 | | 6003-001023 | SCREW-TAPTITE;RWVH,+B,M3,L10,ZPC(YEL),SW | |
| 2 | CNP01 | AA39-00235A | LEAD CONNECTOR ASSY;-3(2)PYHL500-03A BL | |
| 2 | CNP01 | 3711-004720 | CONNECTOR-HEADER;3WALL,2P1R,12.5mm,STRA | |
| 2 | LX803S | AA29-00015A | FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+ | |
| 2 | CX803S | 2306-000318 | C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm | |

ASSY-PCB A/V BOARD

| | | | | |
|---|-------|-------------|--|--|
| 1 | * | AA95-01521A | ASSY-PCB A/V BOARD;-28W8,29A8,KS3A,50HZ | |
| 2 | JH701 | 3722-000143 | JACK-PHONE;1P(VER),3.4PI,AG,BLK,NO | |
| 2 | JA701 | 3722-001031 | JACK-PIN;3P;3.6mm,#18,AU | |
| 2 | CN701 | AA39-20068G | LEAD CONNECTOR ASSY;-8PYBNH025-08,67096 | |
| 2 | CN703 | AA39-20069A | LEAD CONNECTOR ASSY;-5PYBNH025-05,67096 | |
| 2 | C701 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP | |
| 2 | C702 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP | |
| 2 | L701 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L702 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L703 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L704 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L709 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|----------|-----------------------------|--------|
|-------|----------|----------|-----------------------------|--------|

| | | | | |
|---|-------|-------------|--|--|
| 2 | R701 | 2001-000028 | R-CARBON(S);100OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R702 | 2001-000028 | R-CARBON(S);100OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | C703 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C704 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| 2 | C705 | 2401-002009 | C-AL;100uF,20%,16V,GP,TP6.3x7.5 | |
| 2 | C706 | 2401-002009 | C-AL;100uF,20%,16V,GP,TP6.3x7.5 | |
| 2 | L707 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | L708 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | PCB | AA41-00155B | PCB-SIDE AV;CS29A6,FR-1,1LB,1.6T,245x24 | |
| 2 | CN704 | AA39-20499D | LEAD CONNECTOR ASSY;-4PYBNH025-04,SMP02 | |

ASSY-CABINET(COM)

| | | | | |
|---|--------|-------------|--|--|
| 1 | * | AA90-01094B | ASSY-CABINET(COM);SET 28W8D | |
| 2 | | HA91-00944A | ASSY-CABINETBACK;HIPS,HB,28W8 | |
| 2 | | AA64-00894G | INLAY BACK;D3,PS SHEET,T0.3,-,-,BLK,SCAR | |
| 3 | | HA59-00244A | TERMINAL-BOARD;TERMINAL-BOARD;32W8,HIPS, | |
| 4 | | HA83-00006A | LP-RESIN HIPS,-,BASF495F,NTR,HB | |
| 4 | | HA83-00011A | LP-RESIN,-,M BATCH,WILSON 6007-GY-60,GRY | |
| 3 | | 6002-000515 | SCREW-TAPPING;RH,+2,M4,L15,ZPC(WHT),SWR | |
| 3 | | HA64-02444A | CABINETBACK;28W8,HIPS,HB,GRY | |
| 4 | | HA83-00013A | LP-RESIN HIPS,-,NTR,HB,DOW A-TECH,IEC65 | |
| 4 | | HA83-00011A | LP-RESIN,-,M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | | AA65-30007A | CLAMP-D,COIL,-,NYLON-66,V0,-,NTR,WIDE | |
| 2 | | AA65-30008A | CLAMP-CORD;-PE,HB,-,BLK,- | |
| 2 | CB+CF | 6003-001025 | SCREW-TAPTITE;RH,+B,M4,L20,ZPC(BLK),SWR | |
| 2 | TB+JAC | 6003-001025 | SCREW-TAPTITE;RH,+B,M4,L20,ZPC(BLK),SWR | |
| 2 | CRT+CF | AA60-10050V | SCREW-ASSY;-SWRCH18A,M6,L30,HH,+WC,-,Z | |
| 2 | SPK+CF | AA60-10050A | SCREW-ASSY;-SWRCH18A,M4,L25,RH,+WP,-,Z | |
| 2 | | AA65-30009A | CLAMP-FBT;-ABS,V0,-,BLK,- | |
| 2 | | AA65-30110A | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,BLK,P | |
| 2 | | HA68-02177A | LABEL-POS;LABEL-POS;135MM,34MM,WHITE | |
| 2 | | HA83-00046A | LP-TAPE INK;WIDTH 105 MM | |
| 2 | | HA68-02179A | LABEL-RATING;LABEL-RATING;58MM,53MM,WHIT | |
| 2 | | HA61-00392C | RAIL-L;RAIL-L;32W8,HIPS,HB,NTR | |
| 3 | | HA83-00013A | LP-RESIN HIPS,-,NTR,HB,DOW A-TECH,IEC65 | |
| 3 | | HA83-00011A | LP-RESIN,-,M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | | HA61-00392B | RAIL-L;RAIL-L;SEH 32W8,ABS HB,NTR | |
| 3 | | HA83-00013A | LP-RESIN HIPS,-,NTR,HB,DOW A-TECH,IEC65 | |
| 3 | | HA83-00011A | LP-RESIN,-,M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | CF+KC | 6002-000515 | SCREW-TAPPING;RH,+2,M4,L15,ZPC(WHT),SWR | |
| 2 | | AA65-30104B | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,BLK,W | |
| 2 | CF+AV | 6003-001135 | SCREW-TAPTITE;TH,+B,M4.0,L15,BLK,SWRCH1 | |

ASSY-CABINETFRONT

| | | | | |
|---|--------|-------------|--|--|
| 1 | * | HA91-00881A | ASSY-CABINETFRONT;28W8,PLANO,SV-906P | |
| 2 | CF+CM | 6002-000515 | SCREW-TAPPING;RH,+2,M4,L15,ZPC(WHT),SWR | |
| 2 | WIN+CF | 6002-000515 | SCREW-TAPPING;RH,+2,M4,L15,ZPC(WHT),SWR | |
| 2 | | HA64-00915B | WINDOW-REMOCON;32W8,PC,-,-,-,VIOLET,- | |
| 3 | | HA83-00009A | LP-RESIN PC;-LEXAN 121R,VIOLET | |
| 2 | | AA64-02584A | CABINET-MASK;28W8,HIPS,HB,SV-907P,SILVER | |
| 3 | | HA83-00028A | LP-MARKING PAINT;DARK BLUE,DP-004P | |
| 3 | | HA83-00021A | LP-MARKING PAINT;WHITE,TPC180 | |
| 3 | | HA83-00006A | LP-RESIN HIPS,-,BASF495F,NTR,HB | |
| 3 | | HA83-00011A | LP-RESIN,-,M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | | AA64-02505A | KNOB POWER;32W8,HIPS,HB,BLK | |
| 3 | | HA83-00006A | LP-RESIN HIPS,-,BASF495F,NTR,HB | |
| 3 | | HA83-00007A | LP-RESIN,-,M BATCH,WILSON 902-BK-60,BLK | |
| 2 | | HA64-00916B | INDICATOR-LED;32W8,ACRYL,-,CLR,-,-,-, | |
| 3 | | HA83-00010A | LP-RESIN;-OROGLAS;VM-100 ZHN 2 | |
| 2 | | AA64-02432A | CABINET-FRONT;28W8,HIPS,HB,SV-907P,GRY | |
| 3 | | HA83-00029A | LP-MARKING PAINT;METALLIC-SILVER,SV-907 | |
| 3 | | HA83-00021A | LP-MARKING PAINT;WHITE,TPC180 | |
| 3 | | HA83-00006A | LP-RESIN HIPS,-,BASF495F,NTR,HB | |
| 3 | | HA83-00011A | LP-RESIN,-,M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | | AA64-01062A | BADGE-BRAND;32W8,AL FORGING,-,L65,-,SI | |
| 2 | | HA83-00049A | LP-ADHESIVE-HM;12MM,NTR | |
| 2 | | AA61-60003T | SPRING-CS;-SUS304,-,-,OD7,N5,OD7,-,-,-, | |
| 2 | | AA65-30105A | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,NTR,1 | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|----------|-----------------------------|--------|
|-------|----------|----------|-----------------------------|--------|

| | | | | |
|---|--|-------------|--|--|
| 2 | | AA64-60399C | INLAY-AV,-,PS SHEET,T0.3,-,BLK,S/GRAY | |
| 2 | | AA64-60446C | INLAY-PC,JACK;29A6,PS SHEET,T0.5,BLK,SIL | |
| 2 | | AA64-60445Q | INLAY AV;72A6,PS SHEET,-,BLK,KS3A 50 | |

REMOCON

| | | | | |
|---|---|-------------|--------------------------------------|--|
| 1 | * | AA59-00116B | REMOCON,-,TM57,37,D3/D4,L/GRAY,S/GRA | |
|---|---|-------------|--------------------------------------|--|

ASSY ACCESSORY

| | | | | |
|---|---|-------------|--|--|
| 1 | * | AA94-05821A | ASSY ACCESSORY;50HZ,FLAT,KS3A,XEC | |
| 2 | | 4301-000121 | BATTERY-MN;1.5V,-,AAA,10.5x44.5mm,HOLDER | |
| 2 | | HA69-00276A | VINYL-BAG;HDPE,T0.025,L400,W240,-,W/O LO | |
| 2 | | HA83-00047A | LP-TAPEACETATE;T0.1MM,W20MM,L200MM | |
| 2 | | HA68-02124A | LABEL-A;P120(G),70,69,WHITE,XECCO | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|----------|-----------------------------|--------|
|-------|----------|----------|-----------------------------|--------|

ASSY PACKING

| | | | | |
|---|---|-------------|--|--|
| 1 | * | AA90-01129A | ASSY PACKING;28W8 | |
| 2 | | HA69-00488A | PACKING CASE;PACKING CASE;28W8,CB D-4 AB | |
| 2 | | HA69-01490A | CUSHION-SET;28W8,PS,C=0.02 | |
| 3 | | HA83-00058A | LP-RESIN-EPS;CHEIL SF-301V,WHT | |
| 2 | | AA69-30032F | BAG-SHEET;HDPE+PE FOAM,-,WV1400,H1400,-, | |
| 2 | | AA60-40006A | PIN-STAPLE,-,H18,33X17.8X2.4,-,AUTO | |
| 2 | | HA68-02178A | LABEL-BOX;LABEL-BOX;250MM,89MM,WHITE | |
| 2 | | HA83-00046A | LP-TAPE INK;WIDTH 105 MM | |
| 2 | | HA83-00057B | LP-TAPE-CELLULOSE;HAQ2-030010,T0.046,WV7 | |

ASSY-POWER,CORD

| | | | | |
|---|---|-------------|--|--|
| 1 | * | AA96-00094A | ASSY-POWER,CORD;DP,CP2/NO(4.0),H/C350MM, | |
|---|---|-------------|--|--|

7-5 WS28Z46VS8XXEC

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|----------|-----------------------------|--------|
|-------|----------|----------|-----------------------------|--------|

ASSY PCB MAIN(OPT)

| | | | | |
|---|--------|-------------|---|--|
| 1 | * | AA94-05958B | ASSY PCB MAIN(OPT);WS28Z4DH,KS3A/H,SEB,I | |
| 2 | C815 | 2401-003602 | C-AL;220uF20%,160V,GPBK,22x25mm,1 | |
| 2 | CN501 | 3711-002641 | CONNECTOR-HEADER;BOX,10P;1R,2.54mm,STRAI | |
| △ | CX801S | 2306-000321 | C-FILM,MPPF;470NF,5%,275V,TP,-,22.5 | |
| 2 | IC301 | HA96-50406B | ASSY-H/S;ASSY-H/S,-,AA62-30180B,LA7845 | |
| 2 | | 1204-000517 | IC-VERTICAL DEF;LA7845,SIP7P,-,PLASTIC | |
| 3 | | AA62-30180B | HEAT-SINK,ES,-,A6063 EXTR.,2,WHT,70MM,-, | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| △ | IC401 | 1202-000103 | IC-VOLTAGE COMP;393,DIP8P;300MIL,DUAL | |
| △ | IC801S | HA96-50371C | ASSY-H/S,-,AA62-30181H,KA3A1265R,-, | |
| 3 | | AA13-00101A | IC HYBRID;KA3S1265RD,CN5039,5PIN,-,50T012 | |
| 3 | | AA61-10386A | BRACKET-IC,-,SECC 100,T1.0,-,KA2S068 | |
| 3 | | AA62-30197D | HEAT-SINK,ES;DP,-,AA62-30181H,-,-, | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | | HA68-02189A | LABEL-WARNING;33MM,18MM,WHITE | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | JA701 | 3722-000195 | JACK-SCART;42P,-,SN,BLK,NO | |
| △ | NT802S | 1404-001045 | THERMISTOR-NTC;4.7ohm,15%,2900K,35.0mW,T | |
| △ | PC801S | 0604-001038 | PHOTO-COUPLER;TR,130-260%,200mW,DIP-4,ST | |
| △ | PT801S | 1404-000002 | THERMISTOR-PTC;9ohm,20%,,-,TR,RECT,- | |
| △ | RL801S | 3501-001040 | RELAY-POWER;12VDC,500mW,10A,1FormA,15mS, | |
| 2 | HC801 | HA96-00274B | ASSY-H/S,-,COMPLEX,AA62-00066B,FMLG12S | |
| 3 | | 6003-000334 | SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR | |
| 3 | | AA62-00066B | HEAT SINK;D2,D3,AL,T1.0,89,70,-,AA62-00 | |
| △ | D802 | 0402-001230 | DIODE-RECTIFIER;FMG-G2CS,1000V,3A,T0-220 | |
| △ | D805 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- | |
| △ | D806 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- | |
| △ | D807 | 0402-000233 | DIODE-RECTIFIER;FML-G12S,200V,5A,-,- | |
| △ | IC805 | 1203-001006 | IC-VOLTAGE REGULATOR;78R05,T0-220F,4P,-, | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | HC401 | HA96-00275D | ASSY-H/S,-,COMPLEX,AA62-00051B,2SC5446 | |
| 3 | | AA62-00067B | HEAT SINK-PS,-,DP,-,AA62-00051B,- | |
| △ | D414 | 0402-001296 | DIODE-RECTIFIER;FMP-3FU,1.5KV,5A,T0-3PF, | |
| 3 | Q401 | 0502-001175 | TR-POWER;2SC5446,NPN,200000mW,T0-3PL,BK | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | | AA60-30001A | WASHER-PLATE;M3,JD3.5,15X8.5,T1.0,-,SBHG | |
| 3 | | AA62-00092A | HEAT SINK;STB,A6063 EXTR.,T1.3,28*28,H12 | |
| 3 | Q401 | AA02-00007A | MICA;DPM-04,MICA,22x29x0.15mm | |
| 3 | | 6003-000334 | SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|----------|-----------------------------|--------|
|-------|----------|----------|-----------------------------|--------|

| | | | | |
|---|-------|-------------|--|--|
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | D801S | 0402-001399 | DIODE-BRIDGE;GSIB660,600V,6A,SIP-4,BK | |
| △ | IC602 | HA96-50369B | ASSY-H/S,-,AA62-30181F,TDA7297,- | |
| 3 | | 1201-001064 | IC-POWER AMP;7297,ZIP,15P,-,DUAL,32dB,PL | |
| 3 | | AA62-30181F | HEAT-SINK,ES,-,AL6063 EXTR.,2,WHT,50MM,- | |
| 3 | | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | |
| 3 | | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| 2 | IC902 | 1103-001171 | IC-EEPROM;L51DC,16KBit,DIP8P;300MIL,10m | |
| 2 | C105 | 2301-000383 | C-FILM,PEF;10nF,5%,50V,TP6x7x3.2mm,5mm | |
| 2 | C103 | 2301-000383 | C-FILM,PEF;10nF,5%,50V,TP6x7x3.2mm,5mm | |
| 2 | C101 | 2301-000383 | C-FILM,PEF;10nF,5%,50V,TP6x7x3.2mm,5mm | |
| 2 | C416 | 2301-000383 | C-FILM,PEF;10nF,5%,50V,TP6x7x3.2mm,5mm | |
| 2 | C909 | 2301-000383 | C-FILM,PEF;10nF,5%,50V,TP6x7x3.2mm,5mm | |
| 2 | C228 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP7.5x4.0x6.5,5m | |
| 2 | C230 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP7.5x4.0x6.5,5m | |
| 2 | C809 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP7.5x4.0x6.5,5m | |
| 2 | C810 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP7.5x4.0x6.5,5m | |
| 2 | C811 | 2301-000356 | C-FILM,PEF;47nF,5%,50V,TP7.5x4.0x6.5,5m | |
| 2 | C202 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C205 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C920 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C231 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C215 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C630 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C631 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C645 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C652 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C603 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C207 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C708 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C239 | 2401-002235 | C-AL;10uF,20%,16V,GP,TP5x11mm,5mm | |
| 2 | C214 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C605 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C620 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C635 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C646 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C829 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C837 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C839 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C916 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C914 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C831 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C825 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |
| 2 | C240 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP7.5x4.0x5.0m | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark | Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|-------|----------|-------------|---|--------|
| 2 | C208 | 2401-001026 | C-AL;3.3UF;20%,50V,GPTP5X11,5 | | 2 | D201 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C636 | 2401-001026 | C-AL;3.3UF;20%,50V,GPTP5X11,5 | | 2 | D202 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C905 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP3 | | 2 | D207 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C607 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP3 | | 2 | D208 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C608 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP3 | | 2 | D209 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C211 | 2202-000796 | C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP3 | | 2 | D210 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C212 | 2301-000224 | C-FILM,PEF;22nF5%,50V,TP7,4x3.9x13mm,5 | | 2 | D211 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C213 | 2301-000247 | C-FILM,PEF;33nF5%,50V,TP8,1x4.5x13mm,5 | | 2 | D602 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C218 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | △ 2 | D804 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C219 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | 2 | DZ402 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C220 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | 2 | D906 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C901 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | △ 2 | D405 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C921 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | 2 | D604 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | C922 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | △ 2 | D401 | 0402-000540 | DIODE-RECTIFIER,RU20A,600V,1.5A,-,TP | |
| 2 | C919 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | △ 2 | D402 | 0402-000534 | DIODE-RECTIFIER,RG10V,400V,1.2A,DO-201,T | |
| 2 | C924 | 2202-000632 | C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP | | △ 2 | D404 | 0402-000534 | DIODE-RECTIFIER,RG10V,400V,1.2A,DO-201,T | |
| 2 | C907 | 2305-000412 | C-FILM,MPEF;470nF5%,63V,TP,-,5mm | | △ 2 | D411 | 0402-000534 | DIODE-RECTIFIER,RG10V,400V,1.2A,DO-201,T | |
| 2 | C308 | 2305-000412 | C-FILM,MPEF;470nF5%,63V,TP,-,5mm | | △ 2 | D406 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | C237 | 2401-000914 | C-AL;22uF;20%,16V,GPTP5x11,5 | | △ 2 | D808 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | C604 | 2401-000603 | C-AL;1uF;20%,50V,GPTP5x11,5 | | △ 2 | D810 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | C201 | 2401-000603 | C-AL;1uF;20%,50V,GPTP5x11,5 | | △ 2 | D811 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | C841 | 2401-000603 | C-AL;1uF;20%,50V,GPTP5x11,5 | | 2 | D907 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | C304 | 2305-000285 | C-FILM,MPEF;220NF;5%,100V,TP;10.5X5.5X15 | | △ 2 | D403 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | C305 | 2305-000149 | C-FILM,MPEF;100nF5%,100V,TP;12x12.5x6.5 | | △ 2 | D801 | 0402-001111 | DIODE-RECTIFIER;1N5397/GP600V,1.5A,DO-20 | |
| 2 | C821 | 2301-000192 | C-FILM,PEF;1nF5%,50V,TP5,3x10mm,5mm | | 2 | DZ201 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C902 | 2301-000192 | C-FILM,PEF;1nF5%,50V,TP5,3x10mm,5mm | | 2 | DZ202 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C307 | 2401-000360 | C-AL;100uF;20%,50V,GPTP8x11.5,5 | | 2 | DZ802 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C302 | 2401-000360 | C-AL;100uF;20%,50V,GPTP8x11.5,5 | | 2 | DZ902 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C401 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP5. | | 2 | DZ601 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C403 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP5. | | 2 | DZ603 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C421 | 2201-000556 | C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP5. | | 2 | DZ806 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C402 | 2401-001397 | C-AL;470uF;20%,25V,GPTP;10x16,5 | | 2 | DZ903 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C404 | 2401-001397 | C-AL;470uF;20%,25V,GPTP;10x16,5 | | 2 | DZ904 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C408 | 2305-000382 | C-FILM,MPEF;4.7nF5%,400V,TP,-,5mm | | 2 | DZ905 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C414 | 2401-002597 | C-AL;220uF;20%,35V,GPTP;10x12,5,5 | | 2 | DZ906 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C418 | 2401-002597 | C-AL;220uF;20%,35V,GPTP;10x12,5,5 | | 2 | DZ907 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C422 | 2401-001527 | C-AL;47uF;20%,250V,HR,TP;13x25mm,5m | | 2 | DZ908 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C424 | 2201-000132 | C-CERAMIC,DISC;0.1nF,10%,500V,Y5P,TP6,5 | | 2 | DZ910 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C601 | 2201-000558 | C-CERAMIC,DISC;0.47nF,10%,50V,Y5P,TP5x3 | | 2 | DZ604 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C610 | 2301-000445 | C-FILM,PEF;4.7nF5%,50V,TP5,5x7x3mm,5mm | | 2 | DZ605 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C611 | 2301-000445 | C-FILM,PEF;4.7nF5%,50V,TP5,5x7x3mm,5mm | | 2 | DZ908 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C612 | 2401-001914 | C-AL;1uF;20%,50V,BPTP5x11,5 | | 2 | DZ204 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C613 | 2401-001914 | C-AL;1uF;20%,50V,BPTP5x11,5 | | 2 | DZ205 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 2 | C209 | 2401-001914 | C-AL;1uF;20%,50V,BPTP5x11,5 | | 2 | DZ203 | 0403-001321 | DIODE-ZENER;MTZJ6.8C,6.66-7.01V,500mW,DO | |
| 2 | C617 | 2401-000493 | C-AL;10uF;20%,50V,LZ,TP5x11mm,5mm | | 2 | DZ302 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,DO | |
| 2 | C917 | 2401-000493 | C-AL;10uF;20%,50V,LZ,TP5x11mm,5mm | | 2 | DZ303 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,DO | |
| 2 | C413 | 2401-000493 | C-AL;10uF;20%,50V,LZ,TP5x11mm,5mm | | 2 | DZ304 | 0403-001329 | DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,DO | |
| 2 | C623 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ305 | 0403-001221 | DIODE-ZENER;UZ39BSB,35.36-37.19V,500mW,DO | |
| 2 | C624 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ306 | 0403-000700 | DIODE-ZENER;TZP33A,33V/31-35V,1W,DO-41,T | |
| 2 | C627 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ804 | 0403-000700 | DIODE-ZENER;TZP33A,33V/31-35V,1W,DO-41,T | |
| 2 | C629 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ401 | 0403-001325 | DIODE-ZENER;MTZJ15C,14.35-15.09V,500mW,DO | |
| 2 | C642 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ801 | 0403-001322 | DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO | |
| 2 | C644 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ808 | 0403-001322 | DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO | |
| 2 | C638 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | DZ805 | 1203-001217 | IC-POSIA,ADJUST REG.;431,TO-92,3P4.58MIL | |
| 2 | C639 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | | 2 | GT101 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | C632 | 2202-000806 | C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP | | 2 | GT102 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | C634 | 2401-001840 | C-AL;100uF;20%,16V,GPTP6.3x11,5 | | 2 | GT301 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | C832 | 2401-001840 | C-AL;100uF;20%,16V,GPTP6.3x11,5 | | 2 | GT302 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | C838 | 2401-001840 | C-AL;100uF;20%,16V,GPTP6.3x11,5 | | 2 | GT401 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | C826 | 2401-001840 | C-AL;100uF;20%,16V,GPTP6.3x11,5 | | 2 | GT402 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | C637 | 2401-000027 | C-AL;4.7uF;20%,50V,GPTP5x11,5 | | 2 | GT801 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | C640 | 2401-000027 | C-AL;4.7uF;20%,50V,GPTP5x11,5 | | 2 | GT802 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | C641 | 2401-000027 | C-AL;4.7uF;20%,50V,GPTP5x11,5 | | 2 | GT803 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | C643 | 2401-000027 | C-AL;4.7uF;20%,50V,GPTP5x11,5 | | 2 | GT804 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | C912 | 2401-000027 | C-AL;4.7uF;20%,50V,GPTP5x11,5 | | 2 | GT805 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | C647 | 2202-000286 | C-CERAMIC,MLC-AXIAL;56pF;5%,50V,SL,TP;1. | | 2 | GT806 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | C649 | 2301-000108 | C-FILM,PEF;1.5nF5%,50V,TP6.5x3.0x5,5mm | | 2 | GT404 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | C804 | 2201-000332 | C-CERAMIC,DISC;2.2nF,20%,250V,Y5U,TP9x4 | | 2 | J102 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | C805 | 2201-000332 | C-CERAMIC,DISC;2.2nF,20%,250V,Y5U,TP9x4 | | 2 | J103 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | C807 | 2301-001397 | C-FILM,PPF;2.2nF5%,1.2kV,TP;15x8.5x13.5 | | 2 | J105 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | C814 | 2201-000406 | C-CERAMIC,DISC;0.27nF,10%,2kV,Y5P,TP6,3 | | 2 | J110 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | C817 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5. | | 2 | J111 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | C819 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5. | | 2 | J112 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | C822 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5. | | 2 | J114 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | C818 | 2401-000722 | C-AL;2200uF;20%,25V,WT,TP;16x25,7,5 | | 2 | J115 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | C910 | 2201-000980 | C-CERAMIC,DISC;0.03nF;5%,50V,NP0,TP5x3, | | 2 | J116 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | C911 | 2201-000980 | C-CERAMIC,DISC;0.03nF;5%,50V,NP0,TP5x3, | | 2 | J117 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |

Samsung Electronics

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | R716 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R715 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R606 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R620 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R629 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R309 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R206 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R609 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R211 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R912 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R952 | 2001-000290 | R-CARBON;10KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R940 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R941 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R942 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R947 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R948 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R102 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R103 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R203 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R204 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R231 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R232 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R604 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R605 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R610 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R611 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R612 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R613 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R628 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R627 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R723 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R909 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R907 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | J904 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R925 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | J920 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R955 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| △ | RY801S | 2002-001011 | R-COMPOSITION;3.3Mohm,5%,1/2W,AA,TP3.7x | |
| △ | RY802S | 2002-001013 | R-COMPOSITION;4.7Mohm,5%,1/2W,AA,TP3.7x | |
| △ | VP801S | 1405-000187 | VARISTOR;750V,1250A,12.5x7mm,TP | |
| △ | VX801S | 1405-000187 | VARISTOR;750V,1250A,12.5x7mm,TP | |
| 2 | X901 | 2801-003728 | CRYSTAL-UNIT;6MHz,30ppm,28-AAM,20pF,40oh | |
| 2 | L103 | 2701-000115 | INDUCTOR-AXIAL;10uH,10%,3x7mm | |
| 2 | | 0203-001123 | TAPE-PAPER;#53131,TO.15,W6.0,L200000,YEL | |
| 2 | C707 | 2401-000939 | C-AL;22uF,20%,25V,GP,TP;5x11,5 | |
| 2 | L202 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L301 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L406 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L907 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L708 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L707 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L711 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L108 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L109 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | R706 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | R707 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | R708 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 2 | L902 | 2701-000184 | INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm | |
| 2 | L222 | 2701-000184 | INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm | |
| 2 | L302 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | L802 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | L803 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | L809 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | J901 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | L303 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | L207 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | J406 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | L412 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | L407 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | |
| 2 | L807 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | |
| 2 | L601 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | |
| 2 | L609 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | |
| 2 | R233 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | |
| 2 | L201 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | |
| 2 | C235 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | |
| 2 | C233 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | C234 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | |
| 2 | C236 | 2901-000297 | FILTER-EMI ON BOARD;-,3A,-,3.5x5,TP- | |
| 2 | L604 | 2701-000169 | INDUCTOR-AXIAL;3.9uH,10%,2.5x3.4mm | |
| 2 | Q201 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | Q202 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | Q203 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | Q901 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | Q906 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | Q908 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | Q701 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | Q204 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | Q601 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | Q907 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | R244 | 2001-000786 | R-CARBON;47KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R954 | 2001-000786 | R-CARBON;47KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R215 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R823 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R910 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R216 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R603 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R817 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R924 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R914 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R936 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R607 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R608 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R252 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R726 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R209 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R254 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R601 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R602 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R902 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R816 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R228 | 2001-000117 | R-CARBON(S);680HM,5%,1/2W,AA,TP2.4X6.4M | |
| 2 | R303 | 2001-000016 | R-CARBON(S);10HM,5%,1/2W,AA,TP2.4X6.4M | |
| 2 | R828 | 2008-000266 | R-FUSIBLE(S);1ohm,5%,2W,AF,TP3.9x10mm | |
| 2 | R314 | 2004-001984 | R-METAL(S);26.7Kohm,1%,1/2W,AA,TP2.4x6. | |
| 2 | R302 | 2004-001984 | R-METAL(S);26.7Kohm,1%,1/2W,AA,TP2.4x6. | |
| 2 | R411 | 2001-000028 | R-CARBON(S);100OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R412 | 2001-000020 | R-CARBON(S);220HM,5%,1/2W,AA,TP2.4X6.4M | |
| 2 | R422 | 2001-000020 | R-CARBON(S);220HM,5%,1/2W,AA,TP2.4X6.4M | |
| 2 | R421 | 2001-001093 | R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP2.4X6. | |
| 2 | R415 | 2001-001093 | R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP2.4X6. | |
| 2 | R913 | 2001-000947 | R-CARBON;7.5KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R426 | 2003-000540 | R-METAL OXIDE(S);1Kohm,5%,2W,AF,TP4x12m | |
| 2 | R614 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R615 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R616 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R617 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R920 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R226 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R224 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R225 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R812 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R831 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R931 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R956 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R919 | 2001-000780 | R-CARBON;470OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R214 | 2001-000411 | R-CARBON;18KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R704 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R242 | 2001-000969 | R-CARBON;750HM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R802 | 2003-001025 | R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP3.9x | |
| 2 | R803 | 2003-001025 | R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP3.9x | |
| 2 | R804 | 2003-001025 | R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP3.9x | |
| 2 | R805 | 2001-001150 | R-CARBON(S);470KOHM,5%,1/2W,AA,TP2.4X6. | |
| 2 | R806 | 2001-001150 | R-CARBON(S);470KOHM,5%,1/2W,AA,TP2.4X6. | |
| 2 | R813 | 2001-001153 | R-CARBON(S);470HM,5%,1/2W,AA,TP2.4X6.4M | |
| 2 | R832 | 2001-001153 | R-CARBON(S);470HM,5%,1/2W,AA,TP2.4X6.4M | |
| 2 | R810 | 2001-001178 | R-CARBON(S);680OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R819 | 2004-001983 | R-METAL(S);2.49Kohm,1%,1/2W,AA,TP2.4x6. | |
| 2 | R820 | 2001-001096 | R-CARBON(S);2.20HM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R822 | 2001-000273 | R-CARBON;100KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R824 | 2001-000273 | R-CARBON;100KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R825 | 2001-000066 | R-CARBON(S);10KOHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | R901 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark | Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|-------|-------------|-------------|---|--------|
| 2 | R903 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | 2 | L909 | 2701-000191 | INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm | |
| 2 | R904 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | 2 | L908 | 2701-000191 | INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm | |
| 2 | R905 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | 2 | R818 | 2001-001113 | R-CARBON(S);270KOHM,5%,1/2W,AA,TP;2.4X6. | |
| 2 | R906 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | 2 | CN702 | 3711-002647 | CONNECTOR-HEADER;BOX,8P;1R,2.5mm,STRAIGH | |
| 2 | R908 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | 2 | C656 | 2201-000304 | C-CERAMIC,DISC;0.001nF;0.25pF;50V,NP0,TP | |
| 2 | R921 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | 2 | C657 | 2201-000304 | C-CERAMIC,DISC;0.001nF;0.25pF;50V,NP0,TP | |
| 2 | R927 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | 2 | C306 | 2301-000342 | C-FILM,PEF;2.2nF;5%,50V,TP;7.4x3.9x13mm, | |
| 2 | R928 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | 2 | C415 | 2301-000342 | C-FILM,PEF;2.2nF;5%,50V,TP;7.4x3.9x13mm, | |
| 2 | R937 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | 2 | C621 | 2401-002458 | C-AL;1000uF;20%,35V,GP,TP;16x25.7.5 | |
| 2 | R938 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | 2 | C824 | 2401-003046 | C-AL;47uF;20%,50V,WT,TP;6.3x11.2,5 | |
| 2 | R833 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | 2 | C823 | 2401-003046 | C-AL;47uF;20%,50V,WT,TP;6.3x11.2,5 | |
| 2 | R724 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | 2 | C115 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF;10%,50V,Y5P,TP | |
| 2 | R725 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | 2 | C116 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF;10%,50V,Y5P,TP | |
| 2 | R253 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP;1.8X3.2M | | 2 | C701 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF;10%,50V,Y5P,TP | |
| 2 | R248 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | | 2 | L209 | 2701-000168 | INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm | |
| 2 | R249 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | | 2 | L212 | 2701-000168 | INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm | |
| 2 | R250 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | | 2 | L210 | 2701-000168 | INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm | |
| 2 | R911 | 2001-000003 | R-CARBON;330ohm,5%,1/8W,AA,TP;1.8x3.2mm | | 2 | L801 | 3301-001223 | CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,- | |
| 2 | R922 | 2001-000924 | R-CARBON;680OHM,5%,1/8W,AA,TP;1.8X3.2MM | | 2 | L806 | 3301-001223 | CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,- | |
| 2 | R923 | 2001-000924 | R-CARBON;680OHM,5%,1/8W,AA,TP;1.8X3.2MM | | 2 | R945 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | C833 | 2401-002619 | C-AL;47uF;20%,25V,GP,TP;5x11.5 | | 2 | R946 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | C229 | 2401-002619 | C-AL;47uF;20%,25V,GP,TP;5x11.5 | | △ 2 | RX801S | 2002-001010 | R-COMPOSITION;1.8Mohm,5%,1/2W,AA,TP;3.7x | |
| 2 | CN602 | 3711-002644 | CONNECTOR-HEADER;BOX,5P;1R,2.5mm,STRAIGH | | 2 | R821 | 2004-001891 | R-METAL(S);133Kohm,1%,1/2W,AA,TP;2.5x6.5 | |
| 2 | CN901 | 3711-002644 | CONNECTOR-HEADER;BOX,5P;1R,2.5mm,STRAIGH | | 2 | R210 | 2001-000812 | R-CARBON;5.6KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | CN90 | 3711-002642 | CONNECTOR-HEADER;BOX,3P;1R,2.5mm,STRAIGH | | △ 2 | FP801S | 3601-000297 | FUSE-CARTRIDGE;250V,5A,TIME-LAG,GLASS,5. | |
| 2 | CW901 | 2503-000156 | C-NETWORK;100pF;4,20%,50V | | 2 | F801A | 3602-000114 | FUSE-HOLDER;-,-,30mohm | |
| 2 | D203 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | 2 | F801B | 3602-000114 | FUSE-HOLDER;-,-,30mohm | |
| 2 | D204 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | 2 | C835 | 2401-002289 | C-AL;470uF;20%,35V,WT,TP;10x20.5 | |
| 2 | D205 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | 2 | C840 | 2401-002212 | C-AL;10uF;20%,25V,WT,TP;5x11.5 | |
| 2 | D206 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | 2 | C827 | 2401-002212 | C-AL;10uF;20%,25V,WT,TP;5x11.5 | |
| 2 | D901 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | 2 | R417 | 2004-001397 | R-METAL(S);4.7Kohm,1%,1/2W,AA,TP;2.4x6.4 | |
| 2 | D902 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | 2 | R301 | 2004-001397 | R-METAL(S);4.7Kohm,1%,1/2W,AA,TP;2.4x6.4 | |
| 2 | D903 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | 2 | CN704 | 3711-002646 | CONNECTOR-HEADER;BOX,7P;1R,2.5mm,STRAIGH | |
| 2 | D904 | 0404-000156 | DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP | | 2 | CN502 | 3711-002646 | CONNECTOR-HEADER;BOX,7P;1R,2.5mm,STRAIGH | |
| 2 | DZ803 | 0403-001167 | DIODE-ZENER;MTZJ30D,30V;29.02-30.51V;500 | | 2 | R808 | 2001-001079 | R-CARBON(S);150HM,5%,1/2W,AA,TP;2.4X6.4M | |
| △ 2 | FA802S | 3601-001086 | FUSE-AXIAL LEAD;125V,5A,FAST-ACTING,GLAS | | 2 | R405 | 2008-001076 | R-FUSIBLE(S);1.8ohm,5%,2W,AF,TP;3.9x10mm | |
| 2 | HIC201 | AA13-00093A | IC HYBRID;-,-,DRGB001A,SIP5P,-,TP | | 2 | R425 | 2008-001011 | R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP;3.9x10 | |
| 2 | HIC202 | AA13-00093A | IC HYBRID;-,-,DRGB001A,SIP5P,-,TP | | 2 | HA68-02176A | | LABEL;LABEL | |
| 2 | HIC203 | AA13-00093A | IC HYBRID;-,-,DRGB001A,SIP5P,-,TP | | 2 | C654 | 2201-000611 | C-CERAMIC,DISC;0.056nF;5%,50V,NP0,TP;7x3 | |
| 2 | HIC204 | AA13-00093A | IC HYBRID;-,-,DRGB001A,SIP5P,-,TP | | 2 | C425 | 2301-001259 | C-FILM,MPPF;100nF;5%,400V,TP;19x8x16,7.5 | |
| 2 | R409 | 2003-001018 | R-METAL OXIDE(S);220ohm,5%,2W,AF,TP;3.9x | | 2 | C622 | 2401-001989 | C-AL;4.7uF;20%,50V,BP,TP;5x11.5 | |
| 2 | R410 | 2003-001018 | R-METAL OXIDE(S);220ohm,5%,2W,AF,TP;3.9x | | 2 | C625 | 2401-001989 | C-AL;4.7uF;20%,50V,BP,TP;5x11.5 | |
| 2 | R413 | 2008-001018 | R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP;3.9x10 | | 2 | C626 | 2401-001989 | C-AL;4.7uF;20%,50V,BP,TP;5x11.5 | |
| 2 | R424 | 2008-001018 | R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP;3.9x10 | | 2 | C628 | 2401-001989 | C-AL;4.7uF;20%,50V,BP,TP;5x11.5 | |
| 2 | R827 | 2008-000284 | R-FUSIBLE(S);0.1OHM,10%,2W,AF,TP;3.9x10M | | 2 | C104 | 2401-002463 | C-AL;470uF;20%,16V,GP,TP;8x11.5,5 | |
| 2 | R829 | 2008-001029 | R-FUSIBLE(S);5.6ohm,5%,2W,AF,TP;3.9x10mm | | 2 | C808 | 2401-003046 | C-AL;47uF;20%,50V,WT,TP;6.3x11.2,5 | |
| 2 | R433 | 2003-001042 | R-METAL OXIDE(S);5.6Kohm,5%,2W,AF,TP;3.9 | | 2 | D301 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| 2 | R717 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP;1.8X3.2MM | | △ 2 | D803 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| 2 | R718 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP;1.8X3.2MM | | △ 2 | D816 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-, | |
| 2 | R105 | 2001-000702 | R-CARBON;39KOHM,5%,1/8W,AA,TP;1.8X3.2MM | | 2 | DZ602 | 0403-000720 | DIODE-ZENER;MTZJ9.1B,9.1V;8.57-9.01V;500 | |
| 2 | X601 | 2801-003903 | CRYSTAL-UNIT;18.432MHz;25ppm;28-AAM,12pF | | 2 | R207 | 2001-000221 | R-CARBON;1.2KOHM,5%,1/8W,AA,TP;1.8X3.2M | |
| 2 | IC904 | 1203-001943 | IC-VOL. DETECTOR;7025,TO-92-3P,-,PLASTIC | | 2 | R208 | 2001-000405 | R-CARBON;1800HM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | PCB | AA41-00168H | PCB-MAIN;CS29A6,FR-1,1L,H,1.6T;330X245,K | | 2 | R414 | 2008-000253 | R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP;3.9x10m | |
| 2 | O802 | 0501-000369 | TR-SMALL SIGNAL;KSC2331-Y,NPN,1000mW,TO- | | 2 | HIC401 | AA13-00094A | IC HYBRID;-,-,DDR001A,SIP5P,-,TP | |
| 2 | Q909 | 0505-000109 | FET-SILICON;2N7000,N,60V,200mA,5ohm,400m | | 2 | R404 | 2001-003218 | R-CARBON(S);0.18ohm,10%,1/2W,AA,TP;2.4x6 | |
| 2 | Q910 | 0505-000109 | FET-SILICON;2N7000,N,60V,200mA,5ohm,400m | | 2 | C102 | 2401-001513 | C-AL;47uF;20%,16V,WT,TP;5x11.5 | |
| 2 | R434 | 2003-001091 | R-METAL OXIDE(S);10ohm,5%,2W,AF,TP;4x12m | | 2 | C913 | 2401-000287 | C-AL;100uF;20%,16V,WT,TP;6.3x11.5 | |
| 2 | C113 | 2202-000127 | C-CERAMIC,MLC-AXIAL;10nF;+80-20%,25V,Y5V | | 2 | C915 | 2401-000287 | C-AL;100uF;20%,16V,WT,TP;6.3x11.5 | |
| 2 | C925 | 2202-000127 | C-CERAMIC,MLC-AXIAL;10nF;+80-20%,25V,Y5V | | 2 | C918 | 2401-000287 | C-AL;100uF;20%,16V,WT,TP;6.3x11.5 | |
| 2 | L605 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | C210 | 2401-000287 | C-AL;100uF;20%,16V,WT,TP;6.3x11.5 | |
| 2 | L606 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | L102 | 2701-000159 | INDUCTOR-AXIAL;22uH,10%,4.2x9.8mm | |
| 2 | L607 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | R420 | 2004-004015 | R-METAL(S);9.1Kohm,1%,1/2W,AA,TP;2.5x6.5 | |
| 2 | L608 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | C106 | 2401-000611 | C-AL;1uF;20%,50V,WT,TP;5x11.5 | |
| 2 | L701 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | C303 | 2201-002022 | C-CERAMIC,DISC;0.005nF;0.25pF;500V,NP0,T | |
| 2 | L702 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | C409 | 2301-001385 | C-FILM,PPF;30nF;5%,630V,TP;20x15.5x10.5, | |
| 2 | L705 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | C411 | 2301-000445 | C-FILM,PEF;4.7nF;5%,50V,TP;5.5x7x3mm,5mm | |
| 2 | L706 | 2701-000180 | INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm | | 2 | C412 | 2301-000148 | C-FILM,PEF;10nF;5%,100V,TP;7x3.2x7mm,5mm | |
| 2 | R106 | 2001-000864 | R-CARBON;56KOHM,5%,1/8W,AA,TP;1.8X3.2MM | | 2 | L905 | 2001-000995 | R-CARBON;820OHM,5%,1/8W,AA,TP;1.8X3.2MM | |
| 2 | R313 | 2004-001137 | R-METAL;6.8Kohm,1%,1/8W,AA,TP;1.8x3.2m | | 2 | R305 | 2003-002171 | R-METAL OXIDE(S);150ohm,5%,2W,AG,TP;3.9x | |
| 2 | R710 | 2001-000938 | R-CARBON;680OHM,5%,1/8W,AA,TP;1.8X3.2MM | | 2 | R306 | 2003-002171 | R-METAL OXIDE(S);150ohm,5%,2W,AG,TP;3.9x | |
| 2 | R709 | 2001-000938 | R-CARBON;680OHM,5%,1/8W,AA,TP;1.8X3.2MM | | 2 | R401 | 2003-000586 | R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP;4x12 | |
| 2 | R241 | 2001-000938 | R-CARBON;680OHM,5%,1/8W,AA,TP;1.8X3.2MM | | 2 | R402 | 2003-000586 | R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP;4x12 | |
| 2 | R811 | 2004-001408 | R-METAL(S);91Kohm,1%,1/2W,AA,TP;2.4x6.4m | | 2 | R418 | 2001-001178 | R-CARBON(S);680OHM,5%,1/2W,AA,TP;2.4X6.4 | |
| 2 | R809 | 2001-000022 | R-CARBON(S);330HM,5%,1/2W,AA,TP;2.4X6.4M | | 2 | R212 | 2004-000218 | R-METAL;10Kohm,1%,1/8W,AA,TP;1.8x3.2mm | |
| 2 | L901 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | | △ 2 | FA803S | 3601-001228 | FUSE-AXIAL LEAD;125V,10A,FAST-ACTING,EPO | |
| 2 | L903 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | | 2 | R423 | 2001-001121 | R-CARBON(S);3.6KOHM,5%,1/2W,AA,TP;2.4X6. | |
| 2 | L904 | 2702-001094 | INDUCTOR-RADIAL;10uH,10%,6x4mm | | 2 | R407 | 2001-001114 | R-CARBON(S);2700OHM,5%,1/2W,AA,TP;2.4X6.4 | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|
| △ | 2 | D408 | 0402-000493 DIODE-RECTIFIER;1R5GU41,400V,1.5A,DO-15L | |
| | 2 | KEZ1 | 2201-000472 C-CERAMIC,DISC;0.33nF,5%,50V,SL,TP,8.5x3 | |
| | 2 | C828 | 2201-000376 C-CERAMIC,DISC;0.22nF,5%,50V,SL,TP,6.3x3 | |
| | 2 | J919 | 2701-000183 INDUCTOR-AXIAL;39uH,5%,2.5x3.4mm | |
| | 2 | C410 | 2301-000213 C-FILM,PEF;220nF,5%,250V,TP,21.5x11,7.5 | |
| | 2 | R826 | 2003-001035 R-METAL OXIDE(S);27ohm,5%,2W,AF,TP,3.9x1 | |
| | 2 | KEZ1 | 2201-000795 C-CERAMIC,DISC;10nF,10%,400V,Y5P,TP,15x1 | |
| | 2 | R315 | 2004-002022 R-METAL(S);51Kohm,1%,1/2W,AA,TP,2.4x6.4mm | |
| | 2 | R304 | 2008-001015 R-FUSIBLE(S);1.5ohm,5%,2W,AF,TP,3.9x10mm | |
| | 2 | R307 | 2008-001015 R-FUSIBLE(S);1.5ohm,5%,2W,AF,TP,3.9x10mm | |
| | 2 | R403 | 2003-000664 R-METAL OXIDE(S);33ohm,5%,2W,AF,TP,4x12m | |
| | 2 | C427 | 2401-002267 C-AL;2.2uF,20%,250V,GPT,8x11,5.5 | |
| △ | 2 | D413 | 0402-000537 DIODE-RECTIFIER,RH1A,600V,0.6A,DO-204AC | |
| | 2 | R436 | 2003-002008 R-METAL OXIDE(S);18Kohm,5%,2W,AF,TP,3.9x | |
| | 2 | C203 | 2401-000480 C-AL;10uF,20%,50V,GPT,5x11,5 | |
| | 2 | R944 | 2001-000613 R-CARBON;3.9KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| | 2 | L910 | 2701-000215 INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm | |
| | 2 | C926 | 2202-000154 C-CERAMIC,MLC-AXIAL;150PF,10%,50V,Y5P,TP | |
| | 2 | R835 | 2003-002181 R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP,3.9x | |
| | 2 | R836 | 2003-002181 R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP,3.9x | |
| | 2 | L208 | 2701-000147 INDUCTOR-AXIAL;2.2uH,5%,2.4x3.4mm | |
| | 2 | C246 | 2202-000210 C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP | |
| | 2 | C248 | 2202-000210 C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP | |
| | 2 | C247 | 2202-000849 C-CERAMIC,MLC-AXIAL;18pF,5%,50V,CH,TP,3 | |
| | 2 | IC901 | AA09-00221A IC MICOM;SIM806HEW2-A042,SIM806HEW2-A04 | |
| | 2 | IC601 | 1204-001661 IC-SOUND PROCESSOR;MSP3411G-A2,DIP,52P- | |
| △ | 2 | T401 | AA26-50001S TRANS-HORIZ.DRIVE;-,6.0mH,-,44uH,- | |
| △ | 2 | TU01S | AA40-00079A TUNER;TCPW3001PD16A(S),PAL,181CH,38. | |
| | 2 | AA98-00245A | ASSY SUB PART;S51A,PCB MAIN(OPT) | |
| | 3 | 0202-000008 | SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb, | |
| | 3 | 0202-000187 | SOLDER-WIRE FLUX;-RS60S,D1,2.63Sn/37Pb | |
| | 3 | 0204-001024 | FLUX;DF-98TVS,-,20%,- | |
| | 3 | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| △ | 2 | T801S | AA26-00046B TRANS SWITCHING;CODE-NO,CW6844N8X/XEF,- | |
| △ | 2 | IC804 | HA96-00243C ASSY-H/S;-REGULATOR,AA62-00045A,KA7806 | |
| | 3 | 1203-000284 | IC-POS.FIXED REG.;7806,T0-220,3P,-,PLAS | |
| | 3 | 6003-000333 | SCREW-TAPTITE RH,+2S,M3,L10,ZPQ(YEL),SW | |
| | 3 | AA62-00065A | HEAT SINK-PS;DP,-,AA62-00045A,-,-,- | |
| | 3 | 0205-000129 | GREASE-SILICON;SC102,JAPAN | |
| | 2 | L408 | AA27-40003P COIL-HORIZ.WIDTH;-120uH/180uH,Th8x20,US | |
| △ | 2 | LX801S | AA29-00015A FILTER LINE NOISE;WS32W8,28-20MH 1.5A,- | |
| | 2 | L405 | AA27-00057A COIL HORIZ. WIDTH;-10mH,YL-9N 15x27.5 C | |
| △ | 2 | IC803 | 1203-001697 IC-VOLTAGE REGULATOR;78R08,T0-220,4P,-,P | |
| | 2 | Q404 | HA96-00437A ASSY-H/S;ASSY-H/S;AA62-00076A,IRF620 | |
| | 3 | 0505-000156 | FET-SILICON;IRF620,N,200V,5A,0.8ohm,50W, | |
| | 3 | 6003-000333 | SCREW-TAPTITE RH,+2S,M3,L10,ZPQ(YEL),SW | |
| | 3 | HA62-00076A | HEAT SINK-AL,100Hz,T1.0,10,40 | |
| | 2 | Q402 | 0505-001116 FET-SILICON;BUZ73A,N,200V,22A,0.6ohm,40W | |
| △ | 2 | CY802S | 2201-002002 C-CERAMIC,DISC;4.7nF,20%,400V,Y5U,TP,16x | |
| | 2 | C407 | 2301-001338 C-FILM,MPE-PPF;0.68nF,5%,1.6kV,TP,28x7x1 | |
| | 2 | C426 | 2306-000188 C-FILM,MPPF;330nF,5%,400V,TP,26x19.5x11 | |
| | 2 | IC903 | 1203-001944 IC-POS.FIXED REG.;78RM33,T0-220,3P,-,PL | |
| | 2 | IC202 | 1203-001944 IC-POS.FIXED REG.;78RM33,T0-220,3P,-,PL | |
| | 2 | C806 | 2401-003031 C-AL;470uF,20%,450V,GPBK,35x45mm,1 | |
| | 2 | S/W | AA95-01553A ASSY-PCB SVHS BOARD;ALL WITH SVHS,KS3A | |
| | 3 | ICS01 | 1001-001114 IC-VIDEO SWITCH;TEA6425,VIDEO SWITCH ,DI | |
| | 3 | CNS01 | 3711-002704 CONNECTOR-HEADER;NOWALL,6P,1R,2.5mm,ANGL | |
| | 3 | CNS02 | 3711-002706 CONNECTOR-HEADER;NOWALL,8P,1R,2.5mm,ANGL | |
| | 3 | HA99-500031 | ASSY-PCB,VIDEO-S/W(ACI);50Hz,32W8,KS3A,F | |
| | 4 | CS01 | 2305-000412 C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| | 4 | CS03 | 2305-000412 C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| | 4 | CS04 | 2305-000412 C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| | 4 | CS05 | 2305-000412 C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| | 4 | CS06 | 2305-000412 C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| | 4 | CS02 | 2305-000412 C-FILM,MPEF;470nF,5%,63V,TP,-,5mm | |
| | 4 | CS07 | 2401-002009 C-AL;100uF,20%,16V,GPT,6.3x7.5 | |
| | 4 | JS01 | 3812-000219 WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| | 4 | JS02 | 3812-000219 WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| | 4 | JS03 | 3812-000219 WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| | 4 | JS04 | 3812-000219 WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| | 4 | RS08 | 3812-000219 WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| | 4 | RS09 | 3812-000219 WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| | 4 | QS01 | 0501-000389 TR-SMALL SIGNAL;KSC815,NPN,400mV,T0-92,T | |
| | 4 | QS02 | 0501-000389 TR-SMALL SIGNAL;KSC815,NPN,400mV,T0-92,T | |
| | 4 | QS03 | 0501-000389 TR-SMALL SIGNAL;KSC815,NPN,400mV,T0-92,T | |
| | 4 | RS01 | 2001-000281 R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--|
| 4 | RS03 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 4 | RS05 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 4 | RS07 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 4 | RS10 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 4 | RS11 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 4 | RS02 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 4 | RS04 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 4 | RS06 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M | |
| 4 | LS01 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| 4 | PCB | AA41-00153E | PCB-VIDEO SWITCH;CS29A6,FR-1,1L,E,1.6T,2 | |
| 4 | CS08 | 2305-000665 | C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m | |
| 4 | DZS01 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 4 | DZS02 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 4 | RS12 | 2001-000969 | R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 4 | RS13 | 2001-000969 | R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM | |
| 3 | | HA98-600012 | ASSY-SUB PART;PCB-WIDE,S51A,WIDE | |
| 4 | | 0202-000008 | SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb, | |
| 4 | | 0202-000187 | SOLDER-WIRE FLUX;-RS60S,D1,2.63Sn/37Pb | |
| 4 | | 0204-001024 | FLUX;DF-98TVS,-,20%,- | |
| 4 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| 2 | C820 | 2401-003076 | C-AL;330uF,20%,50V,WBPB,18x35.5mm | |
| 2 | R807 | 2006-001083 | R-CEMENT;120ohm,5%,5W,CJ,TP,14x10x27mm | |
| 2 | C423 | 2306-001017 | C-FILM,MPPF;680nF,5%,400V,TP,26x14.5x24m | |
| 2 | C406 | 2303-001015 | C-FILM,PPF;5.5nF,5%,1.6kV,TP,29x9.5x17.2 | |
| 2 | C405 | 2303-001015 | C-FILM,PPF;5.5nF,5%,1.6kV,TP,29x9.5x17.2 | |
| 2 | JA702 | 3722-001425 | JACK-PIN;2P,3.4mm,NJ,BLK,- | |
| 2 | TOP | AA39-20010B | LEAD CONNECTOR-ASSY;1PYFH800-01,S,500, | |
| 2 | L808 | AA27-10002L | COIL-CHOKE;-24uH,K,-2A,-24UH-K,10x10m | |
| 2 | L402 | AA27-10004F | COIL-CHOKE;-56uH,K,-2.5A,BK,-,DR12x15, | |
| △ | 2 | T444S | AA26-00147A | TRANS FBT;1372.0079A,CT29A7DR,1.22MH,135 |
| △ | 2 | IC201S | HA98-00134B | ASSY-SIPAD0SS MODULE;DPK3A,100HZ,SDA94 |
| 3 | | AA95-00989A | ASSY-CHROMA BODY;DP,KS3A,-,100HZ | |
| 4 | P1 | 3711-004782 | CONNECTOR-HEADER;NOWALL,32P1R,1.778MM,S | |
| 4 | P2 | 3711-004782 | CONNECTOR-HEADER;NOWALL,32P1R,1.778MM,S | |
| 4 | PCB | AA41-00411A | PCB-SIPADOS BODY;CS29A5,FR-4,2LA,1.6T,1 | |
| 3 | IC3 | 1204-001909 | IC-VIDEO PROCESS;DDP3310B-F6,PLCC,68P,- | |
| 3 | IC1 | 1204-001789 | IC-VIDEO PROCESS;VPC3230D-B3,QFP80P,787 | |
| 3 | IC2 | 1204-001858 | IC-PICTURE PROCESS;SDA9401,QFP64P,-,PLA | |
| 3 | JP1 | 2007-000070 | R-CHIP;0ohm,5%,1/16W,DA,TP,1608 | |
| 3 | R17 | 2007-000070 | R-CHIP;0ohm,5%,1/16W,DA,TP,1608 | |
| 3 | R19 | 2007-000070 | R-CHIP;0ohm,5%,1/16W,DA,TP,1608 | |
| 3 | R7 | 2007-000070 | R-CHIP;0ohm,5%,1/16W,DA,TP,1608 | |
| 3 | L1 | 2007-000070 | R-CHIP;0ohm,5%,1/16W,DA,TP,1608 | |
| 3 | R10 | 2007-000084 | R-CHIP;4.7Kohm,5%,1/16W,DA,TP,1608 | |
| 3 | R1 | 2007-000090 | R-CHIP;10KOHM,5%,1/16W,DA,TP,1608 | |
| 3 | R2 | 2007-000090 | R-CHIP;10KOHM,5%,1/16W,DA,TP,1608 | |
| 3 | R3 | 2007-000090 | R-CHIP;10KOHM,5%,1/16W,DA,TP,1608 | |
| 3 | R4 | 2007-000090 | R-CHIP;10KOHM,5%,1/16W,DA,TP,1608 | |
| 3 | R5 | 2007-000090 | R-CHIP;10KOHM,5%,1/16W,DA,TP,1608 | |
| 3 | R13 | 2007-001166 | R-CHIP;75OHM,5%,1/10W,DA,TP,2012 | |
| 3 | R14 | 2007-001166 | R-CHIP;75OHM,5%,1/10W,DA,TP,2012 | |
| 3 | R15 | 2007-001166 | R-CHIP;75OHM,5%,1/10W,DA,TP,2012 | |
| 3 | R6 | 2007-001167 | R-CHIP;75ohm,5%,1/16W,DA,TP,1608 | |
| 3 | R9 | 2007-001167 | R-CHIP;75ohm,5%,1/16W,DA,TP,1608 | |
| 3 | CD3 | 2203-000041 | C-CERAMIC,CHIP;0.01nF,0.25pF,50V,NP0,TP, | |
| 3 | CD4 | 2203-000041 | C-CERAMIC,CHIP;0.01nF,0.25pF,50V,NP0,TP, | |
| 3 | C21 | 2203-000181 | C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP, | |
| 3 | C39 | 2203-000181 | C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP, | |
| 3 | C42 | 2203-000181 | C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP, | |
| 3 | C43 | 2203-000181 | C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP, | |
| 3 | C44 | 2203-000181 | C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP, | |
| 3 | C51 | 2203-000181 | C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP, | |
| 3 | C52 | 2203-000181 | C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP, | |
| 3 | C53 | 2203-000181 | C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP, | |
| 3 | C54 | 2203-000181 | C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP, | |
| 3 | C55 | 2203-000181 | C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP, | |
| 3 | C56 | 2203-000181 | C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP, | |
| 3 | C57 | 2203-000181 | C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP, | |
| 3 | C27 | 2203-000236 | C-CERAMIC,CHIP;0.1nF,5%,50V,NP0,TP,1608 | |
| 3 | C33 | 2203-000236 | C-CERAMIC,CHIP;0.1nF,5%,50V,NP0,TP,1608 | |
| 3 | C37 | 2203-000236 | C-CERAMIC,CHIP;0.1nF,5%,50V,NP0,TP,1608 | |
| 3 | C16 | 2203-000257 | C-CERAMIC,CHIP;10nF,10%,50V,X7R,TP,1608 | |
| 3 | C1 | 2203-000491 | C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608 | |
| 3 | C13 | 2203-000491 | C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608 | |
| 3 | C17 | 2203-000491 | C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608 | |
| 3 | C18 | 2203-000491 | C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608 | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark | Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|--------------|--|--------|-------|----------|-------------|---|--------|
| 3 | C2 | 2203-000491 | C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP;1608 | | 2 | | HA61-00450C | HOLDER-POWER;32Z5,HIPS,HB,GRY | |
| 3 | C24 | 2203-000491 | C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP;1608 | | 3 | | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB | |
| 3 | C25 | 2203-000491 | C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP;1608 | | 3 | | HA83-00012A | LP-RESIN;M BATCH,WILSON 6053-GY-60,GRY | |
| 3 | C26 | 2203-000491 | C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP;1608 | | 2 | | AA95-01547A | ASSY-PCB SUB POWER;28-32Z4,KS3A-4A | |
| 3 | C5 | 2203-000491 | C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP;1608 | | △ 3 | SW811S | 3403-001107 | SWITCH-PUSH;250V,5A,DPST,-,KDC-A04 | |
| 3 | C7 | 2203-000491 | C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP;1608 | | 3 | | AA39-20179F | LEAD CONNECTOR-ASSY;3(2P);YFH800-150,S | |
| 3 | C8 | 2203-000491 | C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP;1608 | | 3 | PCB | AA41-00521A | PCB-MASTER S/W;CS32Z4,FR-1,1LA,1.6T,245 | |
| 3 | C9 | 2203-000491 | C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP;1608 | | 3 | EL01 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 3 | C20 | 2203-000552 | C-CERAMIC,CHIP;0.02nF,5%,50V,NP0,TP;1608 | | 3 | EL02 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 3 | C6 | 2203-000659 | C-CERAMIC,CHIP;0.27nF,5%,50V,NP0,TP;1608 | | 3 | EL03 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 3 | C23 | 2203-000975 | C-CERAMIC,CHIP;47nF,10%,25V,X7R,TP;1608, | | 3 | EL04 | AA60-40011A | EYELET;ID2.0,OD2.8,-,BST,- | |
| 3 | C3 | 2203-000975 | C-CERAMIC,CHIP;47nF,10%,25V,X7R,TP;1608, | | 3 | GTU05 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 3 | C11 | 2203-001052 | C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP;160 | | 3 | GTU06 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 3 | C14 | 2203-001052 | C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP;160 | | 3 | GTU07 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 3 | C19 | 2203-001052 | C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP;160 | | 3 | GTU08 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 3 | C4 | 2203-001052 | C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP;160 | | 3 | GTU09 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 3 | C22 | 2203-001256 | C-CERAMIC,CHIP;0.008nF,0.25pF,50V,NP0,TP | | 3 | GTU10 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 3 | C38 | 2203-001603 | C-CERAMIC,CHIP;220nF,10%,16V,X7R,TP;2012 | | 3 | | AA98-00228A | ASSY SUB PART;KS4A,SUB PCB,32Z4 | |
| 3 | C28 | 2203-002494 | C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP;2012 | | 4 | | 0202-000008 | SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb, | |
| 3 | C32 | 2203-002494 | C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP;2012 | | 4 | | 0202-000187 | SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb | |
| 3 | C34 | 2203-002494 | C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP;2012 | | 4 | | 0204-001024 | FLUX;DF-98TVS,-,20%,- | |
| 3 | C36 | 2203-002494 | C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP;2012 | | 4 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| 3 | CE1 | 2401-000480 | C-AL;10uF,20%,50V,GP,TP;5x11,5 | | 2 | | AA95-01545A | ASSY-PCB LED BOARD;XXZ4,KS3A | |
| 3 | CE2 | 2401-000480 | C-AL;10uF,20%,50V,GP,TP;5x11,5 | | 3 | LDY01 | 0601-000198 | LED;ROUND,RED/GRN,5.0mm,630/565nm | |
| 3 | CE4 | 2401-000480 | C-AL;10uF,20%,50V,GP,TP;5x11,5 | | 3 | RMN01 | AA32-00005A | MODULE REMOCON;VISHAY;10,700-850,-,ST | |
| 3 | CE5 | 2401-000480 | C-AL;10uF,20%,50V,GP,TP;5x11,5 | | 3 | CNY01 | AA39-20069D | LEAD CONNECTOR-ASSY;5PYBNH025-05,67096 | |
| 3 | CE3 | 2401-001026 | C-AL;3.3uF,20%,50V,GP,TP;5X11,5 | | 3 | DZY01 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 3 | L2 | 2702-001092 | INDUCTOR-RADIAL;2.2uH,10%,6x4mm | | 3 | DZY02 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 | |
| 3 | X2 | 2801-003432 | CRYSTAL-UNIT;20.25MHZ,30PPM,28-AAM,13PF, | | 3 | RY01 | 2001-000020 | R-CARBON(S);220HM,5%,1/ZW,AA,TP;2.4X6.4M | |
| 3 | L3 | 3301-001324 | CORE-FERRITE BEAD;AB,150HM,2X1.25X0.9MM, | | 3 | RY03 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 3 | L4 | 3301-001324 | CORE-FERRITE BEAD;AB,150HM,2X1.25X0.9MM, | | 3 | RY04 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 3 | CN64 | 3711-004778 | CONNECTOR-HEADER;NOWALL,64P,2R,2MM,ANGLE | | 3 | PCB | AA41-00520A | PCB-LED;CS32Z4,FR-1,1LA,1.6T,245X245, | |
| 3 | PCB | AA41-00475A | PCB-SIPADOS TOP;CS29A5,FR-4,4LA,1.6T,18 | | 3 | CY01 | 2401-002291 | C-AL;47uF,20%,16V,GP,TP;6.3x5,5 | |
| 2 | L403 | AA27-300030Q | COIL-LINEARLTY;-,8.8uH,YL81 15x18,USTCO | | 2 | SW+H | 6001-000057 | SCREW-MACHINE,RH,+ ,M3,L6,ZPC(BLK),SWRCH1 | |
| 2 | CN801 | 3711-004721 | CONNECTOR-HEADER;3WALL,2P1R,12.5mm,STRA | | | | | | |
| 2 | CN802 | 3711-004720 | CONNECTOR-HEADER;3WALL,2P1R,12.5mm,STRA | | | | | | |
| 2 | CN602 | AA39-00191A | LEAD CONNECTOR ASSY;4P;35155-0400,35155 | | | | | | |
| 2 | CN701A | AA39-00306A | LEAD CONNECTOR ASSY;KS3A,UL2547#26,UL/CS | | | | | | |

ASSY PCB CONTROL

| | | | |
|---|-------|-------------|--|
| 1 | * | AA95-01531A | ASSY PCB CONTROL;KS3A,XXZ4 |
| 2 | CON+H | 6003-000333 | SCREW-TAPTITE;RH,+2S,M3,L10,ZPC(YEL),SW |
| 2 | CNY01 | AA39-20005E | LEAD CONNECTOR ASSY;WS32Z46V,UL1007#26,U |
| 2 | | HA64-01201J | KNOBCONTROL;32W5,HIPS,HB,GD-906P,GRY |
| 3 | | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB |
| 3 | | HA83-00012A | LP-RESIN;M BATCH,WILSON 6053-GY-60,GRY |
| 3 | | HA83-00034A | LP-MARKING PAINT;METALLIC-CHAMPAGNE,GD- |
| 2 | DZY02 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 |
| 2 | DZY03 | 0403-000508 | DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500 |
| 2 | RY03 | 2001-000007 | R-CARBON;3KOHM,5%,1/8W,AA,TP;1.8X3.2MM |
| 2 | RY05 | 2001-000009 | R-CARBON;20KOHM,5%,1/8W,AA,TP;1.8X3.2MM |
| 2 | RY06 | 2001-000281 | R-CARBON;100OHM,5%,1/8W,AA,TP;1.8X3.2MM |
| 2 | RY02 | 2001-000577 | R-CARBON;2KOHM,5%,1/8W,AA,TP;1.8X3.2MM |
| 2 | RY04 | 2001-000878 | R-CARBON;6.2KOHM,5%,1/8W,AA,TP;1.8X3.2M |
| 2 | LY01 | 2701-000136 | INDUCTOR-AXIAL;18uH,10%,2.5x3.4mm |
| 2 | LY02 | 2701-000136 | INDUCTOR-AXIAL;18uH,10%,2.5x3.4mm |
| 2 | SWY01 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS |
| 2 | SWY02 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS |
| 2 | SWY03 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS |
| 2 | SWY04 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS |
| 2 | SWY05 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS |
| 2 | SWY06 | 3404-000282 | SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS |
| 2 | JY01 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | RY08 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) |
| 2 | PCB | AA41-00522A | PCB-CONTROL;CS32Z4,FR-1,1LA,1.6T,245X24 |

ASSY-PCB POWER SWITCH

| | | | |
|---|-------|-------------|---|
| 1 | * | AA95-01549A | ASSY-PCB POWER SWITCH;XXZ4,KS3A |
| 2 | LED+H | 6003-000333 | SCREW-TAPTITE;RH,+2S,M3,L10,ZPC(YEL),SW |

ASSY PCB CRT

| | | | |
|---|---|-------------|--|
| 1 | * | AA95-01540A | ASSY PCB CRT;KS3A,28,A8-K8,W8-Z4,100HZ |
| 2 | | AA63-10002A | BAND-TIE;- ,NYLON66 V2,-,L100,NTR,- |

CONNECTOR-HEADER;BOX

| | | | |
|---|--------|-------------|---|
| 2 | CN501A | 3711-002641 | CONNECTOR-HEADER;BOX,10P,1R,2.54mm,STRAI |
| 2 | CN501A | AA39-00225A | LEAD CONNECTOR ASSY;10P;67096-010,S,600 |
| 2 | CN502A | 3711-002646 | CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGH |
| 2 | CN502E | AA39-20029K | LEAD CONNECTOR ASSY;7P;67096-007,S,400 |
| 2 | CNF01 | 3711-002642 | CONNECTOR-HEADER;BOX,3P,1R,2.5mm,STRAIGH |
| 2 | CNG01 | 3711-002643 | CONNECTOR-HEADER;BOX,4P,1R,2.5mm,STRAIGH |
| 2 | IC501 | HA96-50151B | ASSY-H/S;- ,AMP;AA61-10060A,TDA6111Q,- |
| 2 | IC502 | HA96-50151B | ASSY-H/S;- ,AMP;AA61-10060A,TDA6111Q,- |
| 2 | IC503 | HA96-50151B | ASSY-H/S;- ,AMP;AA61-10060A,TDA6111Q,- |
| 3 | | 1201-001131 | IC-VIDEO AMP;6111,9IP,9,-,SINGLE,-,PLAS |
| 3 | | 6001-000057 | SCREW-MACHINE,RH,+ ,M3,L6,ZPC(BLK),SWRCH1 |
| 3 | | 6021-000154 | NUT-HEXAGON;2C,M3,ZPC(YEL),SM20C |
| 3 | | AA61-10060A | BRACKET-TR;W3220,CUS-1 1/2H,T0.5,-,-,- |
| 2 | ICG01 | 1201-000191 | IC-OP AMP;4558,DIP8P;300MIL,DUAL,20V/mV |
| 2 | QG03 | 0502-001007 | TR-POWER;KSC2073-H2,NPN,25W,T0-220,ST,6 |
| 2 | VA999 | 3704-000114 | SOCKET-CRT;14P;29.1,35.5,SN,ISH09S/BK |
| 2 | C502 | 2305-000704 | C-FILM,MPEF;100nF,5%,250V,TP;16.5x10.3x5 |
| 2 | C505 | 2305-000704 | C-FILM,MPEF;100nF,5%,250V,TP;16.5x10.3x5 |
| 2 | C508 | 2305-000704 | C-FILM,MPEF;100nF,5%,250V,TP;16.5x10.3x5 |
| 2 | CF07 | 2305-000704 | C-FILM,MPEF;100nF,5%,250V,TP;16.5x10.3x5 |
| 2 | C503 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5 |
| 2 | C506 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5 |
| 2 | C509 | 2201-000599 | C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5 |
| 2 | C511 | 2401-001232 | C-AL;4.7uF,20%,250V,GP,TP;10x12.5,5 |
| 2 | C512 | 2401-000914 | C-AL;22uF,20%,16V,GP,TP;5x11,5 |
| 2 | C515 | 2401-000914 | C-AL;22uF,20%,16V,GP,TP;5x11,5 |
| 2 | C526 | 2401-000914 | C-AL;22uF,20%,16V,GP,TP;5x11,5 |
| 2 | C514 | 2401-000430 | C-AL;10uF,20%,250V,GP,TP;10x16mm,5m |
| 2 | C518 | 2301-000224 | C-FILM,PEF;22nF,5%,50V,TP;7.4x3.9x13mm,5 |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | C519 | 2301-000224 | C-FILM,PEF;22nF5%,50V,TP7,4x3.9x13mm,5 | |
| 2 | C520 | 2301-000224 | C-FILM,PEF;22nF5%,50V,TP7,4x3.9x13mm,5 | |
| 2 | C521 | 2301-000224 | C-FILM,PEF;22nF5%,50V,TP7,4x3.9x13mm,5 | |
| 2 | C522 | 2301-000224 | C-FILM,PEF;22nF5%,50V,TP7,4x3.9x13mm,5 | |
| 2 | C523 | 2301-000224 | C-FILM,PEF;22nF5%,50V,TP7,4x3.9x13mm,5 | |
| 2 | CF01 | 2201-000180 | C-CERAMIC,DISC;10nF,10%,50V,Y5V,TP7x3,5 | |
| 2 | CF02 | 2301-000192 | C-FILM,PEF;1nF5%,50V,TP5,3x10mm,5mm | |
| 2 | C516 | 2301-000192 | C-FILM,PEF;1nF5%,50V,TP5,3x10mm,5mm | |
| 2 | CF03 | 2201-000376 | C-CERAMIC,DISC;0.22nF5%,50V,SL,TP6,3x3 | |
| 2 | CF04 | 2201-000653 | C-CERAMIC,DISC;0.068nF5%,50V,SL,TP5x3, | |
| 2 | CF05 | 2301-000261 | C-FILM,PEF;4.7nF5%,100V,TP10,5x12.5x6 | |
| 2 | CF06 | 2201-000516 | C-CERAMIC,DISC;4.7nF,+100-0%,500V,Y5U,TP | |
| 2 | CF08 | 2201-000604 | C-CERAMIC,DISC;0.056nF,+100-0%,500V,SL,T | |
| 2 | CF10 | 2401-001840 | C-AL;100uF20%,16V,GPTP6,3x11,5 | |
| 2 | CF12 | 2401-001840 | C-AL;100uF20%,16V,GPTP6,3x11,5 | |
| 2 | CF14 | 2401-000832 | C-AL;220uF20%,25V,GPTP8x11,5,5 | |
| 2 | CG01 | 2401-000832 | C-AL;220uF20%,25V,GPTP8x11,5,5 | |
| 2 | CG04 | 2401-000832 | C-AL;220uF20%,25V,GPTP8x11,5,5 | |
| 2 | CG02 | 2305-000149 | C-FILM,MPEF;100nF5%,100V,TP12x12.5x6.5 | |
| 2 | CG03 | 2401-000493 | C-AL;10uF20%,50V,LZ,TP5x11mm,5mm | |
| 2 | D502 | 0402-000132 | DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP | |
| 2 | D507 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | D508 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | D509 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | D510 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | D511 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | D512 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | DF02 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | DF03 | 0402-001105 | DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,- | |
| 2 | DF01 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | DF04 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | DG01 | 0401-000005 | DIODE-SWITCHING;1N4148,100V,200mA,DO-35, | |
| 2 | DZ503 | 0403-001211 | DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D | |
| 2 | KEZ1 | 0403-001211 | DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D | |
| 2 | DZF01 | 0403-001039 | DIODE-ZENER;MA2560,56V,52-60V,1W,DO-41,T | |
| 2 | DZF02 | 0403-001039 | DIODE-ZENER;MA2560,56V,52-60V,1W,DO-41,T | |
| 2 | EL81 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP- | |
| 2 | EL82 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP- | |
| 2 | EL83 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP- | |
| 2 | EL84 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP- | |
| 2 | EL85 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP- | |
| 2 | EL86 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP- | |
| 2 | EL87 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP- | |
| 2 | EL88 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP- | |
| 2 | EL89 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP- | |
| 2 | EL91 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP- | |
| 2 | EL92 | AA60-40011B | EYELET;ID2.2,OD3.2,-,BSP- | |
| 2 | GT504 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | GT505 | AA60-40014A | PIN-GT,ASSY;1P,-,AUTO | |
| 2 | J501 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J503 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J505 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J506 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J507 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J508 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J509 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J510 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J511 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JF01 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JF02 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JF03 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JF04 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JF05 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JG01 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J512 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J513 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J514 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J515 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J516 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J517 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J518 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J519 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J520 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J524 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J526 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J527 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|
| 2 | J528 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JF06 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | JF07 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J529 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J530 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J521 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J523 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | J531 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | R504 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | R509 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | R539 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| 2 | LF02 | 2701-000112 | INDUCTOR-AXIAL;100uH,10%,3x7mm | |
| 2 | LF01 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | L505 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | L506 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | LF03 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| 2 | PCB | AA41-00210D | PCB-CRTCS29AG,FR-1,1LD,1.6T,330x245, | |
| 2 | Q502 | 0501-000283 | TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T | |
| 2 | Q501 | 0501-000283 | TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T | |
| 2 | Q503 | 0501-000283 | TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T | |
| 2 | Q504 | 0501-000283 | TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T | |
| 2 | QF01 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | QF02 | 0501-000389 | TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T | |
| 2 | QF03 | 0501-000369 | TR-SMALL SIGNAL;KSC2331-Y,NPN,1000mW,TO- | |
| 2 | RF10 | 2001-000241 | R-CARBON;1.5KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | RF11 | 2001-000241 | R-CARBON;1.5KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R505 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP3.7x9 | |
| 2 | R510 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP3.7x9 | |
| 2 | R515 | 2002-001017 | R-COMPOSITION;1Kohm,10%,1/2W,AA,TP3.7x9 | |
| 2 | R517 | 2001-001062 | R-CARBON(S);10MOHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | RF18 | 2003-000458 | R-METAL OXIDE(S);100ohm,5%,2W,AF,TP4x12 | |
| 2 | R519 | 2002-001009 | R-COMPOSITION;2.7Kohm,10%,1/2W,AA,TP3.7 | |
| 2 | R501 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R506 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | R511 | 2001-000429 | R-CARBON;1KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | RF02 | 2001-000734 | R-CARBON;4.7KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | RF03 | 2001-000362 | R-CARBON;150OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | RF04 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | R522 | 2001-000449 | R-CARBON;2.2KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | RF05 | 2001-000522 | R-CARBON;22KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | RF06 | 2001-000989 | R-CARBON;820KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | RF07 | 2004-001989 | R-METAL;620OHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | RF08 | 2001-000313 | R-CARBON;11KOHM,5%,1/8W,AA,TP1.8X3.2MM | |
| 2 | RF09 | 2001-000221 | R-CARBON;1.2KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | RF12 | 2001-000221 | R-CARBON;1.2KOHM,5%,1/8W,AA,TP1.8X3.2M | |
| 2 | RF13 | 2001-001179 | R-CARBON(S);68KOHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | RF16 | 2001-001179 | R-CARBON(S);68KOHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | RF14 | 2001-001071 | R-CARBON(S);12KOHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | RF15 | 2001-001100 | R-CARBON(S);2.7OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | RF17 | 2001-001100 | R-CARBON(S);2.7OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | RG06 | 2001-001100 | R-CARBON(S);2.7OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | RG07 | 2001-001100 | R-CARBON(S);2.7OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | RF19 | 2003-001023 | R-METAL OXIDE(S);120ohm,5%,2W,AF,TP3.9x | |
| 2 | RF20 | 2003-002214 | R-METAL OXIDE(S);680ohm,5%,2W,AG,TP3.9x | |
| 2 | RF21 | 2003-002214 | R-METAL OXIDE(S);680ohm,5%,2W,AG,TP3.9x | |
| 2 | RF22 | 2003-002214 | R-METAL OXIDE(S);680ohm,5%,2W,AG,TP3.9x | |
| 2 | RF23 | 2003-000746 | R-METAL OXIDE(S);56ohm,5%,2W,AF,TP4x12m | |
| 2 | RF24 | 2003-000746 | R-METAL OXIDE(S);56ohm,5%,2W,AF,TP4x12m | |
| 2 | RF25 | 2003-002009 | R-METAL OXIDE(S);390ohm,5%,2W,AF,TP3.9x | |
| 2 | RG02 | 2004-002022 | R-METAL(S);51Kohm,1%,1/2W,AA,TP2.4x6.4m | |
| 2 | RG04 | 2004-002022 | R-METAL(S);51Kohm,1%,1/2W,AA,TP2.4x6.4m | |
| 2 | RG05 | 2001-001163 | R-CARBON(S);560OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | RG08 | 2001-001163 | R-CARBON(S);560OHM,5%,1/2W,AA,TP2.4X6.4 | |
| 2 | L503 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,3.5x5,TP- | |
| 2 | L504 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,3.5x5,TP- | |
| 2 | LF04 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,3.5x5,TP- | |
| 2 | LF05 | 2901-000297 | FILTER-EMI ON BOARD;-3A,-,3.5x5,TP- | |
| 2 | R502 | 2001-001093 | R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP2.4X6 | |
| 2 | R507 | 2001-001093 | R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP2.4X6 | |
| 2 | R512 | 2001-001093 | R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP2.4X6 | |
| 2 | R503 | 2001-000085 | R-CARBON(S);100KOHM,5%,1/2W,AA,TP2.4X6 | |
| 2 | R508 | 2001-000085 | R-CARBON(S);100KOHM,5%,1/2W,AA,TP2.4X6 | |
| 2 | R513 | 2001-000085 | R-CARBON(S);100KOHM,5%,1/2W,AA,TP2.4X6 | |
| 2 | R526 | 2004-000500 | R-METAL;2.7Kohm,1%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R527 | 2004-000433 | R-METAL;1Kohm,1%,1/8W,AA,TP1.8x3.2mm | |
| 2 | R518 | 2003-002171 | R-METAL OXIDE(S);150ohm,5%,2W,AG,TP3.9x | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark | Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|--|--------|-------|----------|-------------|--|--------|
| 2 | R542 | 2001-000832 | R-CARBON;510OHM,5%,1/8W,AA,TP1.8X3.2MM | | 3 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | |
| 2 | R543 | 2001-000832 | R-CARBON;510OHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | | HA61-00987A | HOLDER-PFC;32W8,29A8,28W8,HIPS,ALLFLAT | |
| 2 | R544 | 2001-000832 | R-CARBON;510OHM,5%,1/8W,AA,TP1.8X3.2MM | | 3 | | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB | |
| 2 | R546 | 2001-000832 | R-CARBON;510OHM,5%,1/8W,AA,TP1.8X3.2MM | | 3 | | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | L501 | 2701-000178 | INDUCTOR-AXIAL;33uH,10%,3x7mm | | 2 | CNP02 | 3711-004721 | CONNECTOR-HEADER;3WALL,2P1R,12.5mm,STRA | |
| 2 | R521 | 2001-000660 | R-CARBON;33KOHM,5%,1/8W,AA,TP1.8X3.2MM | | 2 | CNP01 | 3711-004720 | CONNECTOR-HEADER;3WALL,2P1R,12.5mm,STRA | |
| 2 | RG01 | 2004-001397 | R-METAL(S);4.7Kohm,1%,1/2W,AA,TP2.4x6.4 | | 2 | | 6003-001023 | SCREW-TAPTITE;RWH+,B,M3,L10,ZPC(YEL),SW | |
| 2 | RG03 | 2004-001987 | R-METAL(S);4.3Kohm,1%,1/2W,AA,TP2.4x6.4 | | △ 2 | LX803S | AA29-00015A | FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+ | |
| 2 | DZG501 | 0403-001328 | DIODE-ZENER;MTZJ22A,20.15-21.20V,500mW,D | | △ 2 | CX803S | 2306-000318 | C-FILM,MPPF;220nF,20%,250V,TP,-22.5mm | |
| 2 | L507 | 2701-000215 | INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm | | | | | | |
| 2 | SG501 | AA27-00084A | COIL;S-23,-,-,-,-,-,S-23,5000Mohm | | | | | | |
| 2 | SG502 | AA27-00084A | COIL;S-23,-,-,-,-,-,S-23,5000Mohm | | | | | | |
| 2 | SG503 | AA27-00084A | COIL;S-23,-,-,-,-,-,S-23,5000Mohm | | | | | | |
| 2 | SG504 | AA27-00084A | COIL;S-23,-,-,-,-,-,S-23,5000Mohm | | | | | | |
| 2 | SG505 | AA27-00084A | COIL;S-23,-,-,-,-,-,S-23,5000Mohm | | | | | | |
| 2 | KEZ1 | 2008-001079 | R-FUSIBLE;4.7OHM,5%,2W,A,TP;3.9X10MM | | 1 | * | AA91-00995A | ASSY-SIDE,AV;-KS3A,SVHS,28Z4H | |
| 2 | | HA98-00054A | ASSY SUB PART;ASSY SUB PART;KS3A,PCB,CRT | | 2 | | HA61-00451E | HOLDER-AV;32Z5,HIPS,HB,GRY | |
| 3 | | 0202-000008 | SOLDER-WIRE;S63S-W3.0,S63S,D3.63Sn/37Pb, | | 2 | | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB | |
| 3 | | 0202-000187 | SOLDER-WIRE FLUX;-RS60S,D1.2,63Sn/37Pb | | 3 | | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY | |
| 3 | | 0204-000442 | SOLVENT;1M-1000,C3H7OH,96,- | | 2 | | HA61-00452D | HOLDER-AV,COVER;32Z5,HIPS,HB,GRY | |
| 3 | | 0204-001024 | FLUX;DF-98TVS,-,20%,- | | 3 | | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB | |
| 2 | QF04 | HA96-50149A | ASSY-H/S;-AA62-30013A,2SC2344,- | | 3 | | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY | |
| 3 | | 0502-000153 | TR-POWER;2SC2344-D,NPN,1.2W,TO-220,-,60 | | 2 | | HA61-00453D | HOLDER-AV,HOUSING;32Z5,HIPS,HB,GRY | |
| 3 | SCR09 | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | | 3 | | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB | |
| 3 | H/S09 | AA62-30013A | HEAT-SINK,ES;-A6063 EXTR,-,45(21) T02 | | 3 | | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | QF05 | HA96-50149B | ASSY-H/S;-TR,AA62-30013A,2SA1011,- | | 2 | | AA64-01204E | INLAY-SIDE,AV;32Z4,PS SHEET,TO.3,KS3A PA | |
| 3 | QV10 | 0502-000131 | TR-POWER;2SA1011-D,PNP,1.2W,TO-220,-,60 | | 2 | | AA63-10002A | BAND-TIE;-NYLON66 V2,-,L100,NTR,- | |
| 3 | SCR10 | 6003-000333 | SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW | | 2 | | 6003-001070 | SCREW-TAPTITE;BH,+,B,M2,L4,ZPC(BLK),SWRC | |
| 3 | H/S10 | AA62-30013A | HEAT-SINK,ES;-A6063 EXTR,-,45(21) T02 | | 2 | | AA61-80002A | DAMPER-GEAR;-DP802,-,-,-,BLU,DP802 | |
| 2 | C510 | 2401-001525 | C-AL;47uF,20%,250V,GPBK,16x25mm,7. | | 2 | | AA61-60109D | SPRING-DOOR;32W8,SUS304L,-,-,-,-,- | |
| 2 | CF11 | 2401-000927 | C-AL;22uF,20%,250V,GP,TP;13x20,5 | | 2 | | AA61-30001A | LATCH-DOOR;-,-,-,-,-,KIFUCO LA701 | |
| 2 | JA501 | 3722-001503 | JACK-PIN;1P,1P1,N1,RED,SCR-JACK | | 2 | | AA95-01512A | ASSY-PCB A/V BOARD;-28Z4,KS3A,100HZ | |
| 2 | CNF01 | AA39-20033C | LEAD CONNECTOR-ASSY;,3(2)P;67096-003,S,2 | | 3 | JH701 | 3722-000143 | JACK-PHONE;1P(VER),3.4P1,AG,BLK,NO | |
| 2 | QG02 | 0502-000244 | TR-POWER;KSA940,PNP,1.5W,TO-220,-,40-14 | | 3 | JA701 | 3722-001031 | JACK-PIN;3P,3.6mm,#18,AU | |
| 2 | C513 | 2201-000723 | C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5 | | 3 | JS701 | 3722-001163 | JACK-VHS;4P,12mm,AU,BLK,N | |
| | | | | | 3 | CN704 | AA39-00070A | LEAD CONNECTOR-ASSY;,4PYBNH250-04,35184 | |
| | | | | | 3 | CN705 | AA39-20009E | LEAD CONNECTOR-ASSY;,1PYFHH00-01,600,16 | |
| | | | | | 3 | CN701 | AA39-20068G | LEAD CONNECTOR-ASSY;,8PYBNH025-08,67096 | |
| | | | | | 3 | CN703 | AA39-20069A | LEAD CONNECTOR-ASSY;,5PYBNH025-05,67096 | |
| | | | | | 3 | CN702 | AA39-20070J | LEAD CONNECTOR-ASSY;,7PYBNH250-07,67096 | |
| | | | | | 3 | R701 | 2001-000028 | R-CARBON(S);100OHM,5%,1/2W,AA,TP2.4X6.4 | |
| | | | | | 3 | R702 | 2001-000028 | R-CARBON(S);100OHM,5%,1/2W,AA,TP2.4X6.4 | |
| | | | | | 3 | C701 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP | |
| | | | | | 3 | C702 | 2202-000121 | C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP | |
| | | | | | 3 | C703 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| | | | | | 3 | C704 | 2202-000231 | C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP | |
| | | | | | 3 | C707 | 2202-000243 | C-CERAMIC,MLC-AXIAL;33pF,5%,50V,SL,TP,3. | |
| | | | | | 3 | C708 | 2202-000243 | C-CERAMIC,MLC-AXIAL;33pF,5%,50V,SL,TP,3. | |
| | | | | | 3 | C705 | 2401-002009 | C-AL;100uF,20%,16V,GP,TP,6.3x7.5 | |
| | | | | | 3 | C706 | 2401-002009 | C-AL;100uF,20%,16V,GP,TP,6.3x7.5 | |
| | | | | | 3 | L701 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| | | | | | 3 | L702 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| | | | | | 3 | L703 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| | | | | | 3 | L704 | 2701-000114 | INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm | |
| | | | | | 3 | L707 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| | | | | | 3 | L708 | 3301-000287 | CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500, | |
| | | | | | 3 | J701 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| | | | | | 3 | L705 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| | | | | | 3 | L706 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| | | | | | 3 | L709 | 3812-000219 | WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING) | |
| | | | | | 3 | PCB | AA41-00545A | PCB-SIDE A/V;CS28Z4/32Z4,FR-1,1LA,1.6T, | |
| | | | | | 3 | | AA63-10002A | BAND-TIE;-NYLON66 V2,-,L100,NTR,- | |
| | | | | | 3 | | 6003-001070 | SCREW-TAPTITE;BH,+,B,M2,L4,ZPC(BLK),SWRC | |
| | | | | | 3 | | AA61-80002A | DAMPER-GEAR;-DP802,-,-,-,BLU,DP802 | |
| | | | | | 3 | | AA61-60109D | SPRING-DOOR;32W8,SUS304L,-,-,-,-,- | |
| | | | | | 3 | | AA61-30001A | LATCH-DOOR;-,-,-,-,-,KIFUCO LA701 | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| Level | Loc. No. | Code No. | Description ; Specification | Remark |
|-------|----------|-------------|---|--------|
| 2 | | AA65-30008A | CLAMP-CORD;-PE,HB,-,BLK,- | |
| 2 | CB+CF | 6003-001025 | SCREW-TAPTITE;RH,+2,M4,L20,ZPC(BLK),SWR | |
| 2 | CRT+CF | AA60-10050V | SCREW-ASSY;-SWRCH18A,M6,L30,HH,+WC,-Z | |
| 2 | CF+SPK | 6003-001024 | SCREW-TAPTITE;RWH,+2,M4,L12,ZPC(YEL),SW | |
| 2 | | AA65-30009A | CLAMP-FBT;-ABS,V0,-,BLK,- | |
| 2 | | AA65-30110A | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,BLK,P | |
| 2 | | HA68-02177A | LABEL-POS;LABEL-POS;135MM,34MM,WHITE | |
| 2 | | HA83-00046A | LP-TAPE INK;WIDTH 105 MM | |
| 2 | | HA68-02179A | LABEL-RATING;LABEL-RATING;58MM,53MM,WHIT | |
| 2 | | HA83-00052A | LP-TAPE-INK;WIDTH 55 MM | |
| 2 | CF+KC | 6002-000515 | SCREW-TAPPING;RH,+2,M4,L15,ZPC(WHT),SWR | |
| 2 | CF+HP | 6002-000515 | SCREW-TAPPING;RH,+2,M4,L15,ZPC(WHT),SWR | |
| 2 | TB+JAC | 6002-000515 | SCREW-TAPPING;RH,+2,M4,L15,ZPC(WHT),SWR | |
| 2 | | AA63-10002A | BAND-TIE;-NYLON66 V2,-,L100,NTR,- | |
| 2 | | AA65-30104B | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,BLK,W | |
| 2 | | AA65-30018A | CLAMP-WIRE;DONG-A,NYLON-66,-,-,DATL-60 | |
| 2 | HP+PCB | 6001-000057 | SCREW-MACHINE;RH,+2,M3,L6,ZPC(BLK),SWRCH1 | |
| 2 | KC+PCB | 6001-000057 | SCREW-MACHINE;RH,+2,M3,L6,ZPC(BLK),SWRCH1 | |
| 2 | | HA61-00450C | HOLDER-POWER;32Z5,HIPS,HB,GRY | |
| 3 | | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB | |
| 3 | | HA83-00012A | LP-RESIN;M BATCH,WILSON 6053-GY-60,GRY | |
| 2 | | AA64-00894G | INLAY BACK;D3,PS SHEET,T0.3,-,BLK,SCAR | |

ASSY CABINET FRONT

| | | | | |
|---|--------|-------------|--|--|
| 1 | * | HA91-00857C | ASSY CABINET FRONT;28Z4,KS3A,FLAT,99HZ | |
| 2 | CF+CM | 6002-000515 | SCREW-TAPPING;RH,+2,M4,L15,ZPC(WHT),SWR | |
| 2 | WIN+CF | 6002-000515 | SCREW-TAPPING;RH,+2,M4,L15,ZPC(WHT),SWR | |
| 2 | | AA64-01202B | WINDOW REMOCON;32Z5,PC,-,-,V0,VIOLET,- | |
| 3 | | HA83-00009A | LP-RESIN PC;LEXAN 121R,VIOLET | |
| 2 | | AA64-02112C | CABINET-MASK;28Z4,HIPS,HB,GD-906P;GRY | |
| 3 | | HA83-00034A | LP-MARKING PAINT;METALLIC-CHAMPAGNE,GD- | |
| 3 | | HA83-00021A | LP-MARKING PAINT;WHITE,TPC180 | |
| 3 | | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB | |
| 3 | | HA83-00012A | LP-RESIN;M BATCH,WILSON 6053-GY-60,GRY | |
| 2 | | AA64-01200J | KNOB POWER;32Z5,HIPS,HB,SV-012P-II,GRY | |
| 3 | | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB | |
| 3 | | HA83-00012A | LP-RESIN;M BATCH,WILSON 6053-GY-60,GRY | |
| 3 | | HA83-00040A | LP-MARKING PAINT;METALLIC SILVER,SV-012 | |
| 3 | | HA83-00019A | LP-MARKING PAINT;GREEN,TPC180 | |
| 2 | | AA64-01203B | INDICATOR LED;32Z5,ACRYL,-,CLR,-,-,- | |
| 3 | | HA83-00010A | LP-RESIN;OROGLAS,VM-100 ZHN 2 | |
| 2 | | AA64-02108B | CABINET-FRONT;28Z4,HIPS,HB,SV-012P-II+PA | |
| 3 | | HA83-00040A | LP-MARKING PAINT;METALLIC SILVER,SV-012 | |
| 3 | | HA83-00021A | LP-MARKING PAINT;WHITE,TPC180 | |
| 3 | | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB | |
| 3 | | HA83-00012A | LP-RESIN;M BATCH,WILSON 6053-GY-60,GRY | |
| 3 | | HA83-00017A | LP-MARKING PAINT;METALLIC BLACK,PA100 | |
| 2 | | AA64-70117B | BADGE-BRAND;-AL,-,-,L65,R2000,SILVER,SS | |
| 2 | | HA83-00049A | LP-ADHESIVE-HM;12MM,NTR | |
| 2 | | AA61-60003T | SPRING-CS;-SUS304,-,-,OD7,N5,OD7,-,-,- | |
| 2 | | AA65-30105A | CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,NTR,1 | |
| 2 | CM+CF | HA83-00053A | LP-TAPE-DOUBLEFACE;TESA 4952,T1.2MM,W9 | |
| 2 | | HA61-00711C | HOLDER-PCB;29K8,HIPS,HB,GRY | |
| 3 | | HA83-00006A | LP-RESIN HIPS;BASF495F,NTR,HB | |
| 3 | | HA83-00011A | LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY | |
| 2 | | HA83-00049A | LP-ADHESIVE-HM;12MM,NTR | |

ASSY CRT

| | | | | |
|---|---|-------------|---|--|
| 1 | * | AA94-05801A | ASSY CRT;W66QDE893X100,+380MG,28,16,9, | |
| 2 | | AA03-00330A | CRT COLOR;W66QDE893X100,400MG,0.33MMH,7.9 | |
| 2 | | AA27-00128A | COIL DEGAUSSING;-,-,-,50T7,-,29inch,2 | |
| 2 | | AA98-00025A | ASSY-TBC,WIRE(P);DP;29INCH,AA98-70008C,2 | |

ASSY HOLDER SPK

| | | | | |
|---|---|-------------|--|--|
| 1 | * | AA91-00820A | ASSY HOLDER SPK;-,-,15W, 8OHM,-,EUROPE F | |
|---|---|-------------|--|--|

REMOCON

| | | | | |
|---|---|-------------|---------------------------------------|--|
| 1 | * | AA59-00116B | REMOCON;-TM57,37,D3/D4,L/GRAY,S/S,GRA | |
|---|---|-------------|---------------------------------------|--|

ASSY-POWER,CORD

| | | | | |
|---|---|-------------|--|--|
| 1 | * | AA96-00094A | ASSY-POWER,CORD;DP;CP2/NQ(4.0),H/C350MM, | |
|---|---|-------------|--|--|

ASSY ACCESSORY

| | | | | |
|---|---|-------------|--|--|
| 1 | * | AA94-05823A | ASSY ACCESSORY;50HZ;D,FLAT,100HZ,KS3A,XE | |
| 2 | | 4301-000121 | BATTERY-MN;1.5V,-,AAA,10.5x44.5m,HOLDER | |
| 2 | | HA69-00276A | VINYL-BAG;HDPE,T0.025,L400,W240,-,W/O LO | |
| 2 | | HA83-00047A | LP-TAPEACETATE;T0.1MM,W20MM,L200MM | |
| 2 | | HA68-02124A | LABEL-A/P120(G),70,69,WHITE,XECCO | |
| 2 | | HA68-00971A | LABEL-BACK,DOLBY-A/P100(G),SILVER-BLACK | |

ASSY PACKING

| | | | | |
|---|---|-------------|--|--|
| 1 | * | AA90-01151A | ASSY PACKING;28Z4 | |
| 2 | | HA69-01538A | PACKINGCASE;28Z4,D-3,AB | |
| 2 | | HA69-01537A | CUSHION-SET;28Z4 | |
| 3 | | HA83-00058A | LP-RESIN-EPS;CHEIL SF-301V,WHIT | |
| 2 | | AA69-30032F | BAG-SHEET;HDPE+PE FOAM,-,W1400,H1400,-,- | |
| 2 | | AA60-40006A | PIN-STAPLE;-,-,H18,33X17.8X2.4,-,AUTO | |
| 2 | | HA68-02178A | LABEL-BOX;LABEL-BOX;250MM,89MM,WHITE | |
| 2 | | HA83-00046A | LP-TAPE INK;WIDTH 105 MM | |
| 2 | | HA83-00057B | LP-TAPE-CELLULOSE;HA02-030010,T0,046,W7 | |